



CALIFORNIA 1.25 Effective 01/01/2024

Roofing & Envelope Services Bid Contract #021D

Effective 01/01/2024				
Line	Description	Unit of Measure	CA Prevailing wage Rate	
1	Water-Resistant Roofing			
2	Pressure cleaning, vertical walls	SF	\$ 0.18	
3	Pressure cleaning, horizontal surfaces	SF	\$ 0.38	
4	Roof scanning to identify wet or substandard room components to be removed	SF	\$ 0.01	
5	Asphalt emulsion coating, waterproofing, brush applied, per coat	SF	\$ 0.10	
6	Rubberized coating waterproofing, brush applied, per coat	SF	\$ 0.18	
7	Vinyl/acrylic resin, dampproofing, brush applied per coat.	SF	\$ 0.16	
8	Non-pigmented synthetic resin, waterproofing, one coat sprayed on	SF	\$ 0.16	
9	Caulking: remove existing, clean and prime joint	LF	\$ 1.08	
10	Caulking, epoxied urethane compound, 2 component, 1/4" x 1/4", in place	LF	\$ 0.98	
11	Caulking, polyurethane, 1 component, 1/4" x 1/4", in place	LF	\$ 1.26	
12	Caulking, polyurethane, 1 component, 1/2" x 1/2", in place	LF	\$ 1.23	
13	Caulking, silicone rubber, 1 component, 1/4" x 1/4", in place	LF	\$ 1.04	
14	Caulking, epoxied urethane compound, 2 component, 1/4" x 1/4", in place	LF	\$ 1.73	
15	Caulking, silicone rubber, 1 component, 3/4" x 3/8", in place	LF	\$ 1.23	
16	Backer rod, polyethylene, 3/8" diameter, installed in prepared opening	LF	\$ 0.24	
17	Backer rod, polyethylene, 1/2" diameter, installed in prepared opening	LF	\$ 0.39	
18	Backer rod, polyethylene, 3/4" diameter, installed in prepared opening	LF	\$ 0.41	
19	Backer rod, polyethylene, 1" diameter, installed in prepared opening	LF	\$ 0.49	
20	Building paper, asphalt felt sheathing paper, 1 ply, 15#, in place	SF	\$ 0.23	
21	Building paper, asphalt felt sheathing paper, 1 ply, 40#, in place	SF	\$ 0.11	
22	Building paper, red rosin paper, 5 square rolls, 4#, in place	SF	\$ 0.13	
23	Vapor retarder adhered, 2 ply inorganic, glass Type 15, applied in Type IV (or appropriate type) asphalt, in place	SF	\$ 0.25	
24	Vapor retarder, 2 ply organic, Type 15 pound, applied in Type IV asphalt (or appropriate type), in place	SF	\$ 0.24	
25	Vapor retarder; 2-ply inorganic, glass, Type IV, applied in cold adhesive to 4' x 8' x 1/4" glass-mat embedded, water resistant gypsum core panel mechanically fastened	SF	\$ 0.60	
26	Insulation			
27	Demolition of roof insulation, per inch of depth	SF	\$ 0.45	
28	Demolition of lightweight cementitious fills, per inch of depth	SF	\$ 0.34	
	Roof deck insulation, Isocyanurate in 4' x 4' or 4' x 8' sheets with fiberglass facers, 1" thick, R-			
29	6.6, applied Type IV (or appropriate) asphalt Roof deck insulation, Isocyanurate in 4' x 4' or 4' x 8' sheets with fiberglass facers, 1 1/2" thick,	SF	\$ 0.48	
30	R-10.0, applied Type IV (or appropriate) asphalt	SF	\$ 0.71	
31	Roof deck insulation, Isocyanurate in $4' \times 4'$ or $4' \times 8'$ sheets, $1''$ thick, R-6.6, mechanically fastened	SF	\$ 0.38	
32	Roof deck insulation, Isocyanurate in $4' \times 4'$ or $4' \times 8'$ sheets with fiberglass facers, $1 \ 1/2''$ thick, R-10.0, mechanically fastened	SF	\$ 0.81	
33	Roof deck insulation, fiberboard in 4' x 4' sheets, 1/2" thick, R-1.39, applied Type IV (or appropriate) asphalt	SF	\$ 1.03	
34	Roof deck insulation, fiberboard in 4' x 8' sheets, 25/32" thick, R-2.4, installed hot/cold or	SF	\$ 0.35	
35	mechanically attached coated six sides Roof deck insulation, fiberboard in 4' x 4', 1" thick, R-2.78, applied Type IV asphalt (or	SF	\$ 0.50	
	appropriate asphalt), coated six sides Roof deck insulation, fiberboard in 4' x 4' sheets, 1/2" thick, R-1.39, mechanically fastened,			
36	coated six sides Roof deck insulation, fiberboard in 4' x 4', 1" thick, R-2.78, mechanically fastened, coated six	SF	\$ 0.55	
37	sides Roof deck insulation, lightweight cellular wire reinforced concrete fill, R-value depending on	SF	\$ 0.33	
38	thickness, per inch of depth	SF	\$ 0.53	
39	Roof deck insulation, vermiculite at 1/8:12, R-value depending on thickness, per inch of depth	SF	\$ 1.35	
40	Roof deck insulation, vermiculite at 1/4:12, R-value depending on thickness, per inch of depth	SF	\$ 1.53	
41	Roof deck insulation, gypsum panels, 3" thick	SF	\$ 2.48	
42	Roof deck insulation, Isocyanurate (black facer only), tapered, 1/8" per foot slope, Type IV asphalt, per inch of depth	SF	\$ 0.66	
	1 A 7A 7 T T T T		l	

43	oof deck insulation, Isocyanurate (black facer only), tapered, 1/4" per foot slope, Type IV	SF	\$	1.05
as	phalt, per inch of depth			
	old insulation adhesive	SF	\$	1.18
	OX Gypsum, 1/4" x 4' x 8' - Mechanically attached	SF	\$	1.08
	OX Gypsum, 1/4" x 4' x 8' - Set into adhesive	SF	\$	1.74
	OX Gypsum, 1/2" x 4' x 8' - Mechanically attached	SF	\$	1.46
	OX Gypsum, 1/2" x 4' x 8' - Set into adhesive	SF	\$	2.15
	DX Gypsum with fiberglass, facer: 1/4" x 4' x 8' - Mechanically attached	SF	\$	0.46
	OX Gypsum with fiberglass, facer: 1/4" x 4' x 8' - Set into adhesive	SF	\$	0.73
	DX Gypsum with fiberglass facer: 1/2" x 4' x 8' - Mechanically attached	SF	\$	0.59
	OX Gypsum with fiberglass facer: 1/2" x 4' x 8' - Set into adhesive	SF	\$	0.88
53	Roof Tiles and Shingles			
54 re	emove composition shingles and felts to decking (test for removal of asbestos prior to emoval)	SF	\$	0.79
	emove clay, concrete, or slate roof tiles to decking	SF	\$	0.85
	emove wood shingles and felts to decking	SF	\$	0.30
	ningles, fiberglass, Class A, 25-year strip shingles, slopes 3:12 or greater	SF	\$	1.53
אל ו	ningles, fiberglass, Class A, 30-year, premium laminated multilayered shingles, slopes 3:12 or reater	SF	\$	2.41
59 R	eplace clay or concrete roof tiles	Each	\$	4.23
60 Se	elf-adhering ice and water shield membrane for shingles, tiles, metal waterways, penetrations, illeys, ridges, edges, etc.	SF	\$	2.26
61	Roofing and Roof Restoration			
	emove built-up roof, multi-ply aggregate, non-asbestos, 1 " thick or less	SF	\$	0.93
	emove single-ply roof: ballast, and membrane only	SF	\$	1.09
	emove single-ply roof, membrane partially or fully adhered	SF	\$	1.20
	emove single-ply roof, membrane partially of fully adhered	SF	\$	1.30
	emove copper sheet roofing	SF	\$	0.31
	ase sheet, 3-ply fiberglass, Type IV (or appropriate type) asphalt (17 year roof)	SF	\$	1.79
	ase sheet, 4-ply fiberglass, mechanically attached (17-year roof)	SF	\$	1.79
		SF	\$	
	berglass cap finishing membrane			0.43
	ase sheet with 2 ply, fiberglass felts, Type IV asphalt (or appropriate type)	SF SF	\$ \$	1.66
	ase sheet with 3 ply, fiberglass felts, Type IV asphalt (or appropriate type)	Sr	, b	2.13
72 ty	ase sheet mechanically attached with 4 ply, Type VI fiberglass felts, Type IV (or appropriate pe) asphalt	SF	\$	1.44
73	ail base sheet, 3 ply Type VI fiberglass felts, fiberglass cap, Type IV (or appropriate type) sphalt.	SF	\$	1.49
/4 (2	ase sheet with 4 ply; 2 polyester and 2 fiberglass felts, Type IV (or appropriate type) asphalt (0 year roof)	SF	\$	1.70
	uilt-up roof, base sheet with 3 ply polyester roofing sheet, Type IV (or appropriate type)	SF	\$	1.28
76 Bı	uilt-up roof, base sheet with 3 ply Type GS fiberglass, cold process adhesive (20 year roof)	SF	\$	3.29
77 Bı	uilt-up roof base sheet plus 4 ply Type G2 fiberglass, cold process adhesive (30 year roof)	SF	\$	2.23
78 Bı	uilt-up roof, base sheet, 1 ply Type VI fiberglass, 1 ply modified bitumen sheet, fire rated, Type	SF	\$	3.24
IV	asphalt (15 year roof)		Ψ	5.21
7,4	uilt-up roof, base sheet, 2 ply polyester roofing sheet, 1 ply modified bitumen sheet, fire rated, ppe IV asphalt (or appropriate type) (20 year roof)	SF	\$	1.85
80 Bı	uilt-up roof, base sheet, G-2, 33 lb., mechanically attached	SF	\$	0.75
	uilt-up roof, base sheet, G-2, 33 lb., Type IV asphalt	SF	\$	0.85
82 Bı	uilt-up roof, premium asphalt, added cost per ply per square foot	SF	\$	0.10
83 Bı	uilt-up roof, modified bitumen adhesive, added cost per ply per squre foot	SF	\$	0.25
	uilt-up roof, surface with cold asphaltic surfacing adhesive and gravel	SF	\$	2.76
	uilt-up roof, surface with emulsion and granules	SF	\$	0.75
	uilt-up roof, surface with emulsion and aluminum coating	SF	\$	1.01
87 Bı	uilt-up roof, surface with emulsion and white elastomeric coating	SF	\$	1.06
	uilt-up roof, surface with aluminum coating or paint	SF	\$	1.79
	uilt-up roofing, surface with high solids white elastomeric coating	SF	\$	2.48
	uilt-up roofing repairs; fibered ashpalt mastic, brush grade, with fiberglass mesh.	SF	\$	2.54
	uilt-up roofing repairs; pitch-based mastic, with fiberglass mesh	SF	\$	2.20
	uilt-up roofing repairs; elastomeric mastic, with fiberglass mesh	SF	\$	3.48
	uilt-up roofing restoration, coal tar pitch roofs	SF	\$	2.21
	uilt-up roofing rrestoration, odorless, coal tar pitch or asphalt roofs	SF	\$	1.94
	ngle-ply roof, CSPE, 45 mils reinforced, asbestos free, mechanically fastened	SF	\$	1.85
	ngle-ply roof, CSPE, 60 mils reinforced, asbestos free, mechanically fastened	SF	\$	1.98
	Single-ply roofing repairs (CSPE, PVC, and EPDM)			
97	Single-ply rooting repairs (csi L, i vc, and Li Diri			

99 P	N/C	CE	I &	216
	PVC PPDM	SF SF	\$	2.16
		SF	\$	1.90
	Clashing membrane, 2 ply, Type IV or Type VI fiberglass	SF	\$	1.84 2.95
	Clashing membrane, 1 ply polyester and 1 ply modified bitumen Clashing membrane, 2 ply, polyester	SF	\$	
		SF	\$	2.05
	Clashing membrane, CSPE	SF	\$	5.46
	Clashing membrane, CSPE with aluminum coating	SF	\$	8.63
	Polyurethane foam roofing	SF	\$	1.38
	Additional Polyurethane foam coating			2.24
	Single-ply roof, EDPM, 45 mils reinforced, mechanically fastened	SF	\$	1.38
	Single-ply roof, EDPM, 60 mils fully adhered	SF	\$	3.01
	Built-up roof, base sheet with 3 ply trilaminate ply, cold process adhesive (25 year roof)	SF	\$	3.29
	Built-up roof, surface with premium asphalt, and gravel.	SF	\$	0.56
	Built-up roof, surface with Fire Retardent Aluminum coating or paint, single coat	SF	\$	0.80
	Modified Bitumen roof, base sheet, cap sheet, cold Modified Bitumen Adhesive	SF	\$	5.59
	Built-up roof, 3 ply fiberglass felts, Type IV asphalt	SF	\$	2.75
	Single ply Roof, 45 mils fully adhered with bonding adhesive	SF	\$	3.66
	lingle ply roof, TPA Fleece Back, 45 mils fully adhered with hot asphalt	SF	\$	3.66
	lingle ply roof, 45 mils mechanically attached	SF	\$	1.64
	Base sheet mechanically attached with 3 ply fiberglass felts, Type 1 -Coal Tar Pitch	SF	\$	1.64
	Base sheet mechanically attached with 3 ply Organic felts, Type 1 -Coal Tar Pitch	SF	\$	1.69
	Built-up roof, 4 ply Fiberglass felts, Type 1 Coal Tar Pitch	SF	\$	1.74
	Build-up roof, 4 ply Organic felts, Type 1 Coal Tar Pitch	SF	\$	1.74
	Built-up roof, surface with hot Coal Tar Pitch and gravel	SF	\$	1.21
	ingle ply repairs using 2 coat polyurethane, elastomeric coating system	SF	\$	4.68
1 1/4 1	lingle ply repairs at laps or defects using 2 coats elastomeric coating system with	SF	\$	5.01
r	einforcement			
	ingle ply roof, TPA fleece back, 60 mils fully adhered with hot asphalt	SF	\$	6.70
	lingle ply roof 60 mils fully adhered with bonding adhesive	SF	\$	6.70
	Built-up roof, 1 ply Trilaminate, 1 ply Modified Bitumen Sheet, fire rated	SF	\$	3.33
128	Masonry			
129 B	Brick, remove and reset, 1 to 50 sq ft	SF	\$	20.86
130 B	Brick, remove and reset, over 50 sq ft	SF	\$	16.86
131 B	Block, remove and reset	SF	\$	17.58
132 C	Coping stones, remove and reset	Each	\$	41.85
133 B	Brick, block or coping removal	Each	\$	13.59
134	Brick, block and brick exterior wall maintenance, repair and application of protective			
	coatings.			
	elective Demolition of Concrete Block Masonry Units (CMU) with perimeter saw cutting-	Each	\$	8.33
S	wingstage 4", 6" and 8" block (high-rise)	Buen	Ψ	
1 130 1	elective Demolition of Brick Masonry Units withperimeter saw cutting -swingstage one, two,	SF	\$	29.84
a	nd three wythe (high-rise)			
IS			J P	27.01
1 137 1	elective Demolition of Brick Masonry Units with perimeter saw cutting -scaffolding one, two			
1 137 1	elective Demolition of Brick Masonry Units with perimeter saw cutting -scaffolding one, two nd three wythe (low-rise)	SF	\$	21.18
137 a	nd three wythe (low-rise)			
137 a	nd three wythe (low-rise) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise)	SF	\$	21.18
137 a 138 S 139 R	Ind three wythe (low-rise) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth)	SF SF	\$	21.18
137 a 138 5 139 R 140 R	Ind three wythe (low-rise) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth)	SF SF SF	\$ \$	21.18 2.23 2.41
137 a 138 S 139 R 140 R 141 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting – Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (½" wide by ½" depth)	SF SF SF SF	\$ \$ \$ \$	21.18 2.23 2.41 2.65
137 a 138 S 139 R 140 R 141 R	Ind three wythe (low-rise) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth)	SF SF SF	\$ \$	21.18 2.23 2.41
137 a 138 9 139 R 140 R 141 R 142 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting – Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF SF SF SF	\$ \$ \$ \$	21.18 2.23 2.41 2.65
137 a 138 S 139 R 140 R 141 R 142 R 143	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise)	SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38
137 a 138 S 139 R 140 R 141 R 142 R 143 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting – Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting – Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth)	SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ½" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth)	SF SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth)	SF SF SF SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF SF SF SF SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF SF SF SF SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Selective Demolition of Mortar Joint with Perimeter Sawcutting - Scaffolding (low-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF SF SF SF SF SF SF SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93 3.04
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 3¾" depth) Furnish and install new mortar (¾" wide by 3¾" depth) Furnish and install new mortar (¾" wide by 1½" depth)	SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93 3.04 2.59
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F 151 F 152 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 3¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth)	SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93 3.04 2.59
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F 151 F 152 F 153 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by ¾" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth)	SF S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93 3.04 2.59 3.75
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F 151 F 152 F 153 F 154 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 3¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 3¾" depth) Removal of existing mortar (¾" wide by 3¾" depth)	SF S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93 3.04 2.59 3.75 7.06
137 a 138 S 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148 R 149 F 150 F 151 F 152 F 153 F 154 F 155 F	Selective Demolition of Mortar Joint with Perimeter Sawcutting - Swingstage (high-rise) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (½" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by ¾" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Removal of existing mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by ¾" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth) Furnish and install new mortar (¾" wide by 1½" depth)	SF S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	21.18 2.23 2.41 2.65 3.38 4.41 4.85 6.99 8.11 2.93 3.04 2.59 3.75 7.06 7.95

150	Demoval of 2 with a brief paranet wall (24" bigh)	CE	I ¢	44 E1
159 160	Removal of 3 wythe brick parapet wall (24" high) Removal of 3 wythe brick parapet wall (42" high)	SF SF	\$	44.51 78.33
161	Removal of 2 wythe brick parapet wall (42 high)	SF	\$	37.29
162	Removal of 3 wythe brick parapet wall (42" high)	SF	\$	68.56
163	Removal of Roof Parapets - Scaffolding (low-rise)	31	φ	00.30
164	Removal of 3 wythe brick parapet wall (24" high)	SF	\$	85.94
165	Removal of 3 wythe brick parapet wall (24 high)	SF	\$	154.66
166	Removal of 2 wythe brick parapet wall (42 high)	SF	\$	72.18
167	Removal of 3 wythe brick parapet wall (42" high)	SF	\$	144.35
168	Reconstruction of Brick Masonry Roof Parapets - Swingstage (high-rise)	31	Ψ	177.33
169	New brick masonry parapet w/stone coping and flashings (3 wythe -24" high)	SF	\$	131.63
170	New brick masonry parapet w/stone coping and flashings (3 wythe -24' high)	SF	\$	166.25
171	New brick masonry parapet w/stone coping and flashings (2 wythe -24" high)	SF	\$	97.71
172	New brick masonry parapet w/stone coping and flashings (2 wythe -42" high)	SF	\$	121.64
173	Reconstruction of Brick Masonry Roof Parapets – Scaffolding (low-rise)	31	Ψ	121.01
174	New brick masonry parapet w/stone coping and flashings (3 wythe -24" high)	SF	\$	240.59
175	New brick masonry parapet w/stone coping and flashings (3 wythe -42" high)	SF	\$	326.53
176	New brick masonry parapet w/stone coping and flashings (2 wythe -24" high)	SF	\$	171.85
177	New brick masonry parapet w/stone coping and flashings (2 wythe -42" high)	SF	\$	251.51
178	New Throughwall Flashings – Swingstage (high-rise)	31	φ	231.31
179	Removal of 4 courses 1 wythe brick wall w/Temporary Shoring	SF	\$	16 22
180	Removal of 4 courses 1 wythe brick wall w/ 1 emporary Snoring Removal and replacement of steel lintel	SF	\$	46.33 23.38
180	Furnish and install new flashings (Bituthane)	SF	\$	7.30
182	Furnish and install new flashings (Lead coated copper)	SF	\$	13.15
183	Parging and waterproofing of back-up wall	SF	\$	
184		Sr	1	10.23
185	New Throughwall Flashings - Scaffolding (low-rise)	SF	\$	37.31
186	Removal of 4 courses 1 wythe brick wall w/Temporary Shoring Removal and replacement of steel lintel	SF	\$	43.81
187	Furnish and install new flashings (Bituthane)	SF	\$	11.70
188	Furnish and install new flashings (Lead coated copper)	SF	\$	
189	Parging and waterproofing of back-up wall	SF	\$	23.36 16.36
190	Brick Masonry/Stone Stabilization	ЭГ	, p	10.30
191	Drilling and installation of new friction pins with mortar cap	SF	\$	12.03
192	Drilling and installation of new friction pins with mortar cap Drilling and installation of new friction pins for lime stone with mortar cap	SF	\$	12.03
193	Limestone Removal and Replacement.	31	φ	12.03
194	Removal of existing deteriorated architectural limestone	SF	\$	30.08
195	Furnish and install new limestone replacement.	SF	\$	86.74
196	Replacement of stone with lightweight polymer resin to match	SF	\$	17.45
197	Minor patching of existing stone to match	SF	\$	36.71
198	Terra Cotta Removal and Replacement.	31	Ψ	30.71
199	Removal of existing deteriorated architectural Terra Cotta	SF	\$	60.16
200	Furnish and install new Terra Cotta replacement.	SF	\$	192.48
201	Replacement of stone with lightweight polymer resin to match	SF	\$	69.76
202	Minor patching of existing stone to match	SF	\$	111.23
203	Roof Coping Stones.	31	φ	111.23
203	Removal of existing roof coping stones (16 inches)	SF	\$	28.36
205	Removal and parging of existing substrate	SF	\$	4.68
206	Furnish and install new lead coated copper flashings	SF	\$	19.24
207	Drilling and epoxy grouting stainless steel pins	SF	\$	5.79
208	Reinstallation of existing stones with cleaning	SF	\$	17.40
	Ivenistanation of existing stones with cleaning	i 3F		
	Eurnish and install new coping stones		I ¢	30 E0
209	Furnish and install new coping stones Furnish and install new sealants between coping stones	SF	\$	39.58
209 210	Furnish and install new sealants between coping stones.	SF SF	\$	6.09
209 210 211	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones.	SF		
209 210 211 212	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing.	SF SF SF	\$	6.09 4.51
209 210 211 212 213	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up	SF SF SF	\$ \$ \$	6.09 4.51 13.64
209 210 211 212 213 214	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall	SF SF SF SF	\$ \$ \$	6.09 4.51 13.64 3.43
209 210 211 212 213 214 215	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall	SF SF SF	\$ \$ \$	6.09 4.51 13.64
209 210 211 212 213 214 215 216	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers	SF SF SF SF SF SF	\$ \$ \$ \$ \$	6.09 4.51 13.64 3.43 1.95
209 210 211 212 213 214 215 216 217	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers Isolated repair of existing masonry piers (removal and replacement)	SF SF SF SF SF SF SF	\$ \$ \$ \$ \$	6.09 4.51 13.64 3.43 1.95
209 210 211 212 213 214 215 216 217 218	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers Isolated repair of existing masonry piers (removal and replacement) Reconstruction of isolated areas of pier	SF SF SF SF SF SF SF SF	\$ \$ \$ \$ \$	13.64 3.43 1.95 27.06 24.40
209 210 211 212 213 214 215 216 217 218 219	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers Isolated repair of existing masonry piers (removal and replacement) Reconstruction of isolated areas of pier Construction of new masonry piers.	SF SF SF SF SF SF SF	\$ \$ \$ \$ \$	13.64 3.43 1.95 27.06 24.40
209 210 211 212 213 214 215 216 217 218 219 220	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers Isolated repair of existing masonry piers (removal and replacement) Reconstruction of isolated areas of pier Construction of new masonry piers. Crack Repair	SF	\$ \$ \$ \$ \$ \$	6.09 4.51 13.64 3.43 1.95 27.06 24.40 19.54
209 210 211 212 213 214 215 216 217 218 219 220	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers Isolated repair of existing masonry piers (removal and replacement) Reconstruction of isolated areas of pier Construction of new masonry piers. Crack Repair Drill and install new stainless steel pins.	SF	\$ \$ \$ \$ \$ \$ \$	6.09 4.51 13.64 3.43 1.95 27.06 24.40 19.54
209 210 211 212 213 214 215 216 217 218 219 220	Furnish and install new sealants between coping stones. Cleaning and coating of existing stones. CMU Backup Wall Repair and Waterproofing. Replacement of Deteriorated CMU Back-up Purging of CMU back-up wall Waterproofing of back-up wall Brick Masonry Piers Isolated repair of existing masonry piers (removal and replacement) Reconstruction of isolated areas of pier Construction of new masonry piers. Crack Repair	SF	\$ \$ \$ \$ \$ \$	6.09 4.51 13.64 3.43 1.95 27.06 24.40 19.54

Removal of existing concrete (3.5" depth)	225	Perimeter sawcutting	SF	\$	1.08
New Concrete and Conting	226	Removal of existing concrete (2" depth)	SF	\$	5.05
Placement of new high strength patching mortar (12" depth)	227	Removal of existing concrete (3.5" depth)	SF	\$	6.50
	228	New Concrete and Coating			
	229	Placement of new high strength patching mortar (2" depth)	SF	\$	18.04
Sidewalk Bridging	230	Placement of new high strength patching mortar (3.5" depth)	SF	\$	20.21
Temporary Roof Protection	231	Cleaning and coating of concrete surface.	SF	\$	5.78
Metal Work SF S 2.14	232	Sidewalk Bridging.	SF	\$	22.54
Section Sect	233	Temporary Roof Protection	SF	\$	1.84
Install metal declang. 1-1/2" deep. 20 gauge, standard profile	234	Metal Work			
Install steel plate; two sizes	235	Remove standard metal decking	SF	\$	2.14
10 Gauge, standard application	236	Install metal decking; 1-1/2" deep, 20 gauge, standard profile	SF	\$	4.41
Strta heavy-duty J/4th inch	237	Install steel plate, two sizes	SF	\$	3.38
240	238	10 Gauge, standard application	SF	\$	3.38
Counterflashing, galvanized, 24 gauge, 6' width	239	Extra heavy-duty 1/4th inch	SF	\$	1.83
243	240	Remove metal counterflashing	LF	\$	1.99
Remove metal edge, gravel stop, eave strip, or coping	241	Counterflashing, galvanized, 24 gauge, 6" width	LF	\$	3.88
Remove metal edge, gravel stop, eave strip, or coping	242	Counterflashing, copper, 16 oz., 6" width	LF	\$	2.61
Metal edge raised, galvanized steel fascia/eave drip; 6 "face, hemmed, continuous cleat, 3" deck farey stop, galvanized steel, 24 gauge, 6" face LF \$ 6.25			LF	\$	1.65
Section					
245 Gravet stop, galvanized steel, 24 gauge, 6" face LF \$ 0.294	244		LF	\$	5.53
Remove metal gutter	245		LF	\$	6.28
Gutter, galvanized steel, ASTM \$26, with 12.5 ac, /squarefoot galvanized coating, 24 gauge, 5" LF \$ 16.99			LF	\$	2.94
16.94		9			
249	247	, ,	LF	\$	16.94
Gutter, copper, 16 oz, half round, 5" wide	248		LF	\$	22.39
Section Comparison Compar		, , ,			
Remove metal downspouts LF \$ 2.50					
Downspouts, aluminum, .024" thick, 3" x 4", painted, installed				_	
Downspouts, Gl, 24 gauge, 3" x 4" installed		·			
Downspouts, GI, 24 gauge, 4" round					
Downspouts, copper, 16 oz., 6" round					
Downspouts, strainer		1 1 0 0 1			
Metal flashing, apron flashing, 9" wide					
Metal splash pan, 16 oz.					
Metal splash pan, 16 oz.					
Metal trim, aluminum, .032" thick, painted					
Metal storm collar Each \$ 22.3;					
Metal coping, galvanized steel, 24 gauge, standing seam				_	
Metal coping, galvanized steel, 24 gauge, with butt plate		111 111 111			
264 Resolder joints in sheet metal LF \$ 1.04 265 Metal edge, aluminum, 0.50 thick 6" face painted SF \$ 14.05 266 Metal edge, aluminum, free floating fascia system SF \$ 14.05 267 Parapet wall metal SF \$ 11.99 268 Metal edge, anodized finished aluminum, free floating fascia system 8 inches SF \$ 34.93 269 Metal edge, high performance fluorocarbon finished aluminum, free floating fascia system 8 inches SF \$ 34.93 270 Metal edge, anodized finished aluminum, free floating fascia system 6 inches SF \$ 15.81 271 Metal edge, anodized finished aluminum, free floating fascia system 6 inches SF \$ 14.05 272 Metal edge, high performance fluorocarbon finished aluminum, free floating fascia system 6 inches SF \$ 12.30 272 Metal edge, high performance fluorocarbon finished aluminum, free floating fascia system 6 inches SF \$ 12.30 273 Furnish and install new uninsulated aluminum wall cladding SF \$ 12.30 274 Furnish and install new insulated aluminum wall cladding SF \$ 12.80 275 Furnish and install new insulated aluminum wall cladding SF \$ 12.80 276 Cladding of roof parapet walls with copings. SF \$ 18.20 277 New Exterior Insulation and Finish System (EIFS) SF \$ 25.43 278 New Exterior Insulation and Finish System (EIFS) SF \$ 5.54 279 New Exterior Insulation and Finish System (EIFS) SF \$ 5.54 280 New Metal Copings. SF \$ 1.15 281 Surface Preparation SF \$ 3.40 282 Cleaning of existing steel and surface. SF \$ 3.40 284 Exterior rated gypsum board sheathing and substrate SF \$ 3.42 285 EIFS Repair SF \$ 2.42 286 Section Section SF \$ 3.42 287 Section Section SF \$ 3.42 288 EIFS Repair SF \$ 3.42 289 Eaterior rated gypsum board sheathing and substrate SF \$ 3.42 280 EIFS Repair SF \$ 3.42 280 EIFS Repair SF \$ 3.42		1 5 5			
Metal edge, aluminum, 0.50 thick 6" face painted					
Metal edge, aluminum, free floating fascia system SF \$ 19.45		,			
Parapet wall metal SF \$ 11.99				<u> </u>	
Metal edge, anodized finished aluminum, free floating fascia system 8 inches SF \$ 34.93					
Metal edge, high performance fluorocarbon finished aluminum, free floating fascia system 8 inches SF \$ 15.80					
inches inches inches series in	268		SF	\$	34.93
Inches	269		SF	 \$	15.81
Metal edge, high performance fluorocarbon finished aluminum, free floating fascia system 6 inches New Aluminum Metal Cladding Furnish and install new uninsulated aluminum wall cladding Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding Furnish and inst					
Inches SF SF SF SF SF SF SF S	270		SF	\$	14.05
Inches	271		SF	l _{\$}	12.30
Furnish and install new uninsulated aluminum wall cladding 274 Furnish and install new insulated aluminum wall cladding 275 Furnish and install new insulated aluminum wall cladding 276 Cladding of roof parapet walls with copings. 277 New Exterior Insulation and Finish System (EIFS) 278 New Exterior Insulation and Finish System (EIFS) 279 New Exterior Insulation Finish System (EIFS) w/o insulation 280 New Metal Copings. 281 Surface Preparation 282 Cleaning of existing steel and surface. 283 Coating of existing reinforcement 284 Exterior rated gypsum board sheathing and substrate 285 EIFS Repair Woodwork SF \$ 7.31 286 \$ 7.31 287 \$ \$ 12.85 \$ \$ 12.85 \$ \$ 21.35 \$ \$ \$ 21.35 \$ \$ \$ 21.35 \$ \$ \$ 21.35 \$ \$ \$ 21.35 \$ \$ \$ \$ 25.45 \$ \$ \$ \$ 25.45 \$ \$ \$ \$ 25.45 \$ \$ \$ \$ \$ 11.15 \$ \$ \$ \$ \$ 11.15 \$ \$ \$ \$ \$ \$ 0.94 \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$ 26.61 \$ \$ \$ \$ \$ \$ \$ \$ \$			-	<u> </u>	
Furnish and install new insulated aluminum wall cladding Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and install new insulated aluminum wall cladding panels (Architecture) Furnish and instal levels and surface. Furnish and instal levels and surface					
Furnish and install new insulated aluminum wall cladding panels (Architecture) 276 Cladding of roof parapet walls with copings. 277 New Exterior Insulation and Finish System (EIFS) 278 New Exterior Insulation and Finish System (EIFS) 279 New Exterior Insulation Finish System (EIFS) 280 New Metal Copings. 281 Surface Preparation 282 Cleaning of existing steel and surface. 283 Coating of existing reinforcement 284 Exterior rated gypsum board sheathing and substrate 285 EIFS Repair SF \$ 18.29 \$ \$ 19.29 \$ \$ 25.43 \$ \$ \$ 15.69 \$ \$ 11.15 \$ \$ \$ 1.15 \$ \$ \$ 1.15 \$ \$ \$ 1.15 \$ \$ \$ 1.15 \$ \$ \$ 1.25 \$ \$ 1.25					7.31
276Cladding of roof parapet walls with copings.SF\$ 21.33277New Exterior Insulation and Finish System (EIFS)SF\$ 25.43278New Exterior Insulation and Finish System (EIFS)SF\$ 15.69279New Exterior Insulation Finish System (EIFS) w/o insulationSF\$ 15.69280New Metal Copings.SF\$ 11.15281Surface PreparationSF\$ 8.46282Cleaning of existing steel and surface.SF\$ 8.46283Coating of existing reinforcementSF\$ 0.94284Exterior rated gypsum board sheathing and substrateSF\$ 2.61285EIFS RepairSF\$ 24.23286WoodworkSF\$ 24.23		Ü			12.85
New Exterior Insulation and Finish System (EIFS)278New Exterior Insulation and Finish System (EIFS)SF\$ 25.43279New Exterior Insulation Finish System (EIFS) w/o insulationSF\$ 15.69280New Metal Copings.SF\$ 11.15281Surface Preparation282Cleaning of existing steel and surface.SF\$ 8.46283Coating of existing reinforcementSF\$ 0.94284Exterior rated gypsum board sheathing and substrateSF\$ 2.61285EIFS RepairSF\$ 24.23286Woodwork					18.29
278 New Exterior Insulation and Finish System (EIFS) SF \$ 25.43 279 New Exterior Insulation Finish System (EIFS) w/o insulation SF \$ 15.69 280 New Metal Copings. SF \$ 11.15 281 Surface Preparation SF \$ 8.46 283 Coating of existing steel and surface. SF \$ 9.94 284 Exterior rated gypsum board sheathing and substrate SF \$ 2.61 285 EIFS Repair SF \$ 24.23 286 Woodwork SF \$ 24.23			SF	\$	21.31
279New Exterior Insulation Finish System (EIFS) w/o insulationSF\$ 15.69280New Metal Copings.SF\$ 11.15281Surface PreparationSF\$ 8.46282Cleaning of existing steel and surface.SF\$ 8.46283Coating of existing reinforcementSF\$ 0.94284Exterior rated gypsum board sheathing and substrateSF\$ 2.61285EIFS RepairSF\$ 24.23286WoodworkSF\$ 24.23					
280 New Metal Copings. SF \$ 11.15 281 Surface Preparation SF \$ 8.46 282 Cleaning of existing steel and surface. SF \$ 8.46 283 Coating of existing reinforcement SF \$ 0.94 284 Exterior rated gypsum board sheathing and substrate SF \$ 2.61 285 EIFS Repair SF \$ 24.23 286 Woodwork SF \$ 3.24	278		SF		25.43
281 Surface Preparation Surface Preparation 282 Cleaning of existing steel and surface. SF \$ 8.46 283 Coating of existing reinforcement SF \$ 0.94 284 Exterior rated gypsum board sheathing and substrate SF \$ 2.61 285 EIFS Repair SF \$ 24.23 286 Woodwork SF \$ 3.61	279	New Exterior Insulation Finish System (EIFS) w/o insulation	SF		15.69
282 Cleaning of existing steel and surface. SF \$ 8.46 283 Coating of existing reinforcement SF \$ 0.94 284 Exterior rated gypsum board sheathing and substrate SF \$ 2.61 285 EIFS Repair SF \$ 24.23 286 Woodwork \$ 5	280	New Metal Copings.	SF	\$	11.15
282 Cleaning of existing steel and surface. SF \$ 8.46 283 Coating of existing reinforcement SF \$ 0.94 284 Exterior rated gypsum board sheathing and substrate SF \$ 2.61 285 EIFS Repair SF \$ 24.23 286 Woodwork \$ 5	281	Surface Preparation			
283Coating of existing reinforcementSF\$ 0.94284Exterior rated gypsum board sheathing and substrateSF\$ 2.61285EIFS RepairSF\$ 24.23286Woodwork		•	SF	\$	8.46
284Exterior rated gypsum board sheathing and substrateSF\$ 2.61285EIFS RepairSF\$ 24.23286Woodwork					0.94
285 EIFS Repair SF \$ 24.23 286 Woodwork					2.61
286 Woodwork		G. 1			
	285	LEIFS Repair			
		·	31	*	27.20

288	Demolition of standard 2" x 6" tongue and groove decking	SF	\$	0.78
289	Plywood decking, CDX, 1/2" thick (or 15/32" optional)	SF	\$	2.73
290	Plywood decking, CDX, 5/8" thick	SF	\$	1.36
291	Plywood decking, CDX, 3/4" thick	SF	\$	2.55
292	Standard 1" x 6" decking, tongue and groove	SF	\$	1.38
293	Standard 2" x 6" tongue and groove decking	SF	\$	2.03
294	Cants, wood fiber, trapezoidal, 1 1/2" x 5 5/8"	LF	\$	0.64
295	Cants, SBX treated wood, 4" x 4" diagonal	LF	\$	2.53
296	Nailer, SBX treated wood, 1" x 4"	LF	\$	1.08
297	Nailer, SBX treated wood, 2" x 4"	LF	\$	1.31
298	Nailer, SBX treated wood	ы	Ψ	1.51
299	2" x 6"	LF	\$	2.34
300	2" x 8" optional	LF	\$	2.49
301	Curbing, SBX treated wood, 2" x 12"	LF	\$	
		Lr	3	2.89
302	Joist, fir			2.71
303	2" x 6"	LF	\$	2.74
304	2" x 8" optional	LF	\$	3.13
305	Joist, fir			
306	2" x 10"	LF	\$	3.15
307	2" x 12" optional	LF	\$	3.44
308	Standing Seam Metal Roof System (SSMRS) Price Each			
309	Specification Using Line Items			
310	Pre-Engineered SSMRS, products (20-year roof)	SF	\$	6.63
311	Subpurlins	LF	\$	6.00
312	Roof panel installation	SF	\$	5.51
313	Field forming of panels	SF	\$	2.25
314	Concealed anchor clips	Each	\$	1.78
315	Vapor retarder installation	SF	\$	0.81
316	Insulation installation	SF	\$	2.61
317	Gutters (SSMRS only)	LF	\$	19.35
318	Gutter liners	SF	\$	4.50
319	Flashing	LF	\$	9.38
320	Expansion joints	LF	\$	22.73
321	Finishing touches (no additional cost in contract)			
322	Snow retention assemblies	LF	\$	1.19
323	Self-adhering ice and water shield membrane for shingles, tiles, metal waterways, penetrations,	LF	\$	2.46
323	valleys, ridges, edges, etc.	LI	Ψ	2.40
324	Roof Specialties and Accessories			
325	Remove roof hatch			
326		Each	\$	92.81
	Roof hatch, aluminum, 2'6" x 3'0"	Each Each	\$ \$	92.81 332.40
327	Roof hatch, aluminum, 2'6" x 3'0" Roof hatch, aluminum, larger sizes	Each	\$	332.40
327	Roof hatch, aluminum, larger sizes	Each SF	\$	332.40 28.65
327 328	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing	Each SF Each	\$ \$ \$	332.40 28.65 290.59
327 328 329	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing	Each SF Each Each	\$ \$ \$ \$	332.40 28.65 290.59 1,288.76
327 328 329 330	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing	Each SF Each Each Each	\$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76
327 328 329 330 331	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain	Each SF Each Each Each Each	\$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73
327 328 329 330 331 332	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing	Each SF Each Each Each Each Each	\$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58
327 328 329 330 331 332 333	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration	Each SF Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79
327 328 329 330 331 332 333 334	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs	Each SF Each Each Each Each Each Each SF	\$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29
327 328 329 330 331 332 333 334 335	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass	Each SF Each Each Each Each Each SF Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43
327 328 329 330 331 332 333 334 335 336	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid	Each SF Each Each Each Each Each Each SF	\$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29
327 328 329 330 331 332 333 334 335	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass	Each SF Each Each Each Each Each SF Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43
327 328 329 330 331 332 333 334 335 336	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid	Each SF Each Each Each Each Each SF Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43
327 328 329 330 331 332 333 334 335 336 337	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34
327 328 329 330 331 332 333 334 335 336 337 338	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34
327 328 329 330 331 332 333 334 335 336 337 338 339	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1"	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and seams	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64 2.91
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and seams Pitch pocket, 24 gauge, GI, 8" x 8", with storm collar, hemmed to outside, soldered corners and	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64 2.91
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and seams Pitch pocket, 24 gauge, GI, 8" x 8", with storm collar, hemmed to outside, soldered corners and seams	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64 2.91
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built-up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and seams Pitch pocket, 24 gauge, GI, 8" x 8", with storm collar, hemmed to outside, soldered corners and seams	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64 2.91 122.09
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and seams Pitch pocket, 24 gauge, GI, 8" x 8", with storm collar, hemmed to outside, soldered corners and seams Pitch pocket, resurface top only 8 "x 8"	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64 2.91 122.09 133.55
327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347	Roof hatch, aluminum, larger sizes Remove existing roof drain, except plumbing Install new roof 4" drain, except plumbing Install new roof 6" drain, except plumbing Reflash existing roof drain Plumbing stack, 4# lead flashing Scupper, sheet steel, 24 gauge ASTM A 526, match existing configuration Remove existing walkway, built-up roofs Walkway, built-up roofs, desert tan fiberglass Walkway, built-up roofs, non skid Walkway, single ply roof 30" wide roll goods, tape attached 30" wide roll, hot asphalt attached 30" wide roll, adhestive attached Roof ventilators Roof ladder, steel, bolted to concrete, up to 20 feet, without cage Roof ladder, steel, bolted to concrete, 20 feet and up, with cage; with intermediate landings as required by Code Roof ladder, security ladder guard Termination bar, aluminum, 1/4" x 1" Pitch pocket, 24 gauge, GI, 6" x 6", with storm collar hemmed to outside, soldered corners and seams Pitch pocket, 24 gauge, GI, 8" x 8", with storm collar, hemmed to outside, soldered corners and seams	Each SF Each Each Each Each Each Each Each Each	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	332.40 28.65 290.59 1,288.76 1,288.76 178.73 78.58 140.79 0.29 0.43 2.34 1.71 1.99 2.01 91.70 56.43 68.96 73.64 2.91 122.09

351	Expansion joint, butyl or neoprene bellows, galvanized flange	LF	\$	20.00
352	Expansion joint, CSPE reinforced	LF	\$	15.44
353	Repair kit for dry repairs	Each	\$	23.44
354	Repair kit for wet repairs	Each	\$	23.44
355	Skylights (price each size and lens combination)			
356	Standard 3' x 5', 4' x 4', 4' x 8' with single clear lenses	SF	\$	14.83
357	Standard 3' x 5', 4' x 4', 4' x 8' with clear double lenses	SF	\$	26.21
358	Skylight lense replacement only, clear	SF	\$	3.51
359	Skylight lense replacement only, double clear	SF	\$	3.51
360	Security/fall bars for skylights		_	=0.00
361	3' x 5'	Each	\$	79.69
362	4' x 4'	Each	\$	79.69
363	4' x 8'	Each	\$	178.13
364	Special sizes	SF	\$	13.23
365	Roof Services	r l	.	F7.70
366	Asbestos core testing and patch of existing roof surface	Each	\$	57.79
367	Core analysis, 14" x 14" and patch of existing roof surface	Each	\$	251.96
368	Non destructive roof scan, up to 50,000 sq ft, full service each	Each SF	\$	2,321.58
369	Additional foot over 50,000 sq ft			0.03
370	Non destructive roof scan, up to 50,000 sq ft, limited service	Each	\$	1,686.38
371	Additional foot over 50,000 sq ft Roof inspection services (visual inspection of roofing service/membrane, flashings,	SF	12	0.03
372	counterflashings, copings, parapets, trims, hatches, penetrations, curbs, roof-mounted	Day	\$	868.35
3/2	equipment, etc. with a written report of findings and recommendations	Дау	1 4	000.33
373	Field/shop drawings, up to 10,000 sq ft	SF	\$	0.03
374	Field/shop drawings, 10,000-50,000 sq ft	SF	\$	0.03
375	Field/shop drawings, over 50,000 sq ft	SF	\$	0.03
376	Prime contractor's warranty, restoration, less than 10,000 per sq ft, minimum charge	Project	\$	500.00
377	Prime contractor's warranty, restoration, ress than 10,000 per sq ft, minimum charge	SF	\$	0.05
	Prime contractor's warranty, re-roof, total system, 10 year, less than 10,000 sq ft, minimum	51		0.03
378	charge (Standard)	Project	\$	1,000.00
	Prime contractor's warranty, re-roof, total system, 10 year, less than 10,000 sq ft, minimum		1.	
379	charge (includes 2, 5, 7, 10, 15 year inspections)	Project	\$	1,500.00
380	10 year Restoration Warranty Under 10,000 Square Feet, Inspections in Years 2 & 5	Each	\$	2,000.00
381	10 year Restoration Warranty Over 10,000 Square Feet, Inspections in Years 2 & 5	Each	\$	0.20
	Prime contractor's warranty, re-roof, total system, 10 year, more than 10,000 sq ft, minimum		1	
382	charge (Standard)	SF	\$	0.15
202	Prime contractor's warranty, re-roof, total system, 10 year,more than 10,000 sq ft, minimum	CD.		0.15
383	charge (includes 2, 5, 7, 10, 15 year inspections)	SF	\$	0.15
384	Per diem rate per worker per 24 hour period of time	Day	\$	56.95
385	Prime contractors per diem/costs for asbestos abatement planning	Day	\$	28.99
386	Asbestos abatement activities, BUR removal and disposal of waste	SF	\$	1.64
387	Project site is located 65 or more miles from the contractor's/subcontractor's yard/home	SF	\$	0.83
307	location		φ	0.03
388	Asbestos site monitoring	Day	\$	352.26
389	Annual or semi-annual roof housekeeping-per location			
390	Cost once a year per location if less than 20,000 sq. ft.	SF	\$	0.11
391	Cost per Sq.ft. per year per location if greater than 20,000 sq.ft.	SF	\$	0.11
392	Cost semi-annual per location if less than 20,000sq. ft	SF	\$	0.19
393	Cost per Sq.ft. semi annual per location if greater than 20,000 sq.ft.	SF	\$	0.19
394	Roof leak investigation	Day	\$	456.44
395	Minor roof repair calls	Day	\$	957.19
396	Difficult access or fall restriction; surcharge	%		15.00%
397	Excessive hauling	Each	\$	91.33
398	Work in secured areas or compounds; surcharge	%		15.00%
399	Additional and occasional supplies, materials, equipment and services			
400	Additional and occasional services Roofing supplies Discount off Retail Price List	%		13.40%
401	HVAC: Alternative Methods of Costing -percent of overhead/markup and profit added to cost	% of O/P		20.00%
402	HVAC: Discounts Offered Off Alternative CostingMethods (cost plus profit and overhead) Less	%		6.00%
	Rate of Discount			
403	HVAC: Multiplier/factor to be applied to the R.S. Means costs.	%	- t	92.00%
404	Cold and bad weather storage - identify extra cost, if any	Day	\$	0.01
405	Deducts and add-ons for in lieu products Polyurethane foam roofing, first inch (Deduct Line 106)	CD	¢	(0.10
106	reorvureurane roam roomig, nist inch i Deduct Line 1961	SF	\$	(0.13
406 407	Additional polyurethane foam, per inch (Deduct Line 107)	SF	\$	(0.31

409 Ce:	amontitions rock coating (add)	SF	\$	2.80
	ementitious rock coating (add)	SF	\$	2.66
	dd acrylic plus rock (add) ningles, fiberglass, Class A, 25-year strip shingles (add)	SF	\$	(0.08)
			\$	
	stall one layer 15lb felt (add)	SF		0.35
	ngle ply repairs using 2 coat polyurethane, elastomeric coating system (Deduct Line 123)	SF	\$	(0.13)
	ngle ply repairs at laps or defects using 2 coats elastomeric coating system with	SF	\$	(0.19)
	inforcement (Deduct Line 124)			
415	Value Add	I.D.		0.05
	oute existing cracks in concrete or masonry	LF	\$	0.85
	repare concrete by Shot blasting	SF	\$	0.25
	ertical application of water dispersed VOC compliant silane sealer	SF	\$	0.50
	orizontal application of water dispersed VOC compliant silane sealer	SF	\$	0.60
	oof Cleaning System	SF	\$	0.44
421 R	Roof deck insulation, fiberboard in 4' x 4' sheets, 1/2" thick, R-1.39, applied Type IV (or appropriate) asphalt			
Co	old applications: adhere insulation to primed deck or sub-insulation with a cold adhesive at a		1.	
	te of 1.5 gallons per 100 square feet.	SF	\$	1.29
423	Installation of new Polyisocyanurate insulation			
	echanically attached	BF	\$	1.85
	ot adhered	BF	\$	
	old adhered	BF	\$	1.61
				2.46
	dge Vents	LF	\$	6.48
	rnthetic Underlayment	SF	\$	0.53
4/9	ningles, Fiberglass, Class A 40-Year Premium Laminated Multilayered Shingles, Slope 3:12 or reater	SF	\$	2.55
Sh	ningles, Fiberglass, Class A 50-Year Premium Laminated Multilayered Shingles, Slope 3:12 or		1.	
430 1	reater	SF	\$	2.88
431 Ins	stall layer of 30 lb. Felt	SF	\$	0.41
432	TPO 60 mil system installation	<u> </u>	Ť	****
	onding adhesive	SF	\$	5.58
	echanically attached	SF	\$	4.68
	et Vacuum loose aggregate from roof membrane	SF	\$	
				0.60
	weep loose aggregate, debris from Substrate	SF	\$	0.46
	rime Substrate	SF	\$	0.35
	ashing membrane, 1 ply fiberglass and 1 ply modified bitumen fire rated	SF	\$	4.05
	isaster Response Repairs	<u>%</u>		20.00%
	uilt Up Roof Surface w/ Cold Process White Highly Reflective Adhesive and White Marble	SF	\$	6.30
441 Tw	wo component, high performance, one part moisture triggered, polyurethane coating system	SF	\$	15.30
	ith reinforcement		1	
	wo part, bio-based, polyurethane roof coating system	SF	\$	12.85
	wo part, bio-based, polyurethane roof coating system, non-reinforced	SF	\$	11.26
	wo-part UV Resistant, Polyurethane Modified Methyl Methacrylate Roof Coating System	SF	\$	13.35
	etal Restoration with Acrylic Coating	SF	\$	8.89
446 Me	etal Restoration with Aluminum Coating	SF	\$	4.65
447 Br	rick, Remove and install new standard brick	Each	\$	32.68
	ructural Analysis/engineering services	Hour	\$	105.00
449 Mı	ultiplication factor for roofs Greater Than 10,000 And Under 20,000 Square Feet	%		15.00%
	ultiplication factor for roofs Greater Than 5,000 And Under 7,000 Square Feet	%		20.00%
	ultiplication factor for roofs Greater Than 3,000 And Under 5,000 Square Feet	%		25.00%
	ultiplier for roofs less than 1,000 square feet	%		30.00%
	nergency Leak Repair per 1/2 Man Day	Each	\$	1,032.34
) year Restoration Warranty Under 10,000 Square Feet, Standard	Each	\$	800.00
) year Restoration Warranty Order 10,000 Square Feet, Standard	SF	\$	0.08
	2 Year Restoration Warranty Under 10,000 Square Feet, Standard		\$	
		Each		1,000.00
	2 Year Restoration Warranty Over 10,000 Square Feet, Standard	SF	\$	0.10
	2 Year Restoration Warranty Under 10,000 Square Feet, Inspections In Years 2, 5 & 10	Each	\$	2,400.00
	2 Year Restoration Warranty Over 10,000 Square Feet Inspections In Years 2, 5 & 10	SF	\$	0.24
	year Restoration Warranty Under 10,000 Square Feet, Inspections in Years 2, 5, 10 &15	Each	\$	3,000.00
	5 year Restoration Warranty Over 10,000 Square Feet, Inspections in Years 2, 5, 10 &15	SF	\$	0.30
461 15		Each	\$	1,200.00
461 15 462 Wa	'arranty 15 year option roofs under 10,000 sq ft minimum charge (Standard)			
461 15 462 Wa	arranty 15 year option roofs under 10,000 sq ft minimum charge (Standard) arranty 15 year option roofs under 10,000 Square Feet Inspections In Years 2, 5 & 10	Each	\$	1,500.00
461 15 462 Wa 463 Wa				1,500.00 0.12
461 15 462 Wa 463 Wa 464 Wa	arranty 15 year option roofs under 10,000 Square Feet Inspections In Years 2, 5 & 10	Each	\$	
461 15 462 Wa 463 Wa 464 Wa 465 Wa	arranty 15 year option roofs under 10,000 Square Feet Inspections In Years 2, 5 & 10 arranty 15 year option roofs over 10,000 sq ft minimum charge (Standard)	Each SF	\$ \$	0.12

468	20 Year Replacement Warranty Under 10,000 Square Feet Inspections In Years 2, 5, 10 & 15	Each	\$	2,000.00
469	20 Year Replacement Warranty Over 10,000 Square Feet Inspections In Years 2, 5, 10 & 15	SF	\$	0.20
	20 year Replacement Warranty Under 10,000 Square Feet, Inspections in years 2, 5, 10, and 15,	Each	\$	1,600.00
471	no maintenance 20 year Replacement Warranty Over 10,000 Square Feet, Inspections in years 2, 5, 10, and 15,	SF	\$	0.16
472	no maintenance 30 year Replacement Warranty Under 10,000 Square Feet, Inspections in Years 2, 5, 10, 15, 20,	Each	\$	6,000.00
473	25 & 30 30 Restoration Warranty Under 10,000 Square Feet Inspections In Years 2, 5, 10, 15, 20 & 25		\$	-
	30 year Replacement Warranty Over 10,000 Square Feet, Inspections in Years 2, 5, 10, 15, 20,	Each	+	6,000.00
474	25 & 30	SF	\$	0.60
475	30 Restoration Warranty Over 10,000 Square Feet Inspections In Years 2, 5, 10, 15, 20 & 25	SF	\$	0.60
476	Warranty Extension 5 yr 5,000 sf or less	Each	\$	3,499.99
477	Warranty Renewal 5 yr 5,000 sf or less	Each	\$	3,949.99
478	Warranty Extension 5 yr 5,001 sf -19,999 sf	Each	\$	4,999.99
479	Warranty Renewal 5 yr 5,001 sf-19,999 sf	Each	\$	5,699.99
480	Warranty Extension 5 yr 20,000 sf-49,999 sf	SF	\$	0.24
481	Warranty Renewal 5 yr 20,000 sf-49,999 sf	SF	\$	0.29
482	Warranty Extension 5 yr 50,000 sf and greater	SF	\$	0.24
483	Warranty Renewal 5 yr 50,000 sf and greater	SF	\$	0.24
484	Warranty Extension 5 yr 100,000 sf and greater	SF	\$	0.14
485	Warranty Renewal 5 yr 100,000 sf and greater	SF	\$	0.19
486	Roof Coating - high solids, waterbased, heavy bodied elastomeric coating formulated with an acrylic latex polymer and utilizes nano technology	SF	\$	4.84
487	Roof Coating - high solids, waterbased, heavy bodied elastomeric coating formulated with an acrylic latex polymer and utilizes nano technology w/polyester reinforcing	SF	\$	5.39
488	AIR BARRIER LINE ITEMS			
489	Foam Roof/Wall Intersection - Under 20'	LF	\$	14.66
490	Foam Roof/Wall Intersection - Over 20'	LF	\$	17.33
491	Seal roof top exhaust fan curb mountings	Each	\$	97.75
492	Adding foam board as a filler in large openings, ie: above soffits	LF	\$	30.55
493	Interior miscellaneous foam application - Under 20'	LF	\$	12.23
494	Weatherstrip and install sweep - single commercial door	Set	\$	343.68
495	Weatherstrip and install sweep - double commercial door	Set	\$	687.35
496		Each	\$	
490	Seal Mechanical Rooms (With wall / roof pipe projections)		\$	636.43
497	Seal individual plumbing, pipe or duct Seal Windows (exterior only, sub-k must provide estimate)	Each	\$	63.64
470	Weatherstrip operable wood or aluminum windows with replacement finseal pile or foam tape	LF	1.0	15.28
499	or vinyl "V" strips	LF	\$	5.41
500	Weatherstrip steel frame and sash windows with in-situ silicone gasket. 2 trips required	LF	\$	12.34
	Interior caulking of window and door frames with clear paintable caulk	LF	\$	2.80
502	Miscellaneous Interior caulking with clear paintable caulk	LF	\$	2.80
503	Weatherstrip Overhead Garage Doors (12' x12') 48' LF w/rubber fins on bottom. Install face mounted leafe seal product to the bottom face of the door as the thresholds on doors (concrete)	Unit	\$	1,221.94
504	Blower Door Testing	Day	\$	10,182.81
505	Thermography inspection performed during final test and thermography inspection. (Based on 60,000 sq ft. elementary school)	Day	\$	5,091.41
506	Blower Door Directed Air Sealing - Supervision Only	Day	\$	3,818.56
507	Building Envelope Assessment	Day	\$	7,637.11
508	Mileage rate	Mile	\$	0.490
509	Performance and payment bond - bonding rate (percent of project)	%	+*	0.40%
510	Bonding capacity - total amount of capacity available	\$	\$	200,000,000.00
511	Multiplier/factor to be applied to the R.S. Means costs for the National Cooperative Contractor	Ψ %	Ψ	92.00%
	Network Multiplian week height is greatenthan 2 stories again to an loss than 5 stories		+-	
512	Multiplier - roof height is greater than 2 stories; equal to or less than 5 stories	Multiplier	+-	1.21
	Multiplier - roof height is greater than 5 stories; less equal to or less than 10 stories	Multiplier	+	1.52
514	Multiplier - roof height is greater than 10 stories	Multiplier	+	2.17
515	Multiplier - roof has large amount of penetrations and roof top obstructions	Multiplier	+	1.73
516	Multiplier - roof is considered non-standard architecture or has > 4:12 slope	Multiplier	+	2.17
517	Multiplier - roof is less than 3,000 Square Feet But Greater Than 1,000 Square feet	Multiplier	+-	3.03
518	Multiplier - roof size is greater than 7,000 Square Feet But Less Than 10,000 Square Feet	Multiplier		1.73
519	Multiplier- City, town or county permit fee for construction project local to members location.	Multiplier		1.02
520	Multiplier - Working in Metro or Urban areas	Multiplier		1.2

521	Construction Distributor Material For Repair Work	Multiplier		1.1
522	Building/Construction Superintendent	Hour	\$	187.19
523	Building/Construction Manager	Hour	\$	218.44
524	DUE TO LEGISLATION CHANGES IN CALIFORNIA THE RATES ARE AS FOLLOWS FOR THE FOLLOWING LINES:			
525	Roof inspection services (visual inspection of roofing service/membrane, flashings, counterflashings, copings, parapets, trims, hatches, penetrations, curbs, roof-mounted equipment, etc. with a written report of findings and recommendations	Day	\$	1,116.70
526	Roof leak investigation	Day	\$	585.94
527	Minor roof repair calls	Day	\$	1,230.95
528	Labor Rate for Roofer	Hour	\$	216.55
529	Building / Construction Inspector	Hour	\$	185.31
530	Roof Inspector	Hour	\$	216.25
531	Consulting	Hour	\$	75.00
532	Design	Hour	\$	111.25
533 534	Installer Tradesman	Hour Hour	\$	187.10 187.10
535	Engineering (Electrical)	Hour	\$	105.00
536	Engineering (Mechanical)	Hour	\$	105.00
537	Crew Supervision	Hour	\$	120.60
538	General Labor	Hour	\$	164.65
539	Training	Hour	\$	137.20
540	Per diem rate - meals and lodging per 24 hour period	Day	\$	162.50
541	Performance and payment bond - bonding rate (percent of project)	%		0.409
542	Alternative methods of costing - percent of overhead/markup to cost	%		20.009
543	Discounts offered of alternative costing methods (cost + profit & overhead) Rate of discount.	%		6.00%
544	R.S. Means Multiplier/Factor - Normal Hours - Non-Prevailing Wage Rates	%		89.009
545	R.S. Means Multiplier/Factor - Out Side of Normal Hours - Non-Prevailing Wage Rates	%		94.009
546	R.S. Means Multiplier/Factor - Normal Hours - Prevailing Wage Rates	%		92.009
547	R.S. Means Multiplier/Factor - Out Side of Normal Hours - Prevailing Wage Rates	%		97.009
548	Performance and payment bond - bonding rate (percent of project)	%		0.409
549	Work outside of the continental United State; Coefficient add	%		25.009
550	HVAC Air Handling Unit Hygiene & Condition Assessment			
551	Five (5) Air Handlers or less	Each	\$	7,125.00
552 553	Each additional Air Handler over five (5) HVAC Air Handling Unit Hygiene & Condition Assessment Plus Performance Testing of	Unit	\$	1,187.50
554	the Unit Two (2) Air Handlers or less	Each	\$	5,937.50
555	Each additional Air Handler is \$2,000.00 per unit.	Unit	\$	2,375.00
556	Ductwork Hygiene Assessment	Onic	1 4	2,373.00
557	Five (5) Representative Duct access locations or less	Each	\$	7,125.00
558	Each additional Duct access location over five (5)	Unit	\$	1,187.50
559	Additional Laboratory Sampling	Each	\$	59.38
560	Building Health Check - Indoor Air Quality Investigation			
561	10,000 sq ft or less	Each	\$	7,125.00
562	Each additional sq ft over 10,000 sq ft	SF	\$	0.36
563	Additional Laboratory Sampling	Each	\$	178.13
564	Fan Array Retrofit			
565	Fan Array Optimization and Redundancy Installation			
566	<10,000 CFM Unit	CFM	\$	20.54
567	>10,000 CFM Unit	CFM (Mataria)	\$	11.50
568	Fan Array Material, cost per CFM will depend upon engineering, design, total CFM, static pressure, # fans, amps/volts, size of bulkhead wall, etc.	CFM (Material Only)	\$	7.26
569	Viper/Mechanical Brush - Duct Cleaning, daily rate per Units, per Days	Day	\$	45.30
570	Viper/Mechanical Brush - Duct Cleaning, weekly rate per Units, per Weeks	Week	\$	151.24
571	Negative Air Machine - 5-6K CFM, daily rate per Units, per Days	Day	\$	88.11
572	Negative Air Machine - 5-6K CFM, weekly rate per Units, per Weeks	Week	\$	406.24
573 574	Decon Handheld Duct Foggers, daily rate per Units, per Days Decon Handheld Duct Foggers, weekly rate per Units, per Weeks	Day Week	\$	60.4 ⁹
574	Decon Handheid Duct Foggers, weekly rate per Units, per Weeks Decon ESS Tank Foggers, daily rate per Units, per Days		\$	113.43
576	Decon ESS Tank Foggers, daily rate per Units, per Days Decon ESS Tank Foggers, weekly rate per Units, per Weeks	Day Week	\$	567.18
3/0	Decon sanitizer, daily rate per Units, per Days	Day	\$	113.43
		ı Duy	Ψ	
577		Week	\$	567.18
	Decon sanitizer, weekly rate per Units, per Weeks IAQ Field Work and Report Writing	Week	\$	567.18
577 578	Decon sanitizer, weekly rate per Units, per Weeks	Week Hour	\$	183.74

582	HVAC/IAQ Specialist	Hour	\$ 124.99
583	Admin Support Technical	Hour	\$ 81.24
584	IAQ Field Work and Report Writing		
585	Duct Cleaning - no encapsulation	LF	\$ 24.36
586	Duct Cleaning encapsulation	LF	\$ 34.36
587	Hygienic Disinfection Steam Cleaning	SF	\$ 58.19