

# MATRIX™

March 2023 Price List

**AIS**

**PRODUCT INFORMATION**

Matrix Statement of Line . . . . . 5  
 Matrix Finish Options . . . . . 11  
 Matrix Product Details . . . . . 13  
 Matrix Component Details . . . . . 15

**FRAMES**

Matrix Frames Product Details . . . . . 16  
 Linear Profile Panel Frames . . . . . 24  
 Linear Profile Panel Door Frames . . . . . 25  
 Linear Sliding Privacy Screens . . . . . 26  
 Linear Sliding Privacy Screen Handles and Brackets . . . . . 27  
 Stack-On Frames . . . . . 28  
 Topcaps . . . . . 29  
 Linear Single End Gallery Panels . . . . . 30  
 Linear Single End for Wing Gallery Panels . . . . . 32  
 Linear Single End for Wing Facing Forward Gallery Panels . . . . . 33  
 Linear Single End for Double Wing Gallery Panels . . . . . 34  
 Linear Single Spine Gallery Panels . . . . . 35  
 Linear Single Spine for Wing Gallery Panels . . . . . 37  
 Linear Single Spine for Double Wing Gallery Panels . . . . . 38  
 Linear Double End Gallery Panels . . . . . 39  
 Linear Double Spine Gallery Panels . . . . . 40  
 Linear Mid Mount End Gallery Panels . . . . . 41  
 Linear Mid Mount End for Wing Gallery Panels . . . . . 43  
 Linear Mid Mount End for Wing Facing Forward Gallery Panels . . . . . 44  
 Linear Mid Mount End for Double Wing Gallery Panels . . . . . 45  
 Linear Mid Mount Spine Gallery Panels . . . . . 46  
 Linear Mid Mount Spine for Wing Gallery Panels . . . . . 48  
 Linear Mid Mount Spine for Double Wing Gallery Panels . . . . . 49  
 Linear Wing Gallery Panels . . . . . 50  
 Brackets for Gallery Panels . . . . . 51  
 Wall Mounted Gallery Panels . . . . . 52  
 Wall Mounted Gallery Panels for Wing . . . . . 55

**CONNECTORS**

Matrix Connector Product Details . . . . . 56  
 90° 2-Way, 3-Way and 4-Way Stack-On Connectors . . . . . 60  
 120° 2-Way and 3-Way Stack-On Connectors . . . . . 61  
 Linear Profile 2-Ways . . . . . 62  
 Linear Profile 3-Ways . . . . . 63  
 Linear Profile 4-Ways and End Caps . . . . . 64  
 Linear Profile Wall Mount Kits . . . . . 65  
 Linear Profile HiLo Trim Covers . . . . . 66  
 Linear Profile 2-Way Vertical Covers . . . . . 67  
 Linear Profile 2-Way Vertical Stack-On Covers . . . . . 68  
 Linear Profile 3-Way Vertical and Vertical Stack-On Covers . . . . . 69  
 2-Way Linear Connector Trim Conversion Kits . . . . . 70  
 3-Way and 4-Way Linear Connector Trim Conversion Kits . . . . . 71  
 Linear Wall Mount Trim Conversion Kits . . . . . 72  
 Wall Tracks and Off-Modular Frame Connection Kits . . . . . 72

**ELECTRICAL**

Matrix Electrical Product Details . . . . . 73

Electrical Jumpers . . . . . 75

Access Hole Covers, Outlet Trim Bezels and I-Connectors . . . . . 76

Electrical Outlets . . . . . 77

In-Feeds and Hardwire Junction Boxes . . . . . 79

Linear Power / Data Pole Kits . . . . . 80

Powerway Assemblies and Data Plate Kits . . . . . 81

Electrical Tiles and Data Cable Support Troughs . . . . . 82

**TILES**

Tile Availability . . . . . 83

Tackable Acoustical Tiles . . . . . 85

Steel Tiles . . . . . 86

Embossed and Perforated Steel Tiles . . . . . 87

White Board and Laminate Tiles . . . . . 88

Laminate Tiles and Double Sided MX Monolithic Kit . . . . . 89

Linear Profile Standard Front Glass Tiles . . . . . 90

Linear Profile Standard Bottom Glass Tiles . . . . . 91

Linear Profile Open Frame Tiles . . . . . 92

Open Frame In-Feed Tiles and Utility Tiles . . . . . 93

Tackable Acoustical Off-Modular Mid-Tiles . . . . . 94

Tackable Acoustical Radius Off-Modular Top-Tiles . . . . . 95

Linear Profile Tile Retainer Kits . . . . . 96

Tile Rails . . . . . 97

Wall Tile Corner Filler Strips . . . . . 98

**SUPPORT**

Cantilevers and Support Brackets . . . . . 99

End Panels and Pedestal-to-Panel Attachment Brackets . . . . . 100

Matrix Panel Mounted A-Legs . . . . . 101

Matrix Panel Mounted O-Legs . . . . . 102

Worksurface Kits, Support Brackets and Attachment Brackets . . . . . 103

**STORAGE**

Mid-Height Shelf Units . . . . . 104

Mid-Height Corner Shelf Units . . . . . 105

Off-Modular Flipper Door Conversion Kits . . . . . 105

Type C Flipper Door Units . . . . . 106

Type C Raised Flipper Door Units . . . . . 107

Type D Flipper Door Units . . . . . 108

Sliding Door Units . . . . . 109

Raised Sliding Door Units . . . . . 110

Cabinet Door Units . . . . . 111

Raised Cabinet Door Units . . . . . 112

**MATRIX ACCESSORIES**

Coat Hooks . . . . . 113

Frameless Glass Mounting Kits . . . . . 114

Frameless Recessed Glass Mounting Kits . . . . . 115

Recessed Glass for Linear Power Pole Situations . . . . . 116

Frameless Up-Mounted Glass . . . . . 117

Recessed Frameless Glass . . . . . 118

Single HiLo Situation Up-Mounted Glass. . . . . 120

Single HiLo Situation Recessed Frameless Glass . . . . . 121

Double HiLo Situation Up-Mounted Glass . . . . . 123

Double HiLo Situation Recessed Frameless Glass . . . . . 124

Recessed Frameless Lexan. . . . . 126

Single HiLo Situation Recessed Frameless Lexan . . . . . 128

Double HiLo Situation Recessed Frameless Lexan. . . . . 130


**WARRANTY & TERMS AND CONDITIONS**

For Warranty & Terms and Conditions please visit:

<https://aiscmsprod.blob.core.windows.net/infocenter/AISTermsWarranty.pdf>

**MATRIX**

**FRAMES**



Linear Profile Panel Frames



Linear Profile Panel Door Frames  
Left or Right,  
With or Without Glass Window  
Without Glass Window Shown




Linear Profile Arch Panel Door Frame with Inner Trim  
(No Door)




66" High Matrix Linear Sliding Privacy Screen




82" High Matrix Linear Sliding Privacy Screen




Sliding Door Handle




Stack-On Frames



Linear Profile Extended Topcaps




Linear Door Frame Topcap Conversion Kits




Linear Profile Extended Topcaps




Single End Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Single Spine for Double Wing Gallery Panels




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Wing Facing Forward Gallery Panels  
Left or Right Hand  
Left Hand Shown




Mid Mount End for Double Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount Spine Gallery Panels



Mid Mount Spine for Wing Gallery Panels  
Left or Right Hand  
Left Hand Shown



Mid Mount Spine for Double Wing Gallery Panels



Wing Gallery Panel

**Matrix Statement of Line**

**CONNECTORS**




2-Way Stack-On Connectors  
90°, 120° or 135°



3-Way Stack-On Connectors  
90° or 120°




4-Way Stack-On Connectors  
90°




Linear Profile 2-Ways  
90°, 120° or 135°




Linear Profile 3-Ways  
90° or 120°



Linear Profile 4-Ways  
90°




Linear Profile Wall Mount Kits




Linear Profile HiLo Trim Covers  
Corner or Straight Line Application



Linear Profile Panel End Caps



Linear Profile 2-Way  
Vertical Covers  
90°, 120° or 135°




Linear Profile 2-Way  
Vertical Stack-On Covers  
90°, 120° or 135°




Linear Profile 3-Way  
Vertical Covers  
90°



Linear Profile 3-Way  
Vertical Stack-On Covers  
90°




2-Way Linear Connector  
Trim Conversion Kits  
90°, 120° or 135°



3-Way Linear Connector  
Trim Conversion Kits  
90° or 120°




4-Way Linear Connector  
Trim Conversion Kits  
90°



Linear Wall Mount Trim  
Conversion Kits




Wall Tracks




Off-Modular Frame  
Connection Kits

**ELECTRICAL**



Panel-to-Panel Jumpers




Double Powerway Vertical Jumper




Vertical Transition Jumpers




Lateral Pass Through Jumper




I-Connector




Duplex Outlets




USB Outlets




Access Hole Covers




Outlet Trim Bezel



Receptacle Mounted Base In-Feed




Ceiling In-Feed Kit




Ceiling In-Feed Kit




Linear Profile Power / Data Pole Kits




Powerway Assemblies  
Single or Double  
*Single Powerway Assembly Shown*



Data Plate Kits




Electrical Tiles  
Dual or Quad  
*Dual Electrical Tile Shown*




Data Cable Support Troughs


**TILES**




Tackable Acoustical Tiles




Standard Steel Tiles




Embossed Steel Tiles




Perforated Steel Tiles




White Board Tiles




Laminate Tiles




Linear Profile Standard Front Glass Tiles




Linear Profile Bottom Front Glass Tiles




Linear Profile Standard Back Glass Tiles




Linear Profile Bottom Back Glass Tiles




Linear Profile Standard Open Frame Tiles




Linear Profile Bottom Open Frame Tiles



Utility Tiles




16" High Open Frame Tile In-Feed Kits  
With or Without Hole




Stand Alone In-Feed Tiles  
With or Without Hole

**Matrix Statement of Line**


**TILES**




Tackable Acoustical  
Off-Modular Mid-Tiles




Tackable Acoustical  
Off-Modular Top-Tiles




Linear Profile Top Tile Retainer Kit



Linear Profile Bottom Tile Retainer Kit




Linear Profile Mid-Tile Retainer Kit




Double Sided MX Monolithic Kit


**SUPPORT**




Standard Cantilevers




Shared Cantilevers




Panel Mounted  
Shelf Cantilevers



Side Support / Rear Brackets




Standard End Panels




Clear Access End Panels




Pedestal-to-Panel  
Attachment Bracket




Panel Mounted A-Legs




Panel Mounted O-Legs



Linear Profile Transaction  
Top Worksurface Kit




Open Frame Worksurface Kits




Wing Panel Support Bracket




**STORAGE**




Mid-Height Shelf Units




Linear Mid-Height Shelf Units




Mid-Height Corner Shelf Units




Linear Mid-Height Corner Shelf Units




Type C Flipper Door Unit  
Metal/Fabric, Laminate Front  
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised Flipper Door Unit




Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Raised Sliding Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown



Raised Cabinet Door Unit  
Metal/Fabric or Laminate Front  
Metal/Fabric Door Front Shown

**TILE RAILS**



Single Wall Tile Rails



Shared Wall Tile Rails



Single Stack Wall Tile Rails




Shared Stack Wall Tile Rails




Wall Tile Corner Filler Strips

**Matrix Statement of Line**


**ACCESSORIES**




Linear Panel Top Coat Hooks




Matrix Coat Hook




Frameless Glass & Lexan Mounting Kits  
Single Frame or Multiple Frame  
Glass or Lexan  
*Glass Single Frame Mounting Kit Shown*




Frameless Up-Mounted Glass & Lexan  
Glass or Lexan  
*Glass Shown*




HiLo Situation  
Up-Mounted Glass & Lexan  
Single or Double  
Glass or Lexan  
*Glass Single Up-Mounted Glass Shown*




Recessed Frameless Glass & Lexan  
Mounting Kits  
Single Frame or Multiple Frame  
Glass or Lexan  
*Glass Single Frame Mounting Kit Shown*



Recessed Frameless  
Up-Mounted Glass & Lexan  
Glass or Lexan  
*Glass Shown*



Recessed HiLo Situation  
Up-Mounted Glass & Lexan  
Single or Double  
Glass or Lexan  
*Glass Single Up-Mounted Glass Shown*



Recessed Glass for Linear  
Power Pole Situations

**VERTICAL SURFACE FABRICS**

| <b>Name</b>  | <b>Grade</b> |
|--------------|--------------|
| Amaze        | A            |
| Avenue       | A            |
| Cape Cod     | A            |
| Engage       | A            |
| Mirador      | A            |
| Rainfall     | A            |
| Simplicity   | A            |
| Theory       | A            |
| Twizzle      | A            |
| Lido         | B            |
| Marin        | B            |
| Nature       | B            |
| Off the Grid | B            |
| Purpose      | B            |
| Spinel       | B            |
| Sprite       | B            |

**Note:** 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

**C.O.M. Fabric Policy**

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

**Paint, Edgeband, Laminate and Tempered Glass Options**

**MATRIX PAINT OPTIONS**

| Name                | Color Code | Grade |
|---------------------|------------|-------|
| Black               | BK         | A     |
| Chalk               | CK         | A     |
| Dark Tone           | DT         | A     |
| Grey Value 1        | GV1        | A     |
| Innertone           | HT         | A     |
| Light Tone          | LT         | A     |
| Medium Tone         | MT         | A     |
| Metallic Silver     | MS         | A     |
| Satin White         | SW         | A     |
| Warm Brown          | WB         | A     |
| Champagne Metallic  | CHM        | B     |
| Dark Grey Metallic  | DGM        | B     |
| Flint Grey Metallic | FGM        | B     |
| Light Grey          | LG         | B     |
| Tan Value 1         | TV1        | B     |
| Antique Gold        | AG         | C     |
| Graphite Sky        | GS         | C     |
| Burnt Orange        | BO         | C     |
| Brown               | BR         | C     |
| Steel Blue          | SB         | C     |
| Baltic Blue         | BB         | C     |
| Ruby Red            | RR         | C     |
| Kelly Green         | KG         | C     |

**Custom Paints**

- Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- **Important Custom Paint Note:** Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

**TEMPERED GLASS OPTIONS**

| Name        | Panels/Frame/Tiles/ | 1/4" Thick      | 3/8" Thick      |
|-------------|---------------------|-----------------|-----------------|
|             | Screens             | Frameless Glass | Frameless Glass |
| Clear       | Y                   | Y               | Y               |
| Frosted     | Y                   | Y               | Y               |
| Bronze Tint | Y                   | Y               | N               |
| Grey Tint   | Y                   | Y               | N               |

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

**EDGE BAND OPTIONS**

| Name                     | Color Code | Grade |
|--------------------------|------------|-------|
| Absolute Acajou          | AA         | A     |
| Aimtoo Savatre           | AS         | A     |
| Black                    | BK         | A     |
| Brazilwood               | BZ         | A     |
| Chalk                    | CK         | A     |
| Corporate Walnut         | CT         | A     |
| Dark Rum Cherry          | DR         | A     |
| Dark Tone                | DT         | A     |
| Field Elm                | FE         | A     |
| Grand Cherry             | GC         | A     |
| Grey Elm                 | GE         | A     |
| Grey Value 1             | GV1        | A     |
| Landmark                 | LM         | A     |
| Leave Likatre            | LV         | A     |
| Light Tone               | LT         | A     |
| Linen                    | LN         | A     |
| Looks Likatre            | LK         | A     |
| Maritime Dune            | MD         | A     |
| Medium Tone              | MT         | A     |
| Midwest Maple            | MM         | A     |
| Neo Walnut               | NW         | A     |
| Phantom Ecu              | PE         | A     |
| Phantom Pearl            | PP         | A     |
| Satin White / True White | SW / TW    | A     |
| Storm                    | ST         | A     |
| Summer Drops             | SD         | A     |
| Trytoo Savatre           | TS         | A     |
| White Chocolate          | WC         | A     |

**Custom Edgebands**

- A \$450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

**MATRIX TILE LAMINATE OPTIONS**

| Name             | Grade |
|------------------|-------|
| Absolute Acajou  | B     |
| Aimtoo Savatre   | B     |
| Black            | B     |
| Brazilwood       | B     |
| Chalk            | B     |
| Corporate Walnut | B     |
| Dark Rum Cherry  | B     |
| Field Elm        | B     |
| Grand Cherry     | B     |
| Grey Elm         | B     |
| Landmark         | B     |
| Leave Likatre    | B     |
| Linen            | B     |
| Looks Likatre    | B     |
| Maritime Dune    | B     |
| Midwest Maple    | B     |
| Neo Walnut       | B     |
| Phantom Ecu      | B     |
| Phantom Pearl    | B     |
| Storm            | B     |
| Summer Drops     | B     |
| Titanium EV      | B     |
| True White       | B     |
| Trytoo Savatre   | B     |
| White Chocolate  | B     |

## Matrix Product Details

## Frames

- Full steel frame system. Frame thickness is 3.25".
- Available frame heights are 34", 42", 50", 58", 66" and 82" high.
- Available frame widths are 24", 30", 36", 42", and 48" wide.
- All frames, including door frames, can accommodate stack-on frames. Double stacking is allowed up to 48". ie: (2) 24"H stack-on frames stacked on top of a 82"H frame give the maximum height of 130"H.
- Available stack-on frame heights are 8", 16" and 24" high. Available stack-on frame widths are 24", 30", 36", 42", and 48" wide.
- Frame has a slotted standard in 1" increments at each edge to accommodate hanging components.
- Frames include one topcap, 1/4 - 20 x 4" Hex head bolts to connect to other frames in a straight line, and two top and bottom tile retainers.
- Topcap is metal and available in linear only and is specified as painted.
- 1/4 - 20 x 4" Hex head bolts along with Tinnerman nuts (factory mounted to the frames) produce a rigid straight line connection.
- Top tile retainers are metal. Retainer is field installed and mounting screws are supplied.
- Bottom tile retainers are metal and linear in profile. Retainers are field installed with supplied mounting screws.
- Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height within the frame in increments of 8". Each electrical location can accommodate up to two powerway assemblies.
- Up to 16 Cat 6 cables can fit into the topcap lay-in channel on the frame which is laterally continuous and unobstructed.
- One Carpet gripper is shipped with every four frames.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.

## Connectors

- Connectors create 90°, 120°, and 135° space planning and connect frames with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post.
- Available in 2-Way, 3-Way, and 4-Ways in 34", 42", 50", 58", 66" and 82" high.
- 2-Way connectors are available in either 90°, 120°, or 135° and ship assembled with metal vertical cover and connector topcap.
- 3-Way connectors are available in either 90° or 120° and ship assembled with a metal vertical cover (90° only) and connector topcap.
- 4-Way connectors connect frames at 90° and ship assembled with connector topcap. 4-Way connectors do not require a vertical cover.
- Stack-on connectors are required when connecting stack-on frames in a 2-Way (90°, 120°, 135°), 3-Way (90°, 120°), or 4-Way scenario. Stack-on connectors connect the same way as standard connectors with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post. Stack-on connectors do not include vertical covers or connector topcaps. A separate vertical cover needs to be specified corresponding to the overall height of the connection. [ie: When adding (2) 24"H stack-on frames to (2) 66"H frames at a 2-Way connection, a 24"H 2-Way stack-on connector needs to be specified. Because the overall height of the connection is now 90", a new 90"H vertical cover needs to be specified. The existing 66" vertical cover is no longer used and the connector topcap from the original 66"H connector is moved to the top of the stack-on connector.]
- Panel end caps are required to finish the side of a frame in an end of run situation where no other panels are to be connected. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98" and 106". In stack-on situations at an end of run, the correct height panel end cap needs to be specified. [ie: When adding a 24"H stack-on frame to a 66"H frame at an end of run, a 90"H panel end cap needs to be specified.] Panel end caps are specified as painted.
- Straight line HiLo caps are required when frame heights change height in a straight line. [ie: When a 50"H frame is connected to a 66"H frame, a 16" straight line HiLo cap needs to be specified to cover the exposed frame on the 66"H frame.] Straight line HiLo caps are specified as painted.
- Corner HiLo caps are required when frame heights change at a 2-Way, 3-Way, or 4-Way connection [ie: When a 50"H frame and a 66" frame are connected at a 2-Way connector, a 16" corner HiLo needs to be specified to cover the exposed connector post above the 50"H frame.] Corner HiLo caps are specified as painted.
- Stack-on vertical covers are only required when connectors extend beyond 108"H. Stack-on vertical covers are specified as painted.
- Wall mount connectors are required when mounting frames perpendicular to a fixed wall. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98", and 106". Wall mount connectors also require width specification because it includes a topcap to replace the existing topcap on the frame being wall mounted. This is due to the 1" of panel creep created by the wall mount. Topcaps may be specified painted.

## Electrical

- 8 Wire 4 circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum.
- Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground.
- Electrical/data raceway channels are located at each 8" increment along the system frame and can accommodate either a single or double powerway.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.
- 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total.
- Lateral jumpers connect electrical from one powerway assembly in a frame to another powerway assembly in a different frame at the same height.
- Vertical jumpers connect electrical from one powerway assembly to another powerway assembly in the same frame at different heights.
- All electrical access tiles have access holes for duplex outlets or data devices. Access holes have a standard single gang mounting pattern which will accommodate any manufacturer's single gang data device plates and bezels.
- Electrical tiles are available in painted steel or with fabric covering.

**Matrix Product Details**

**Tiles**

- Tiles are available in many styles and options: fabric tackable acoustical, laminate, flat steel, perforated steel, embossed steel, white board, tool rail, glass, and open frame.
- Glass inserts are 1/4" tempered glass, available in many styles.
- Steel backers are available as a special for fabric tackable acoustical tiles for increased STC rating.
- Tiles are easily removable for field replacement.

**Worksurfaces**

- Worksurfaces are approximately 1 1/8" thick and are available with a 2 millimeter edge.
- Available in a multitude of shapes and sizes. Special sizes and dimensions are also available and easy to request.
- Different grommet locations are available for most worksurfaces and special grommet locations may be requested.

**Support**

- Available panel hung support includes standard and shared cantilever supports (24" and 30" deep surfaces), side support/rear brackets, panel top worksurface kits, and open frame worksurface kits.
- Available floor support includes: standard end panels and clear access end panels (12", 18", 24", 30" and 36" deep), universal combination legs, cross table bases, bi-point table bases, and full laminate support panels.
- Full laminate support panels are ideal for creating freestanding worksurface applications such as desk shells, returns, corner bases, carrols, and private office support.
- Painted Metal "A" Legs may be specified both as worksurface supports, as well as to add stability to panels.
- Other support items include flat plates, which are specified to help splice worksurfaces together at the front edge, and "V" channels, which mount to the underside of longer worksurfaces to provide bracing where a center support cantilever is not possible. "V" channels are highly recommended for surfaces longer than 48" without cantilever support.

**Storage**


- Structural pedestals are available 24" or 30" deep. Freestanding conversion kits are available for structural pedestals.
- Mobile pedestals are available 24" deep only.
- Lateral files are available in 2, 3, 4, and 5 drawer (30", 36", or 42" wide). The 2-drawer lateral file is structural with an open top. Freestanding conversion kits are available for converting structural lateral files to freestanding lateral files.
- Wardrobe towers are 48" and 64" high, are available left or right handed and with multiple options above the pedestal unit. Close cupboards and side panel bookshelves are available.
- A 2-Door cabinet and bookcase are also available.
- Panel hung storage includes mid-height shelves, corner mid-height shelves, Type C flipper door units (standard or raised), and Type D flipper door units (standard or raised).

**Accessories**


- Power/data pole shells mount to any Matrix frame or stack-on frame. Power/data pole shells can be divided into one, two, or three vertical channels with metal septums for separation of low voltage and high voltage.
- Other miscellaneous accessories include pelican drawers, wall track, tackboards, tasklighting, plastic pencil drawers, keyboard arms and trays, shelf dividers, desktop power/data modules, coat hooks, wall tile rails, and paper flow elements.

**Matrix Component Details**


**Component Detail 1**



**Component Detail 2**



**Component Detail 3**



**Matrix Frames Product Details**

**Product Detail 1  
Panel Frame Availability**

Matrix panel frames include (1) topcap (field mounted), (2) top tile retainers (field mounted), (2) bottom tile retainers (field mounted), and (2) 1 1/2" leveling glides. Each frame is shipped with the needed amount of 1/4-20 x 4" hex head bolts which are required for connecting frames in a straight line.


Matrix panel frames can connect at 90°, 120°, or 135° at a 2-way connection, 90° or 120° at a 3-way connection, and 90° at a 4-way connection.

**Note:** Door frames may also be connected at these angles, but the proper swing must be specified in order to avoid door swing interference. End of runs require a panel end cap. Change of heights in a straight line require a straight line HiLo trim. Change of heights at 90°, 120°, or 135° require connector HiLo trim.

**Panel Frame Dimensions (Nominal):**

Height: 34", 42", 50", 58", 66", 82"

Width: 24", 30", 36", 42", 48"



**Product Detail 2  
Stack-On Frame Availability**


All Matrix panel frames, including door frames, can accommodate stack-on frames. Double stacking on door frames is allowed up to 48". Stack-on frames connect to each other in a straight line with 1/4-20 x 4" hex head bolts. When stack-on connectors are to be used in a 2-way, 3-way, or 4-way connection, stack-on connectors need to be specified separately.

Maximum stackability is 130". 82" Frame + (2 x 24" Stack-On) = 130"

**Stack-On Frame Dimensions (Nominal)**

Height: 8", 16", 24"

Width: 24", 30", 36", 42", 48"






**Product Detail 3  
Panel Frame Profile**



Matrix panel frames have a topcap lay-in channel which is laterally continuous and unobstructed. Lay-in channel can accommodate up to 16 Cat 6 cables.

Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height in a frame. Every 8" of height can accommodate up to two powerway assemblies. Chase holes can accommodate up to 40 Cat 6 cables.

Topcap Lay-In Channel



Electrical Chase Hole




Topcap lay-in channel can accommodate up to 16 Cat 6 cables.


Electrical chase hole can accommodate up to 40 Cat 6 cables.

**Product Detail 4  
Panel Frame Trim - Profile Options**


Profile topcaps are available painted.w




Linear Profile  
Painted Metal




Linear Profile  
Top Tile Retainer



Linear Profile Top Tile  
Retainer (Side View)



Linear Profile  
Bottom Tile Retainer



Linear Profile Bottom Tile  
Retainer(Side View)


**Matrix Frames Product Details**

**Product Detail 5  
Panel Frame Creep Dimensions**

Small increments are added to or taken away from the length of a run of panels as a result of the many ways panels are connected to each other. The accumulation of these increments is called panel creep. The connection scenarios below outline panel creep dimensions.


**Straight Connections**

Add 0" to panel run for each straight connection. 24" W (nominal) panels are shown.




**2-Way Connections**

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.  
**Note:** 2-way connections add 3 5/16" in both directions.




**3-Way Connections**

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.  
**Note:** 3-way connections add 3 5/16" in both directions.




**4-Way Connections**

Add 3 5/16" each time a perpendicular panel is added to the end of a panel run.  
**Note:** 4-way connections add 3 5/16" in both directions.




**Finished End Connections**

Add 7/16" to the end of the panel run for each finished end cap.



**Wall Mount Connections**


Add 1" to the end of panel run for Wall Mount connection.



**Matrix Frames Product Details**


**Product Detail 6  
Rules for Panel Stability without Components**

The guidelines below should be followed when designing AIS Matrix panel frames without components to ensure panel stability and safety. Change in height will not affect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



**Product Detail 7  
Rules for Panel Stability with Components**

The guidelines below should be followed when designing AIS Matrix panel frames with components to ensure panel stability and safety. Change of heights do not effect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



**Matrix Frames Product Details**


**Product Detail 8**  
**Left - Right Handing Logic for Matrix Door Frames**

Left Hand Door Frames:


Left Hand door frames swing away from you to the left as you enter an office. The door is reversible.

Right Hand Door Frame:


Right Hand door frames swing away from you to the right as you enter an office. The door is reversible.




Left Hand Linear Profile Panel Door Frame



Left Hand Linear Profile Panel Glass Window Door Frame




Right Hand Linear Profile Panel Door Frame



Right Hand Linear Profile Panel Glass Window Door Frame

**Product Detail 9**  
**Corner Application Sliding Door**


When specifying sliding doors at a corner application, a 2-way connector and corner connector HiLo trim piece needs to be ordered in addition to the sliding door. This fills the 3 1/2" gap created by this scenario.




**Matrix Frames Product Details**

**Gallery Panel Examples**


**Single End**  
24" - 66" Wide\*  
Left or Right  
*\*Over 66" Wide needs support*




**Single End for Wing**  
48" - 90" Wide  
Left or Right




**Single End for Wing Facing Forward**  
48" - 90" Wide  
Left or Right




**Single End for Wing Front and Back**  
48" - 90" Wide  
Left or Right




**Single Spine**  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*




**Single Spine for Wing**  
48" - 90" Wide  
Left or Right




**Single Spine for Wings Front and Back**  
48" - 90" Wide  
Non-Handed




**Double End**  
48" - 90" Wide



**Double Spine**  
48" - 90" Wide  
Non-Handed




**Mid Mount End**  
24" - 90" Wide\*  
Left or Right  
*\*Over 66" Wide needs support*




**Matrix Frames Product Details**

**Gallery Panel Examples**


**Mid Mount End for Wing**  
48" - 90" Wide  
Left or Right




**Mid Mount End for Wing Facing Front**  
48" - 90" Wide  
Left or Right




**Mid Mount End for Wings Front and Back**  
48" - 90" Wide  
Left or Right




**Mid Mount Spine**  
24" - 90" Wide\*  
Non-Handed  
*\*Over 66" Wide needs support*



**Mid Mount Spine for Wing**  
60" - 90" Wide  
Left or Right



**Mid Mount Spine for Wings Front and Back**  
48" - 90" Wide  
Non-Handed



**Matrix Frames Product Details**

| <b>SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b> |              |             |             |             |             |            |            |            |            |            |            |
|--------------------------------------------------------------------|--------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
| <b>HEIGHT</b>                                                      | <b>WIDTH</b> |             |             |             |             |            |            |            |            |            |            |
|                                                                    | <b>24</b>    | <b>30</b>   | <b>36</b>   | <b>42</b>   | <b>54</b>   | <b>60</b>  | <b>66</b>  | <b>72</b>  | <b>78</b>  | <b>84</b>  | <b>90</b>  |
| <b>34</b>                                                          | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>42</b>                                                          | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>50</b>                                                          | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>58</b>                                                          | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>66</b>                                                          | Vertical     | Vertical    | Vertical    | Vertical    | Vertical    | N/A        | N/A        | N/A        | N/A        | N/A        | N/A        |

| <b>DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS</b> |              |             |            |            |            |            |            |            |  |
|-----------------------------------------------------|--------------|-------------|------------|------------|------------|------------|------------|------------|--|
| <b>HEIGHT</b>                                       | <b>WIDTH</b> |             |            |            |            |            |            |            |  |
|                                                     | <b>48</b>    | <b>54</b>   | <b>60</b>  | <b>66</b>  | <b>72</b>  | <b>78</b>  | <b>84</b>  | <b>90</b>  |  |
| <b>42</b>                                           | Vert./Horz.  | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |  |
| <b>50</b>                                           | Vert./Horz.  | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |  |
| <b>58</b>                                           | Vert./Horz.  | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |  |



| <b>MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS</b> |              |             |             |             |             |            |            |            |            |            |            |
|--------------------------------------------------------------------------|--------------|-------------|-------------|-------------|-------------|------------|------------|------------|------------|------------|------------|
| <b>HEIGHT</b>                                                            | <b>WIDTH</b> |             |             |             |             |            |            |            |            |            |            |
|                                                                          | <b>24</b>    | <b>30</b>   | <b>36</b>   | <b>42</b>   | <b>54</b>   | <b>60</b>  | <b>66</b>  | <b>72</b>  | <b>78</b>  | <b>84</b>  | <b>90</b>  |
| <b>34</b>                                                                | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>42</b>                                                                | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>50</b>                                                                | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>58</b>                                                                | Vert./Horz.  | Vert./Horz. | Vert./Horz. | Vert./Horz. | Vert./Horz. | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal | Horizontal |
| <b>66</b>                                                                | Vertical     | Vertical    | Vertical    | Vertical    | Vertical    | N/A        | N/A        | N/A        | N/A        | N/A        | N/A        |

| <b>WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS</b> |              |             |             |
|---------------------------------------------------|--------------|-------------|-------------|
| <b>HEIGHT</b>                                     | <b>WIDTH</b> |             |             |
|                                                   | <b>18</b>    | <b>24</b>   | <b>30</b>   |
| <b>34</b>                                         | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>42</b>                                         | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>50</b>                                         | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>58</b>                                         | Vert./Horz.  | Vert./Horz. | Vert./Horz. |
| <b>66</b>                                         | Vertical     | Vertical    | Vertical    |

**Linear Profile Panel Frames**

**LINEAR PROFILE PANEL FRAMES**

| H  | W  | Model Number | List | Grade C Topcap Paint | Grade C Retainer Paint | H  | W  | Model Number | List | Grade C Topcap Paint | Grade C Retainer Paint |
|----|----|--------------|------|----------------------|------------------------|----|----|--------------|------|----------------------|------------------------|
| 34 | 24 | P-MLFR3424   | 417  | +10                  | +5                     | 58 | 24 | P-MLFR5824   | 488  | +10                  | +5                     |
| 34 | 30 | P-MLFR3430   | 431  | +10                  | +5                     | 58 | 30 | P-MLFR5830   | 511  | +10                  | +5                     |
| 34 | 36 | P-MLFR3436   | 447  | +10                  | +5                     | 58 | 36 | P-MLFR5836   | 531  | +10                  | +5                     |
| 34 | 42 | P-MLFR3442   | 458  | +10                  | +5                     | 58 | 42 | P-MLFR5842   | 545  | +10                  | +5                     |
| 34 | 48 | P-MLFR3448   | 474  | +10                  | +5                     | 58 | 48 | P-MLFR5848   | 556  | +10                  | +5                     |
| 42 | 24 | P-MLFR4224   | 442  | +10                  | +5                     | 66 | 24 | P-MLFR6624   | 515  | +10                  | +5                     |
| 42 | 30 | P-MLFR4230   | 461  | +10                  | +5                     | 66 | 30 | P-MLFR6630   | 533  | +10                  | +5                     |
| 42 | 36 | P-MLFR4236   | 474  | +10                  | +5                     | 66 | 36 | P-MLFR6636   | 553  | +10                  | +5                     |
| 42 | 42 | P-MLFR4242   | 485  | +10                  | +5                     | 66 | 42 | P-MLFR6642   | 567  | +10                  | +5                     |
| 42 | 48 | P-MLFR4248   | 501  | +10                  | +5                     | 66 | 48 | P-MLFR6648   | 579  | +10                  | +5                     |
| 50 | 24 | P-MLFR5024   | 464  | +10                  | +5                     | 82 | 24 | P-MLFR8224   | 658  | +10                  | +5                     |
| 50 | 30 | P-MLFR5030   | 480  | +10                  | +5                     | 82 | 30 | P-MLFR8230   | 673  | +10                  | +5                     |
| 50 | 36 | P-MLFR5036   | 506  | +10                  | +5                     | 82 | 36 | P-MLFR8236   | 688  | +10                  | +5                     |
| 50 | 42 | P-MLFR5042   | 519  | +10                  | +5                     | 82 | 42 | P-MLFR8242   | 705  | +10                  | +5                     |
| 50 | 48 | P-MLFR5048   | 531  | +10                  | +5                     | 82 | 48 | P-MLFR8248   | 717  | +10                  | +5                     |



Painted Metal

**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer
- Paint Selection for Topcap (when applicable)

**Notes**

- Panel Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two top tile retainers (field mounted), two bottom tile retainers (field mounted), and two 1 1/2" leveling glides.
- Frame can accommodate up to two stack-on frames.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.
- When ordering frames without tiles, please contact AIS Customer Service.
- One Carpet Gripper Glide is shipped for every four panels.




**Linear Profile Panel Door Frames**

**LINEAR PROFILE PANEL DOOR FRAMES**

| H  | W  | Type  | Model Number | List  | Grade C Topcap Paint | Grade C Retainer Paint | Grade C Door Paint |
|----|----|-------|--------------|-------|----------------------|------------------------|--------------------|
| 82 | 42 | Left  | P-MLDRL8242  | 3,941 | +10                  | +5                     | +100               |
| 82 | 42 | Right | P-MLDRR8242  | 3,941 | +10                  | +5                     | +100               |



Left Hand



Right Hand


**Specify**

**Notes**


- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap (when applicable)
- Panel Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and top cap can be painted in AIS standard colors.
- Door blank cannot be specified in Metallic Colors (ex. Metallic Silver, Champagne Metallic, Dark Grey Metallic, Flint Grey Metallic, Antique Gold & Graphite Sky).
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90°.

**LINEAR PROFILE PANEL GLASS WINDOW DOOR FRAMES**

| H  | W  | Type  | Model Number | List  | Grade C Topcap Paint | Grade C Retainer Paint | Grade C Door Paint |
|----|----|-------|--------------|-------|----------------------|------------------------|--------------------|
| 82 | 42 | Left  | P-MLDRGL8242 | 6,835 | +10                  | +5                     | +100               |
| 82 | 42 | Right | P-MLDRGR8242 | 6,835 | +10                  | +5                     | +100               |



Left Hand



Right Hand

**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap
- Insert Style for Tempered Glass
- Panel Glass Window Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and door are painted same color, as specified.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90°.
- Note: Door has a 5" painted wood border around the glass.

**LINEAR ARCH PANEL DOOR FRAME WITH INNER TRIM (NO DOOR)**

| H  | W  | Model Number | List  | Grade C Paint | Grade C Retainer Paint |
|----|----|--------------|-------|---------------|------------------------|
| 82 | 42 | P-MLDFRK8242 | 4,017 | +10           | +5                     |



**Specify**


**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer and Topcap
- For use with AIS sliding doors where an archway is needed.
- Opening width of 35 1/2".


**Linear Sliding Privacy Screens**

| MATRIX LINEAR SLIDING PRIVACY SCREEN |           |                  |               |               |       |               |
|--------------------------------------|-----------|------------------|---------------|---------------|-------|---------------|
| Panel H                              | Doorway W | Adjacent Panel W | Left Hand     | Right Hand    | List  | Grade C Paint |
|                                      |           |                  | Model Number  | Model Number  |       |               |
| 66                                   | 36        | 36               | P-MXLR6636L   | P-MXLR6636R   | 2,933 | +25           |
| 66                                   | 36        | 42               | P-MXLR663642L | P-MXLR663642R | 3,061 | +25           |
| 66                                   | 36        | 48               | P-MXLR663648L | P-MXLR663648R | 3,069 | +25           |
| 66                                   | 42        | 42               | P-MXLR6642L   | P-MXLR6642R   | 2,937 | +25           |
| 66                                   | 42        | 48               | P-MXLR664248L | P-MXLR664248R | 3,006 | +25           |
| 66                                   | 48        | 48               | P-MXLR6648L   | P-MXLR6648R   | 3,032 | +25           |
| 82                                   | 36        | 36               | P-MXLR8236L   | P-MXLR8236R   | 3,060 | +25           |
| 82                                   | 36        | 42               | P-MXLR823642L | P-MXLR823642R | 3,127 | +25           |
| 82                                   | 36        | 48               | P-MXLR823648L | P-MXLR823648R | 3,195 | +25           |
| 82                                   | 42        | 42               | P-MXLR8242L   | P-MXLR8242R   | 3,070 | +25           |
| 82                                   | 42        | 48               | P-MXLR824248L | P-MXLR824248R | 3,139 | +25           |
| 82                                   | 48        | 48               | P-MXLR8248L   | P-MXLR8248R   | 3,169 | +25           |


| MATRIX LINEAR LOCKING SLIDING PRIVACY SCREEN |           |                  |                |                |       |               |
|----------------------------------------------|-----------|------------------|----------------|----------------|-------|---------------|
| Panel H                                      | Doorway W | Adjacent Panel W | Left Hand      | Right Hand     | List  | Grade C Paint |
|                                              |           |                  | Model Number   | Model Number   |       |               |
| 66                                           | 36        | 36               | P-MXLR6636LL   | P-MXLR6636RL   | 3,111 | +25           |
| 66                                           | 36        | 42               | P-MXLR663642LL | P-MXLR663642RL | 3,177 | +25           |
| 66                                           | 36        | 48               | P-MXLR663648LL | P-MXLR663648RL | 3,246 | +25           |
| 66                                           | 42        | 42               | P-MXLR6642LL   | P-MXLR6642RL   | 3,115 | +25           |
| 66                                           | 42        | 48               | P-MXLR664248LL | P-MXLR664248RL | 3,182 | +25           |
| 66                                           | 48        | 48               | P-MXLR6648LL   | P-MXLR6648RL   | 3,208 | +25           |
| 82                                           | 36        | 36               | P-MXLR8236LL   | P-MXLR8236RL   | 3,236 | +25           |
| 82                                           | 36        | 42               | P-MXLR823642LL | P-MXLR823642RL | 3,304 | +25           |
| 82                                           | 36        | 48               | P-MXLR823648LL | P-MXLR823648RL | 3,372 | +25           |
| 82                                           | 42        | 42               | P-MXLR8242LL   | P-MXLR8242RL   | 3,247 | +25           |
| 82                                           | 42        | 48               | P-MXLR824248LL | P-MXLR824248RL | 3,315 | +25           |
| 82                                           | 48        | 48               | P-MXLR8248LL   | P-MXLR8248RL   | 3,346 | +25           |




Right Hand with Optional Handle Shown



Right Hand with Optional Handle Shown



Right Hand with Lock and Handle Shown



Right Hand with Lock and Handle Shown

**Specify**

- Paint Selection for Sliding Door Frame


**Notes**

- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36", 42" or 48" wide by 66" or 82" high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82" high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6" into opening when fully open, and stands a total of 2-1/2" off panel face.
- These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8".
- Actual door width is opening size +6".
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

**Linear Sliding Privacy Screen Handles and Brackets**

**LINEAR SLIDING PRIVACY SCREEN HANDLE KIT**

| Model Number | List |
|--------------|------|
| P-UNSLDHK    | 81   |




**Specify**

**Notes**

**LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| A-RPSLWATB   | 75   | +25           |




**Specify**

**Notes**

- Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel.
- Fasteners for top rail included, fasteners for wall are not included.

**Stack-On Frames**


| STACK-ON FRAMES |    |              |      |
|-----------------|----|--------------|------|
| H               | W  | Model Number | List |
| 8               | 24 | P-M2BT0824   | 276  |
| 8               | 30 | P-M2BT0830   | 293  |
| 8               | 36 | P-M2BT0836   | 304  |
| 8               | 42 | P-M2BT0842   | 320  |
| 8               | 48 | P-M2BT0848   | 337  |
| 16              | 24 | P-M2BT1624   | 321  |
| 16              | 30 | P-M2BT1630   | 337  |
| 16              | 36 | P-M2BT1636   | 351  |
| 16              | 42 | P-M2BT1642   | 364  |
| 16              | 48 | P-M2BT1648   | 381  |
| 24              | 24 | P-M2BT2424   | 366  |
| 24              | 30 | P-M2BT2430   | 381  |
| 24              | 36 | P-M2BT2436   | 395  |
| 24              | 42 | P-M2BT2442   | 408  |
| 24              | 48 | P-M2BT2448   | 427  |



**Notes**

- Stack-On Frame is made of steel tube, welded frame construction.
- Frame color is black and includes 1/4 - 20 x 4" long bolts for connecting to adjacent frames in straight line.
- Supports overhead storage.
- Note: Stack-on frame may be retrofitted over data cables run in topcap channel.
- Existing topcap from lower panel frame is re-used on the stack-on frame.
- Stack-on connectors and vertical trim ordered separately.
- Maximum stackability on any frame is 48".
- When stacking on an 82" frame, 130" would be the maximum stacking height.

| LINEAR PROFILE EXTENDED TOPCAPS |              |      |               |
|---------------------------------|--------------|------|---------------|
| H                               | Model Number | List | Grade C Paint |
| 54                              | P-MLTC54     | 71   | +20           |
| 60                              | P-MLTC60     | 75   | +20           |
| 66                              | P-MLTC66     | 79   | +20           |
| 72                              | P-MLTC72     | 86   | +20           |
| 78                              | P-MLTC78     | 90   | +20           |
| 84                              | P-MLTC84     | 94   | +20           |
| 90                              | P-MLTC90     | 98   | +20           |
| 96                              | P-MLTC96     | 103  | +20           |
| 102                             | P-MLTC102    | 107  | +30           |
| 108                             | P-MLTC108    | 112  | +30           |



**Specify**


- Paint Selection for Topcap

**Notes**

- Extended Topcaps Linear Profile - may be ordered to reduce "seams" between panel frames.
- Order extended topcaps separately.
- **Important:** Matrix frames ship with standard "panel width" topcaps.
- Specify frames without topcaps to eliminate redundant topcaps.

**LINEAR DOOR FRAME TOPCAP CONVERSION KIT**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 42 | P-MLKFD42    | 124  | +10           |



**Specify**


- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (when applicable)

**Notes**

- Linear Door Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix door frames to linear profile Matrix door frames.
- Linear topcap conversion kits include one linear profile topcap (painted metal) and all necessary mounting hardware.

**RADIUS TO LINEAR FRAME TOPCAP CONVERSION KIT**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 24 | P-MLKF24     | 170  | +10           |
| 30 | P-MLKF30     | 179  | +10           |
| 36 | P-MLKF36     | 183  | +10           |
| 42 | P-MLKF42     | 188  | +10           |
| 48 | P-MLKF48     | 197  | +10           |



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable) and Bottom Tile Retainer


**Notes**

- Linear Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix frames to linear profile Matrix frames.
- Linear topcap conversion kits include one linear profile topcap (painted metal), two bottom tile retainers, and all necessary mounting hardware.
- Mid-tile retainers need to be ordered separately.


**Linear Single End Gallery Panels**

| LINEAR SINGLE END GALLERY PANELS |    |            |                |                |      |
|----------------------------------|----|------------|----------------|----------------|------|
| H                                | W  | Grain      | Left           | Right          | List |
|                                  |    |            | Model Number   | Model Number   |      |
| 34                               | 24 | Vertical   | P-MLGPES3424L  | P-MLGPES3424R  | 532  |
| 34                               | 30 | Vertical   | P-MLGPES3430L  | P-MLGPES3430R  | 558  |
| 34                               | 36 | Vertical   | P-MLGPES3436L  | P-MLGPES3436R  | 574  |
| 34                               | 42 | Vertical   | P-MLGPES3442L  | P-MLGPES3442R  | 586  |
| 34                               | 48 | Vertical   | P-MLGPES3448L  | P-MLGPES3448R  | 594  |
| 34                               | 54 | Vertical   | P-MLGPES3454L  | P-MLGPES3454R  | 603  |
| 34                               | 24 | Horizontal | P-MLGPES3424LH | P-MLGPES3424RH | 532  |
| 34                               | 30 | Horizontal | P-MLGPES3430LH | P-MLGPES3430RH | 558  |
| 34                               | 36 | Horizontal | P-MLGPES3436LH | P-MLGPES3436RH | 574  |
| 34                               | 42 | Horizontal | P-MLGPES3442LH | P-MLGPES3442RH | 586  |
| 34                               | 48 | Horizontal | P-MLGPES3448LH | P-MLGPES3448RH | 594  |
| 34                               | 54 | Horizontal | P-MLGPES3454LH | P-MLGPES3454RH | 603  |
| 34                               | 60 | Horizontal | P-MLGPES3460L  | P-MLGPES3460R  | 713  |
| 34                               | 66 | Horizontal | P-MLGPES3466L  | P-MLGPES3466R  | 750  |
| 34                               | 72 | Horizontal | P-MLGPES3472L  | P-MLGPES3472R  | 799  |
| 34                               | 78 | Horizontal | P-MLGPES3478L  | P-MLGPES3478R  | 847  |
| 34                               | 84 | Horizontal | P-MLGPES3484L  | P-MLGPES3484R  | 895  |
| 34                               | 90 | Horizontal | P-MLGPES3490L  | P-MLGPES3490R  | 943  |


| LINEAR SINGLE END GALLERY PANELS |    |            |                |                |       |
|----------------------------------|----|------------|----------------|----------------|-------|
| H                                | W  | Grain      | Left           | Right          | List  |
|                                  |    |            | Model Number   | Model Number   |       |
| 42                               | 24 | Vertical   | P-MLGPES4224L  | P-MLGPES4224R  | 572   |
| 42                               | 30 | Vertical   | P-MLGPES4230L  | P-MLGPES4230R  | 616   |
| 42                               | 36 | Vertical   | P-MLGPES4236L  | P-MLGPES4236R  | 655   |
| 42                               | 42 | Vertical   | P-MLGPES4242L  | P-MLGPES4242R  | 693   |
| 42                               | 48 | Vertical   | P-MLGPES4248L  | P-MLGPES4248R  | 733   |
| 42                               | 54 | Vertical   | P-MLGPES4254L  | P-MLGPES4254R  | 771   |
| 42                               | 24 | Horizontal | P-MLGPES4224LH | P-MLGPES4224RH | 572   |
| 42                               | 30 | Horizontal | P-MLGPES4230LH | P-MLGPES4230RH | 616   |
| 42                               | 36 | Horizontal | P-MLGPES4236LH | P-MLGPES4236RH | 655   |
| 42                               | 42 | Horizontal | P-MLGPES4242LH | P-MLGPES4242RH | 693   |
| 42                               | 48 | Horizontal | P-MLGPES4248LH | P-MLGPES4248RH | 733   |
| 42                               | 54 | Horizontal | P-MLGPES4254LH | P-MLGPES4254RH | 771   |
| 42                               | 60 | Horizontal | P-MLGPES4260L  | P-MLGPES4260R  | 870   |
| 42                               | 66 | Horizontal | P-MLGPES4266L  | P-MLGPES4266R  | 935   |
| 42                               | 72 | Horizontal | P-MLGPES4272L  | P-MLGPES4272R  | 972   |
| 42                               | 78 | Horizontal | P-MLGPES4278L  | P-MLGPES4278R  | 1,009 |
| 42                               | 84 | Horizontal | P-MLGPES4284L  | P-MLGPES4284R  | 1,046 |
| 42                               | 90 | Horizontal | P-MLGPES4290L  | P-MLGPES4290R  | 1,084 |




Left Hand





Right Hand



Horizontal Grain



Vertical Grain



Right Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.


**Linear Single End Gallery Panels**

**LINEAR SINGLE END GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 50 | 24 | Vertical   | P-MLGPES5024L  | P-MLGPES5024R  | 611   |
| 50 | 30 | Vertical   | P-MLGPES5030L  | P-MLGPES5030R  | 674   |
| 50 | 36 | Vertical   | P-MLGPES5036L  | P-MLGPES5036R  | 736   |
| 50 | 42 | Vertical   | P-MLGPES5042L  | P-MLGPES5042R  | 801   |
| 50 | 48 | Vertical   | P-MLGPES5048L  | P-MLGPES5048R  | 869   |
| 50 | 54 | Vertical   | P-MLGPES5054L  | P-MLGPES5054R  | 938   |
| 50 | 24 | Horizontal | P-MLGPES5024LH | P-MLGPES5024RH | 611   |
| 50 | 30 | Horizontal | P-MLGPES5030LH | P-MLGPES5030RH | 674   |
| 50 | 36 | Horizontal | P-MLGPES5036LH | P-MLGPES5036RH | 736   |
| 50 | 42 | Horizontal | P-MLGPES5042LH | P-MLGPES5042RH | 801   |
| 50 | 48 | Horizontal | P-MLGPES5048LH | P-MLGPES5048RH | 869   |
| 50 | 54 | Horizontal | P-MLGPES5054LH | P-MLGPES5054RH | 938   |
| 50 | 60 | Horizontal | P-MLGPES5060L  | P-MLGPES5060R  | 1,029 |
| 50 | 66 | Horizontal | P-MLGPES5066L  | P-MLGPES5066R  | 1,117 |
| 50 | 72 | Horizontal | P-MLGPES5072L  | P-MLGPES5072R  | 1,144 |
| 50 | 78 | Horizontal | P-MLGPES5078L  | P-MLGPES5078R  | 1,171 |
| 50 | 84 | Horizontal | P-MLGPES5084L  | P-MLGPES5084R  | 1,197 |
| 50 | 90 | Horizontal | P-MLGPES5090L  | P-MLGPES5090R  | 1,223 |

**LINEAR SINGLE END GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 58 | 24 | Vertical   | P-MLGPES5824L  | P-MLGPES5824R  | 681   |
| 58 | 30 | Vertical   | P-MLGPES5830L  | P-MLGPES5830R  | 747   |
| 58 | 36 | Vertical   | P-MLGPES5836L  | P-MLGPES5836R  | 805   |
| 58 | 42 | Vertical   | P-MLGPES5842L  | P-MLGPES5842R  | 868   |
| 58 | 48 | Vertical   | P-MLGPES5848L  | P-MLGPES5848R  | 915   |
| 58 | 54 | Vertical   | P-MLGPES5854L  | P-MLGPES5854R  | 964   |
| 58 | 24 | Horizontal | P-MLGPES5824LH | P-MLGPES5824RH | 681   |
| 58 | 30 | Horizontal | P-MLGPES5830LH | P-MLGPES5830RH | 747   |
| 58 | 36 | Horizontal | P-MLGPES5836LH | P-MLGPES5836RH | 805   |
| 58 | 42 | Horizontal | P-MLGPES5842LH | P-MLGPES5842RH | 868   |
| 58 | 48 | Horizontal | P-MLGPES5848LH | P-MLGPES5848RH | 915   |
| 58 | 54 | Horizontal | P-MLGPES5854LH | P-MLGPES5854RH | 964   |
| 58 | 60 | Horizontal | P-MLGPES5860L  | P-MLGPES5860R  | 1,050 |
| 58 | 66 | Horizontal | P-MLGPES5866L  | P-MLGPES5866R  | 1,137 |
| 58 | 72 | Horizontal | P-MLGPES5872L  | P-MLGPES5872R  | 1,222 |
| 58 | 78 | Horizontal | P-MLGPES5878L  | P-MLGPES5878R  | 1,307 |
| 58 | 84 | Horizontal | P-MLGPES5884L  | P-MLGPES5884R  | 1,394 |
| 58 | 90 | Horizontal | P-MLGPES5890L  | P-MLGPES5890R  | 1,480 |
| 66 | 24 | Vertical   | P-MLGPES6624L  | P-MLGPES6624R  | 699   |
| 66 | 30 | Vertical   | P-MLGPES6630L  | P-MLGPES6630R  | 769   |
| 66 | 36 | Vertical   | P-MLGPES6636L  | P-MLGPES6636R  | 833   |
| 66 | 42 | Vertical   | P-MLGPES6642L  | P-MLGPES6642R  | 901   |
| 66 | 48 | Vertical   | P-MLGPES6648L  | P-MLGPES6648R  | 966   |
| 66 | 54 | Vertical   | P-MLGPES6654L  | P-MLGPES6654R  | 1,032 |



Left Hand





Right Hand



Horizontal Grain



Vertical Grain



Right Hand Shown

**Specify**

- Laminate with matching edge

**Notes**

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Single End Gallery Panels over 66" wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.



**Linear Single End for Wing Gallery Panels**

**LINEAR SINGLE END FOR WING GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 34 | 48 | Vertical   | P-MLGESW3448L  | P-MLGESW3448R  | 625   |
| 34 | 54 | Vertical   | P-MLGESW3454L  | P-MLGESW3454R  | 632   |
| 34 | 48 | Horizontal | P-MLGESW3448LH | P-MLGESW3448RH | 625   |
| 34 | 54 | Horizontal | P-MLGESW3454LH | P-MLGESW3454RH | 632   |
| 34 | 60 | Horizontal | P-MLGESW3460L  | P-MLGESW3460R  | 744   |
| 34 | 66 | Horizontal | P-MLGESW3466L  | P-MLGESW3466R  | 780   |
| 34 | 72 | Horizontal | P-MLGESW3472L  | P-MLGESW3472R  | 829   |
| 34 | 78 | Horizontal | P-MLGESW3478L  | P-MLGESW3478R  | 877   |
| 34 | 84 | Horizontal | P-MLGESW3484L  | P-MLGESW3484R  | 925   |
| 34 | 90 | Horizontal | P-MLGESW3490L  | P-MLGESW3490R  | 974   |
| 42 | 48 | Vertical   | P-MLGESW4248L  | P-MLGESW4248R  | 762   |
| 42 | 54 | Vertical   | P-MLGESW4254L  | P-MLGESW4254R  | 800   |
| 42 | 48 | Horizontal | P-MLGESW4248LH | P-MLGESW4248RH | 762   |
| 42 | 54 | Horizontal | P-MLGESW4254LH | P-MLGESW4254RH | 800   |
| 42 | 60 | Horizontal | P-MLGESW4260L  | P-MLGESW4260R  | 900   |
| 42 | 66 | Horizontal | P-MLGESW4266L  | P-MLGESW4266R  | 964   |
| 42 | 72 | Horizontal | P-MLGESW4272L  | P-MLGESW4272R  | 1,001 |
| 42 | 78 | Horizontal | P-MLGESW4278L  | P-MLGESW4278R  | 1,038 |
| 42 | 84 | Horizontal | P-MLGESW4284L  | P-MLGESW4284R  | 1,076 |
| 42 | 90 | Horizontal | P-MLGESW4290L  | P-MLGESW4290R  | 1,114 |

**LINEAR SINGLE END FOR WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 50 | 48 | Vertical   | P-MLGESW5048L  | P-MLGESW5048R  | 899   |
| 50 | 54 | Vertical   | P-MLGESW5054L  | P-MLGESW5054R  | 968   |
| 50 | 48 | Horizontal | P-MLGESW5048LH | P-MLGESW5048RH | 899   |
| 50 | 54 | Horizontal | P-MLGESW5054LH | P-MLGESW5054RH | 968   |
| 50 | 60 | Horizontal | P-MLGESW5060L  | P-MLGESW5060R  | 1,058 |
| 50 | 66 | Horizontal | P-MLGESW5066L  | P-MLGESW5066R  | 1,147 |
| 50 | 72 | Horizontal | P-MLGESW5072L  | P-MLGESW5072R  | 1,174 |
| 50 | 78 | Horizontal | P-MLGESW5078L  | P-MLGESW5078R  | 1,200 |
| 50 | 84 | Horizontal | P-MLGESW5084L  | P-MLGESW5084R  | 1,226 |
| 50 | 90 | Horizontal | P-MLGESW5090L  | P-MLGESW5090R  | 1,252 |
| 58 | 48 | Vertical   | P-MLGESW5848L  | P-MLGESW5848R  | 945   |
| 58 | 54 | Vertical   | P-MLGESW5854L  | P-MLGESW5854R  | 994   |
| 58 | 48 | Horizontal | P-MLGESW5848LH | P-MLGESW5848RH | 945   |
| 58 | 54 | Horizontal | P-MLGESW5854LH | P-MLGESW5854RH | 994   |
| 58 | 60 | Horizontal | P-MLGESW5860L  | P-MLGESW5860R  | 1,080 |
| 58 | 66 | Horizontal | P-MLGESW5866L  | P-MLGESW5866R  | 1,166 |
| 58 | 72 | Horizontal | P-MLGESW5872L  | P-MLGESW5872R  | 1,251 |
| 58 | 78 | Horizontal | P-MLGESW5878L  | P-MLGESW5878R  | 1,338 |
| 58 | 84 | Horizontal | P-MLGESW5884L  | P-MLGESW5884R  | 1,424 |
| 58 | 90 | Horizontal | P-MLGESW5890L  | P-MLGESW5890R  | 1,509 |
| 66 | 48 | Vertical   | P-MLGESW6648L  | P-MLGESW6648R  | 996   |
| 66 | 54 | Vertical   | P-MLGESW6654L  | P-MLGESW6654R  | 1,062 |



Horizontal Grain



Right Hand Shown

**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.




**Linear Single End for Wing Facing Forward Gallery Panels**

**LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 34 | 48 | Vertical   | P-MGESWF3448L  | P-MGESWF3448R  | 625   |
| 34 | 54 | Vertical   | P-MGESWF3454L  | P-MGESWF3454R  | 632   |
| 34 | 48 | Horizontal | P-MGESWF3448LH | P-MGESWF3448RH | 625   |
| 34 | 54 | Horizontal | P-MGESWF3454LH | P-MGESWF3454RH | 632   |
| 34 | 60 | Horizontal | P-MGESWF3460L  | P-MGESWF3460R  | 744   |
| 34 | 66 | Horizontal | P-MGESWF3466L  | P-MGESWF3466R  | 780   |
| 34 | 72 | Horizontal | P-MGESWF3472L  | P-MGESWF3472R  | 829   |
| 34 | 78 | Horizontal | P-MGESWF3478L  | P-MGESWF3478R  | 877   |
| 34 | 84 | Horizontal | P-MGESWF3484L  | P-MGESWF3484R  | 925   |
| 34 | 90 | Horizontal | P-MGESWF3490L  | P-MGESWF3490R  | 974   |
| 42 | 48 | Vertical   | P-MGESWF4248L  | P-MGESWF4248R  | 762   |
| 42 | 54 | Vertical   | P-MGESWF4254L  | P-MGESWF4254R  | 800   |
| 42 | 48 | Horizontal | P-MGESWF4248LH | P-MGESWF4248RH | 762   |
| 42 | 54 | Horizontal | P-MGESWF4254LH | P-MGESWF4254RH | 800   |
| 42 | 60 | Horizontal | P-MGESWF4260L  | P-MGESWF4260R  | 900   |
| 42 | 66 | Horizontal | P-MGESWF4266L  | P-MGESWF4266R  | 964   |
| 42 | 72 | Horizontal | P-MGESWF4272L  | P-MGESWF4272R  | 1,001 |
| 42 | 78 | Horizontal | P-MGESWF4278L  | P-MGESWF4278R  | 1,038 |
| 42 | 84 | Horizontal | P-MGESWF4284L  | P-MGESWF4284R  | 1,076 |
| 42 | 90 | Horizontal | P-MGESWF4290L  | P-MGESWF4290R  | 1,114 |

**LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 50 | 48 | Vertical   | P-MGESWF5048L  | P-MGESWF5048R  | 899   |
| 50 | 54 | Vertical   | P-MGESWF5054L  | P-MGESWF5054R  | 967   |
| 50 | 48 | Horizontal | P-MGESWF5048LH | P-MGESWF5048RH | 899   |
| 50 | 54 | Horizontal | P-MGESWF5054LH | P-MGESWF5054RH | 967   |
| 50 | 60 | Horizontal | P-MGESWF5060L  | P-MGESWF5060R  | 1,058 |
| 50 | 66 | Horizontal | P-MGESWF5066L  | P-MGESWF5066R  | 1,147 |
| 50 | 72 | Horizontal | P-MGESWF5072L  | P-MGESWF5072R  | 1,174 |
| 50 | 78 | Horizontal | P-MGESWF5078L  | P-MGESWF5078R  | 1,200 |
| 50 | 84 | Horizontal | P-MGESWF5084L  | P-MGESWF5084R  | 1,226 |
| 50 | 90 | Horizontal | P-MGESWF5090L  | P-MGESWF5090R  | 1,252 |
| 58 | 48 | Vertical   | P-MGESWF5848L  | P-MGESWF5848R  | 945   |
| 58 | 54 | Vertical   | P-MGESWF5854L  | P-MGESWF5854R  | 994   |
| 58 | 48 | Horizontal | P-MGESWF5848LH | P-MGESWF5848RH | 945   |
| 58 | 54 | Horizontal | P-MGESWF5854LH | P-MGESWF5854RH | 994   |
| 58 | 60 | Horizontal | P-MGESWF5860L  | P-MGESWF5860R  | 1,080 |
| 58 | 66 | Horizontal | P-MGESWF5866L  | P-MGESWF5866R  | 1,166 |
| 58 | 72 | Horizontal | P-MGESWF5872L  | P-MGESWF5872R  | 1,251 |
| 58 | 78 | Horizontal | P-MGESWF5878L  | P-MGESWF5878R  | 1,338 |
| 58 | 84 | Horizontal | P-MGESWF5884L  | P-MGESWF5884R  | 1,424 |
| 58 | 90 | Horizontal | P-MGESWF5890L  | P-MGESWF5890R  | 1,509 |
| 66 | 48 | Vertical   | P-MGESWF6648L  | P-MGESWF6648R  | 996   |
| 66 | 54 | Vertical   | P-MGESWF6654L  | P-MGESWF6654R  | 1,061 |



Left Hand Shown



Left Hand Shown



Right Hand Shown

**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.



**Linear Single End for Double Wing Gallery Panels**

**LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 34 | 48 | Vertical   | P-MGESWD3448L  | P-MGESWD3448R  | 684   |
| 34 | 54 | Vertical   | P-MGESWD3454L  | P-MGESWD3454R  | 692   |
| 34 | 48 | Horizontal | P-MGESWD3448LH | P-MGESWD3448RH | 684   |
| 34 | 54 | Horizontal | P-MGESWD3454LH | P-MGESWD3454RH | 692   |
| 34 | 60 | Horizontal | P-MGESWD3460L  | P-MGESWD3460R  | 803   |
| 34 | 66 | Horizontal | P-MGESWD3466L  | P-MGESWD3466R  | 840   |
| 34 | 72 | Horizontal | P-MGESWD3472L  | P-MGESWD3472R  | 888   |
| 34 | 78 | Horizontal | P-MGESWD3478L  | P-MGESWD3478R  | 937   |
| 34 | 84 | Horizontal | P-MGESWD3484L  | P-MGESWD3484R  | 984   |
| 34 | 90 | Horizontal | P-MGESWD3490L  | P-MGESWD3490R  | 1,033 |
| 42 | 48 | Vertical   | P-MGESWD4248L  | P-MGESWD4248R  | 821   |
| 42 | 54 | Vertical   | P-MGESWD4254L  | P-MGESWD4254R  | 859   |
| 42 | 48 | Horizontal | P-MGESWD4248LH | P-MGESWD4248RH | 821   |
| 42 | 54 | Horizontal | P-MGESWD4254LH | P-MGESWD4254RH | 859   |
| 42 | 60 | Horizontal | P-MGESWD4260L  | P-MGESWD4260R  | 960   |
| 42 | 66 | Horizontal | P-MGESWD4266L  | P-MGESWD4266R  | 1,023 |
| 42 | 72 | Horizontal | P-MGESWD4272L  | P-MGESWD4272R  | 1,060 |
| 42 | 78 | Horizontal | P-MGESWD4278L  | P-MGESWD4278R  | 1,098 |
| 42 | 84 | Horizontal | P-MGESWD4284L  | P-MGESWD4284R  | 1,136 |
| 42 | 90 | Horizontal | P-MGESWD4290L  | P-MGESWD4290R  | 1,173 |

**LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 50 | 48 | Vertical   | P-MGESWD5048L  | P-MGESWD5048R  | 958   |
| 50 | 54 | Vertical   | P-MGESWD5054L  | P-MGESWD5054R  | 1,026 |
| 50 | 48 | Horizontal | P-MGESWD5048LH | P-MGESWD5048RH | 958   |
| 50 | 54 | Horizontal | P-MGESWD5054LH | P-MGESWD5054RH | 1,026 |
| 50 | 60 | Horizontal | P-MGESWD5060L  | P-MGESWD5060R  | 1,117 |
| 50 | 66 | Horizontal | P-MGESWD5066L  | P-MGESWD5066R  | 1,207 |
| 50 | 72 | Horizontal | P-MGESWD5072L  | P-MGESWD5072R  | 1,234 |
| 50 | 78 | Horizontal | P-MGESWD5078L  | P-MGESWD5078R  | 1,260 |
| 50 | 84 | Horizontal | P-MGESWD5084L  | P-MGESWD5084R  | 1,286 |
| 50 | 90 | Horizontal | P-MGESWD5090L  | P-MGESWD5090R  | 1,312 |
| 58 | 48 | Vertical   | P-MGESWD5848L  | P-MGESWD5848R  | 1,005 |
| 58 | 54 | Vertical   | P-MGESWD5854L  | P-MGESWD5854R  | 1,053 |
| 58 | 48 | Horizontal | P-MGESWD5848LH | P-MGESWD5848RH | 1,005 |
| 58 | 54 | Horizontal | P-MGESWD5854LH | P-MGESWD5854RH | 1,053 |
| 58 | 60 | Horizontal | P-MGESWD5860L  | P-MGESWD5860R  | 1,140 |
| 58 | 66 | Horizontal | P-MGESWD5866L  | P-MGESWD5866R  | 1,225 |
| 58 | 72 | Horizontal | P-MGESWD5872L  | P-MGESWD5872R  | 1,311 |
| 58 | 78 | Horizontal | P-MGESWD5878L  | P-MGESWD5878R  | 1,397 |
| 58 | 84 | Horizontal | P-MGESWD5884L  | P-MGESWD5884R  | 1,483 |
| 58 | 90 | Horizontal | P-MGESWD5890L  | P-MGESWD5890R  | 1,569 |
| 66 | 48 | Vertical   | P-MGESWD6648L  | P-MGESWD6648R  | 1,056 |
| 66 | 54 | Vertical   | P-MGESWD6654L  | P-MGESWD6654R  | 1,120 |



Left Hand Shown

**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.



**Linear Single Spine Gallery Panels**

**LINEAR SINGLE SPINE GALLERY PANELS**


| H  | W  | Grain      | Model Number  | List |
|----|----|------------|---------------|------|
| 34 | 24 | Vertical   | P-MLGPSS3424  | 532  |
| 34 | 30 | Vertical   | P-MLGPSS3430  | 558  |
| 34 | 36 | Vertical   | P-MLGPSS3436  | 574  |
| 34 | 42 | Vertical   | P-MLGPSS3442  | 586  |
| 34 | 48 | Vertical   | P-MLGPSS3448  | 594  |
| 34 | 54 | Vertical   | P-MLGPSS3454  | 603  |
| 34 | 24 | Horizontal | P-MLGPSS3424H | 532  |
| 34 | 30 | Horizontal | P-MLGPSS3430H | 558  |
| 34 | 36 | Horizontal | P-MLGPSS3436H | 574  |
| 34 | 42 | Horizontal | P-MLGPSS3442H | 586  |
| 34 | 48 | Horizontal | P-MLGPSS3448H | 594  |
| 34 | 54 | Horizontal | P-MLGPSS3454H | 603  |
| 34 | 60 | Horizontal | P-MLGPSS3460  | 713  |
| 34 | 66 | Horizontal | P-MLGPSS3466  | 750  |
| 34 | 72 | Horizontal | P-MLGPSS3472  | 799  |
| 34 | 78 | Horizontal | P-MLGPSS3478  | 847  |
| 34 | 84 | Horizontal | P-MLGPSS3484  | 895  |
| 34 | 90 | Horizontal | P-MLGPSS3490  | 943  |

**LINEAR SINGLE SPINE GALLERY PANELS**


| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 42 | 24 | Vertical   | P-MLGPSS4224  | 572   |
| 42 | 30 | Vertical   | P-MLGPSS4230  | 616   |
| 42 | 36 | Vertical   | P-MLGPSS4236  | 655   |
| 42 | 42 | Vertical   | P-MLGPSS4242  | 693   |
| 42 | 48 | Vertical   | P-MLGPSS4248  | 733   |
| 42 | 54 | Vertical   | P-MLGPSS4254  | 771   |
| 42 | 24 | Horizontal | P-MLGPSS4224H | 572   |
| 42 | 30 | Horizontal | P-MLGPSS4230H | 616   |
| 42 | 36 | Horizontal | P-MLGPSS4236H | 655   |
| 42 | 42 | Horizontal | P-MLGPSS4242H | 693   |
| 42 | 48 | Horizontal | P-MLGPSS4248H | 733   |
| 42 | 54 | Horizontal | P-MLGPSS4254H | 771   |
| 42 | 60 | Horizontal | P-MLGPSS4260  | 870   |
| 42 | 66 | Horizontal | P-MLGPSS4266  | 935   |
| 42 | 72 | Horizontal | P-MLGPSS4272  | 971   |
| 42 | 78 | Horizontal | P-MLGPSS4278  | 1,009 |
| 42 | 84 | Horizontal | P-MLGPSS4284  | 1,046 |
| 42 | 90 | Horizontal | P-MLGPSS4290  | 1,084 |



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery panels add 1" to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


**Linear Single Spine Gallery Panels**

**LINEAR SINGLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 50 | 24 | Vertical   | P-MLGPSS5024  | 611   |
| 50 | 30 | Vertical   | P-MLGPSS5030  | 674   |
| 50 | 36 | Vertical   | P-MLGPSS5036  | 736   |
| 50 | 42 | Vertical   | P-MLGPSS5042  | 801   |
| 50 | 48 | Vertical   | P-MLGPSS5048  | 869   |
| 50 | 54 | Vertical   | P-MLGPSS5054  | 938   |
| 50 | 24 | Horizontal | P-MLGPSS5024H | 611   |
| 50 | 30 | Horizontal | P-MLGPSS5030H | 674   |
| 50 | 36 | Horizontal | P-MLGPSS5036H | 736   |
| 50 | 42 | Horizontal | P-MLGPSS5042H | 801   |
| 50 | 48 | Horizontal | P-MLGPSS5048H | 869   |
| 50 | 54 | Horizontal | P-MLGPSS5054H | 938   |
| 50 | 60 | Horizontal | P-MLGPSS5060  | 1,029 |
| 50 | 66 | Horizontal | P-MLGPSS5066  | 1,117 |
| 50 | 72 | Horizontal | P-MLGPSS5072  | 1,144 |
| 50 | 78 | Horizontal | P-MLGPSS5078  | 1,171 |
| 50 | 84 | Horizontal | P-MLGPSS5084  | 1,197 |
| 50 | 90 | Horizontal | P-MLGPSS5090  | 1,223 |

**LINEAR SINGLE SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 58 | 24 | Vertical   | P-MLGPSS5824  | 681   |
| 58 | 30 | Vertical   | P-MLGPSS5830  | 747   |
| 58 | 36 | Vertical   | P-MLGPSS5836  | 805   |
| 58 | 42 | Vertical   | P-MLGPSS5842  | 868   |
| 58 | 48 | Vertical   | P-MLGPSS5848  | 915   |
| 58 | 54 | Vertical   | P-MLGPSS5854  | 964   |
| 58 | 24 | Horizontal | P-MLGPSS5824H | 681   |
| 58 | 30 | Horizontal | P-MLGPSS5830H | 747   |
| 58 | 36 | Horizontal | P-MLGPSS5836H | 805   |
| 58 | 42 | Horizontal | P-MLGPSS5842H | 868   |
| 58 | 48 | Horizontal | P-MLGPSS5848H | 915   |
| 58 | 54 | Horizontal | P-MLGPSS5854H | 964   |
| 58 | 60 | Horizontal | P-MLGPSS5860  | 1,050 |
| 58 | 66 | Horizontal | P-MLGPSS5866  | 1,137 |
| 58 | 72 | Horizontal | P-MLGPSS5872  | 1,222 |
| 58 | 78 | Horizontal | P-MLGPSS5878  | 1,307 |
| 58 | 84 | Horizontal | P-MLGPSS5884  | 1,394 |
| 58 | 90 | Horizontal | P-MLGPSS5890  | 1,480 |
| 66 | 24 | Vertical   | P-MLGPSS6624  | 699   |
| 66 | 30 | Vertical   | P-MLGPSS6630  | 769   |
| 66 | 36 | Vertical   | P-MLGPSS6636  | 833   |
| 66 | 42 | Vertical   | P-MLGPSS6642  | 901   |
| 66 | 48 | Vertical   | P-MLGPSS6648  | 966   |
| 66 | 54 | Vertical   | P-MLGPSS6654  | 1,032 |



**Specify**

- Laminate with matching edge



**Notes**

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

**Linear Single Spine for Wing Gallery Panels**

| LINEAR SINGLE SPINE FOR WING GALLERY PANELS |    |            |                      |                       |       |
|---------------------------------------------|----|------------|----------------------|-----------------------|-------|
| H                                           | W  | Grain      | Left<br>Model Number | Right<br>Model Number | List  |
| 34                                          | 48 | Vertical   | P-MLGSSW3448L        | P-MLGSSW3448R         | 654   |
| 34                                          | 54 | Vertical   | P-MLGSSW3454L        | P-MLGSSW3454R         | 663   |
| 34                                          | 48 | Horizontal | P-MLGSSW3448LH       | P-MLGSSW3448RH        | 654   |
| 34                                          | 54 | Horizontal | P-MLGSSW3454LH       | P-MLGSSW3454RH        | 663   |
| 34                                          | 60 | Horizontal | P-MLGSSW3460L        | P-MLGSSW3460R         | 773   |
| 34                                          | 66 | Horizontal | P-MLGSSW3466L        | P-MLGSSW3466R         | 809   |
| 34                                          | 72 | Horizontal | P-MLGSSW3472L        | P-MLGSSW3472R         | 858   |
| 34                                          | 78 | Horizontal | P-MLGSSW3478L        | P-MLGSSW3478R         | 907   |
| 34                                          | 84 | Horizontal | P-MLGSSW3484L        | P-MLGSSW3484R         | 954   |
| 34                                          | 90 | Horizontal | P-MLGSSW3490L        | P-MLGSSW3490R         | 1,003 |
| 42                                          | 48 | Vertical   | P-MLGSSW4248L        | P-MLGSSW4248R         | 792   |
| 42                                          | 54 | Vertical   | P-MLGSSW4254L        | P-MLGSSW4254R         | 830   |
| 42                                          | 48 | Horizontal | P-MLGSSW4248LH       | P-MLGSSW4248RH        | 792   |
| 42                                          | 54 | Horizontal | P-MLGSSW4254LH       | P-MLGSSW4254RH        | 830   |
| 42                                          | 60 | Horizontal | P-MLGSSW4260L        | P-MLGSSW4260R         | 929   |
| 42                                          | 66 | Horizontal | P-MLGSSW4266L        | P-MLGSSW4266R         | 994   |
| 42                                          | 72 | Horizontal | P-MLGSSW4272L        | P-MLGSSW4272R         | 1,031 |
| 42                                          | 78 | Horizontal | P-MLGSSW4278L        | P-MLGSSW4278R         | 1,069 |
| 42                                          | 84 | Horizontal | P-MLGSSW4284L        | P-MLGSSW4284R         | 1,105 |
| 42                                          | 90 | Horizontal | P-MLGSSW4290L        | P-MLGSSW4290R         | 1,143 |

| LINEAR SINGLE SPINE FOR WING GALLERY PANELS |    |            |                      |                       |       |
|---------------------------------------------|----|------------|----------------------|-----------------------|-------|
| H                                           | W  | Grain      | Left<br>Model Number | Right<br>Model Number | List  |
| 50                                          | 48 | Vertical   | P-MLGSSW5048L        | P-MLGSSW5048R         | 928   |
| 50                                          | 54 | Vertical   | P-MLGSSW5054L        | P-MLGSSW5054R         | 997   |
| 50                                          | 48 | Horizontal | P-MLGSSW5048LH       | P-MLGSSW5048RH        | 928   |
| 50                                          | 54 | Horizontal | P-MLGSSW5054LH       | P-MLGSSW5054RH        | 997   |
| 50                                          | 60 | Horizontal | P-MLGSSW5060L        | P-MLGSSW5060R         | 1,088 |
| 50                                          | 66 | Horizontal | P-MLGSSW5066L        | P-MLGSSW5066R         | 1,177 |
| 50                                          | 72 | Horizontal | P-MLGSSW5072L        | P-MLGSSW5072R         | 1,204 |
| 50                                          | 78 | Horizontal | P-MLGSSW5078L        | P-MLGSSW5078R         | 1,231 |
| 50                                          | 84 | Horizontal | P-MLGSSW5084L        | P-MLGSSW5084R         | 1,257 |
| 50                                          | 90 | Horizontal | P-MLGSSW5090L        | P-MLGSSW5090R         | 1,282 |
| 58                                          | 48 | Vertical   | P-MLGSSW5848L        | P-MLGSSW5848R         | 975   |
| 58                                          | 54 | Vertical   | P-MLGSSW5854L        | P-MLGSSW5854R         | 1,023 |
| 58                                          | 48 | Horizontal | P-MLGSSW5848LH       | P-MLGSSW5848RH        | 975   |
| 58                                          | 54 | Horizontal | P-MLGSSW5854LH       | P-MLGSSW5854RH        | 1,023 |
| 58                                          | 60 | Horizontal | P-MLGSSW5860L        | P-MLGSSW5860R         | 1,110 |
| 58                                          | 66 | Horizontal | P-MLGSSW5866L        | P-MLGSSW5866R         | 1,196 |
| 58                                          | 72 | Horizontal | P-MLGSSW5872L        | P-MLGSSW5872R         | 1,281 |
| 58                                          | 78 | Horizontal | P-MLGSSW5878L        | P-MLGSSW5878R         | 1,367 |
| 58                                          | 84 | Horizontal | P-MLGSSW5884L        | P-MLGSSW5884R         | 1,453 |
| 58                                          | 90 | Horizontal | P-MLGSSW5890L        | P-MLGSSW5890R         | 1,539 |
| 66                                          | 48 | Vertical   | P-MLGSSW6648L        | P-MLGSSW6648R         | 1,025 |
| 66                                          | 54 | Vertical   | P-MLGSSW6654L        | P-MLGSSW6654R         | 1,091 |



Horizontal Grain



Right Hand Shown

**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.



**Linear Single Spine for Double Wing Gallery Panels**

**LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 34 | 48 | Vertical   | P-MGSSWD3448  | 684   |
| 34 | 54 | Vertical   | P-MGSSWD3454  | 692   |
| 34 | 48 | Horizontal | P-MGSSWD3448H | 684   |
| 34 | 54 | Horizontal | P-MGSSWD3454H | 692   |
| 34 | 60 | Horizontal | P-MGSSWD3460  | 803   |
| 34 | 66 | Horizontal | P-MGSSWD3466  | 840   |
| 34 | 72 | Horizontal | P-MGSSWD3472  | 888   |
| 34 | 78 | Horizontal | P-MGSSWD3478  | 937   |
| 34 | 84 | Horizontal | P-MGSSWD3484  | 984   |
| 34 | 90 | Horizontal | P-MGSSWD3490  | 1,033 |
| 42 | 48 | Vertical   | P-MGSSWD4248  | 821   |
| 42 | 54 | Vertical   | P-MGSSWD4254  | 859   |
| 42 | 48 | Horizontal | P-MGSSWD4248H | 821   |
| 42 | 54 | Horizontal | P-MGSSWD4254H | 859   |
| 42 | 60 | Horizontal | P-MGSSWD4260  | 960   |
| 42 | 66 | Horizontal | P-MGSSWD4266  | 1,023 |
| 42 | 72 | Horizontal | P-MGSSWD4272  | 1,060 |
| 42 | 78 | Horizontal | P-MGSSWD4278  | 1,098 |
| 42 | 84 | Horizontal | P-MGSSWD4284  | 1,136 |
| 42 | 90 | Horizontal | P-MGSSWD4290  | 1,173 |

**LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 50 | 48 | Vertical   | P-MGSSWD5048  | 958   |
| 50 | 54 | Vertical   | P-MGSSWD5054  | 1,026 |
| 50 | 48 | Horizontal | P-MGSSWD5048H | 958   |
| 50 | 54 | Horizontal | P-MGSSWD5054H | 1,026 |
| 50 | 60 | Horizontal | P-MGSSWD5060  | 1,117 |
| 50 | 66 | Horizontal | P-MGSSWD5066  | 1,207 |
| 50 | 72 | Horizontal | P-MGSSWD5072  | 1,234 |
| 50 | 78 | Horizontal | P-MGSSWD5078  | 1,260 |
| 50 | 84 | Horizontal | P-MGSSWD5084  | 1,286 |
| 50 | 90 | Horizontal | P-MGSSWD5090  | 1,312 |
| 58 | 48 | Vertical   | P-MGSSWD5848  | 1,005 |
| 58 | 54 | Vertical   | P-MGSSWD5854  | 1,053 |
| 58 | 48 | Horizontal | P-MGSSWD5848H | 1,005 |
| 58 | 54 | Horizontal | P-MGSSWD5854H | 1,053 |
| 58 | 60 | Horizontal | P-MGSSWD5860  | 1,140 |
| 58 | 66 | Horizontal | P-MGSSWD5866  | 1,225 |
| 58 | 72 | Horizontal | P-MGSSWD5872  | 1,311 |
| 58 | 78 | Horizontal | P-MGSSWD5878  | 1,397 |
| 58 | 84 | Horizontal | P-MGSSWD5884  | 1,483 |
| 58 | 90 | Horizontal | P-MGSSWD5890  | 1,569 |
| 66 | 54 | Vertical   | P-MGSSWD6648  | 1,056 |
| 66 | 60 | Vertical   | P-MGSSWD6654  | 1,120 |



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.



**Linear Double End Gallery Panels**

**LINEAR DOUBLE END GALLERY PANELS**


| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 34 | 48 | Vertical   | P-MLGPED3448V | 594   |
| 34 | 54 | Vertical   | P-MLGPED3454V | 603   |
| 34 | 48 | Horizontal | P-MLGPED3448  | 594   |
| 34 | 54 | Horizontal | P-MLGPED3454  | 603   |
| 34 | 60 | Horizontal | P-MLGPED3460  | 713   |
| 34 | 66 | Horizontal | P-MLGPED3466  | 750   |
| 34 | 72 | Horizontal | P-MLGPED3472  | 799   |
| 34 | 78 | Horizontal | P-MLGPED3478  | 847   |
| 34 | 84 | Horizontal | P-MLGPED3484  | 895   |
| 34 | 90 | Horizontal | P-MLGPED3490  | 943   |
| 42 | 48 | Vertical   | P-MLGPED4248V | 733   |
| 42 | 54 | Vertical   | P-MLGPED4254V | 771   |
| 42 | 48 | Horizontal | P-MLGPED4248  | 733   |
| 42 | 54 | Horizontal | P-MLGPED4254  | 771   |
| 42 | 60 | Horizontal | P-MLGPED4260  | 870   |
| 42 | 66 | Horizontal | P-MLGPED4266  | 935   |
| 42 | 72 | Horizontal | P-MLGPED4272  | 971   |
| 42 | 78 | Horizontal | P-MLGPED4278  | 1,009 |
| 42 | 84 | Horizontal | P-MLGPED4284  | 1,046 |
| 42 | 90 | Horizontal | P-MLGPED4290  | 1,084 |

**LINEAR DOUBLE END GALLERY PANELS**



| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 50 | 48 | Vertical   | P-MLGPED5048V | 869   |
| 50 | 54 | Vertical   | P-MLGPED5054V | 938   |
| 50 | 48 | Horizontal | P-MLGPED5048  | 869   |
| 50 | 54 | Horizontal | P-MLGPED5054  | 938   |
| 50 | 60 | Horizontal | P-MLGPED5060  | 1,029 |
| 50 | 66 | Horizontal | P-MLGPED5066  | 1,117 |
| 50 | 72 | Horizontal | P-MLGPED5072  | 1,144 |
| 50 | 78 | Horizontal | P-MLGPED5078  | 1,171 |
| 50 | 84 | Horizontal | P-MLGPED5084  | 1,197 |
| 50 | 90 | Horizontal | P-MLGPED5090  | 1,223 |
| 58 | 48 | Vertical   | P-MLGPED5848V | 915   |
| 58 | 54 | Vertical   | P-MLGPED5854V | 964   |
| 58 | 48 | Horizontal | P-MLGPED5848  | 915   |
| 58 | 54 | Horizontal | P-MLGPED5854  | 964   |
| 58 | 60 | Horizontal | P-MLGPED5860  | 1,050 |
| 58 | 66 | Horizontal | P-MLGPED5866  | 1,137 |
| 58 | 72 | Horizontal | P-MLGPED5872  | 1,222 |
| 58 | 78 | Horizontal | P-MLGPED5878  | 1,307 |
| 58 | 84 | Horizontal | P-MLGPED5884  | 1,394 |
| 58 | 90 | Horizontal | P-MLGPED5890  | 1,480 |
| 66 | 48 | Vertical   | P-MLGPED6648V | 1,525 |
| 66 | 54 | Horizontal | P-MLGPED6654  | 1,032 |



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Linear Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.



**Linear Double Spine Gallery Panels**

**LINEAR DOUBLE SPINE GALLERY PANELS**


| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 34 | 48 | Vertical   | P-MLGPSD3448V | 625   |
| 34 | 54 | Vertical   | P-MLGPSD3454V | 632   |
| 34 | 48 | Horizontal | P-MLGPSD3448  | 625   |
| 34 | 54 | Horizontal | P-MLGPSD3454  | 632   |
| 34 | 60 | Horizontal | P-MLGPSD3460  | 744   |
| 34 | 66 | Horizontal | P-MLGPSD3466  | 780   |
| 34 | 72 | Horizontal | P-MLGPSD3472  | 829   |
| 34 | 78 | Horizontal | P-MLGPSD3478  | 877   |
| 34 | 84 | Horizontal | P-MLGPSD3484  | 925   |
| 34 | 90 | Horizontal | P-MLGPSD3490  | 974   |
| 42 | 48 | Vertical   | P-MLGPSD4248V | 762   |
| 42 | 54 | Vertical   | P-MLGPSD4254V | 800   |
| 42 | 48 | Horizontal | P-MLGPSD4248  | 762   |
| 42 | 54 | Horizontal | P-MLGPSD4254  | 800   |
| 42 | 60 | Horizontal | P-MLGPSD4260  | 900   |
| 42 | 66 | Horizontal | P-MLGPSD4266  | 964   |
| 42 | 72 | Horizontal | P-MLGPSD4272  | 1,001 |
| 42 | 78 | Horizontal | P-MLGPSD4278  | 1,038 |
| 42 | 84 | Horizontal | P-MLGPSD4284  | 1,076 |
| 42 | 90 | Horizontal | P-MLGPSD4290  | 1,114 |

**LINEAR DOUBLE SPINE GALLERY PANELS**



| H  | W  | Grain      | Model Number  | List  |
|----|----|------------|---------------|-------|
| 50 | 48 | Vertical   | P-MLGPSD5048V | 899   |
| 50 | 54 | Vertical   | P-MLGPSD5054V | 967   |
| 50 | 48 | Horizontal | P-MLGPSD5048  | 899   |
| 50 | 54 | Horizontal | P-MLGPSD5054  | 967   |
| 50 | 60 | Horizontal | P-MLGPSD5060  | 1,058 |
| 50 | 66 | Horizontal | P-MLGPSD5066  | 1,147 |
| 50 | 72 | Horizontal | P-MLGPSD5072  | 1,174 |
| 50 | 78 | Horizontal | P-MLGPSD5078  | 1,200 |
| 50 | 84 | Horizontal | P-MLGPSD5084  | 1,226 |
| 50 | 90 | Horizontal | P-MLGPSD5090  | 1,252 |
| 58 | 48 | Vertical   | P-MLGPSD5848V | 945   |
| 58 | 54 | Vertical   | P-MLGPSD5854V | 994   |
| 58 | 48 | Horizontal | P-MLGPSD5848  | 945   |
| 58 | 54 | Horizontal | P-MLGPSD5854  | 994   |
| 58 | 60 | Horizontal | P-MLGPSD5860  | 1,080 |
| 58 | 66 | Horizontal | P-MLGPSD5866  | 1,166 |
| 58 | 72 | Horizontal | P-MLGPSD5872  | 1,251 |
| 58 | 78 | Horizontal | P-MLGPSD5878  | 1,338 |
| 58 | 84 | Horizontal | P-MLGPSD5884  | 1,424 |
| 58 | 90 | Horizontal | P-MLGPSD5890  | 1,509 |
| 66 | 54 | Horizontal | P-MLGPSD6654  | 1,061 |



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Linear Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1" to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.




**Linear Mid Mount End Gallery Panels**

**LINEAR MID MOUNT END GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List |
|----|----|------------|----------------|----------------|------|
|    |    |            | Model Number   | Model Number   |      |
| 34 | 24 | Vertical   | P-MLGPMM3424L  | P-MLGPMM3424R  | 532  |
| 34 | 30 | Vertical   | P-MLGPMM3430L  | P-MLGPMM3430R  | 558  |
| 34 | 36 | Vertical   | P-MLGPMM3436L  | P-MLGPMM3436R  | 574  |
| 34 | 42 | Vertical   | P-MLGPMM3442L  | P-MLGPMM3442R  | 586  |
| 34 | 48 | Vertical   | P-MLGPMM3448L  | P-MLGPMM3448R  | 594  |
| 34 | 54 | Vertical   | P-MLGPMM3454L  | P-MLGPMM3454R  | 603  |
| 34 | 24 | Horizontal | P-MLGPMM3424LH | P-MLGPMM3424RH | 532  |
| 34 | 30 | Horizontal | P-MLGPMM3430LH | P-MLGPMM3430RH | 558  |
| 34 | 36 | Horizontal | P-MLGPMM3436LH | P-MLGPMM3436RH | 574  |
| 34 | 42 | Horizontal | P-MLGPMM3442LH | P-MLGPMM3442RH | 586  |
| 34 | 48 | Horizontal | P-MLGPMM3448LH | P-MLGPMM3448RH | 594  |
| 34 | 54 | Horizontal | P-MLGPMM3454LH | P-MLGPMM3454RH | 603  |
| 34 | 60 | Horizontal | P-MLGPMM3460L  | P-MLGPMM3460R  | 713  |
| 34 | 66 | Horizontal | P-MLGPMM3466L  | P-MLGPMM3466R  | 750  |
| 34 | 72 | Horizontal | P-MLGPMM3472L  | P-MLGPMM3472R  | 799  |
| 34 | 78 | Horizontal | P-MLGPMM3478L  | P-MLGPMM3478R  | 847  |
| 34 | 84 | Horizontal | P-MLGPMM3484L  | P-MLGPMM3484R  | 895  |
| 34 | 90 | Horizontal | P-MLGPMM3490L  | P-MLGPMM3490R  | 943  |

**LINEAR MID MOUNT END GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 42 | 24 | Vertical   | P-MLGPMM4224L  | P-MLGPMM4224R  | 572   |
| 42 | 30 | Vertical   | P-MLGPMM4230L  | P-MLGPMM4230R  | 616   |
| 42 | 36 | Vertical   | P-MLGPMM4236L  | P-MLGPMM4236R  | 655   |
| 42 | 42 | Vertical   | P-MLGPMM4242L  | P-MLGPMM4242R  | 693   |
| 42 | 48 | Vertical   | P-MLGPMM4248L  | P-MLGPMM4248R  | 733   |
| 42 | 54 | Vertical   | P-MLGPMM4254L  | P-MLGPMM4254R  | 771   |
| 42 | 24 | Horizontal | P-MLGPMM4224LH | P-MLGPMM4224RH | 572   |
| 42 | 30 | Horizontal | P-MLGPMM4230LH | P-MLGPMM4230RH | 616   |
| 42 | 36 | Horizontal | P-MLGPMM4236LH | P-MLGPMM4236RH | 655   |
| 42 | 42 | Horizontal | P-MLGPMM4242LH | P-MLGPMM4242RH | 693   |
| 42 | 48 | Horizontal | P-MLGPMM4248LH | P-MLGPMM4248RH | 733   |
| 42 | 54 | Horizontal | P-MLGPMM4254LH | P-MLGPMM4254RH | 771   |
| 42 | 60 | Horizontal | P-MLGPMM4260L  | P-MLGPMM4260R  | 870   |
| 42 | 66 | Horizontal | P-MLGPMM4266L  | P-MLGPMM4266R  | 935   |
| 42 | 72 | Horizontal | P-MLGPMM4272L  | P-MLGPMM4272R  | 971   |
| 42 | 78 | Horizontal | P-MLGPMM4278L  | P-MLGPMM4278R  | 1,009 |
| 42 | 84 | Horizontal | P-MLGPMM4284L  | P-MLGPMM4284R  | 1,046 |
| 42 | 90 | Horizontal | P-MLGPMM4290L  | P-MLGPMM4290R  | 1,084 |




Left Hand Shown



Horizontal Grain



Vertical Grain



**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


**Linear Mid Mount End Gallery Panels**

**LINEAR MID MOUNT END GALLERY PANELS**


| H  | W  | Grain      | Left           |                | Right        |              | List  |
|----|----|------------|----------------|----------------|--------------|--------------|-------|
|    |    |            | Model Number   | Model Number   | Model Number | Model Number |       |
| 50 | 24 | Vertical   | P-MLGPMM5024L  | P-MLGPMM5024R  |              |              | 611   |
| 50 | 30 | Vertical   | P-MLGPMM5030L  | P-MLGPMM5030R  |              |              | 674   |
| 50 | 36 | Vertical   | P-MLGPMM5036L  | P-MLGPMM5036R  |              |              | 736   |
| 50 | 42 | Vertical   | P-MLGPMM5042L  | P-MLGPMM5042R  |              |              | 801   |
| 50 | 48 | Vertical   | P-MLGPMM5048L  | P-MLGPMM5048R  |              |              | 869   |
| 50 | 54 | Vertical   | P-MLGPMM5054L  | P-MLGPMM5054R  |              |              | 938   |
| 50 | 60 | Vertical   | P-MLGPMM5060L  | P-MLGPMM5060R  |              |              | 1,029 |
| 50 | 66 | Vertical   | P-MLGPMM5066L  | P-MLGPMM5066R  |              |              | 1,117 |
| 50 | 24 | Horizontal | P-MLGPMM5024LH | P-MLGPMM5024RH |              |              | 611   |
| 50 | 30 | Horizontal | P-MLGPMM5030LH | P-MLGPMM5030RH |              |              | 674   |
| 50 | 36 | Horizontal | P-MLGPMM5036LH | P-MLGPMM5036RH |              |              | 736   |
| 50 | 42 | Horizontal | P-MLGPMM5042LH | P-MLGPMM5042RH |              |              | 801   |
| 50 | 48 | Horizontal | P-MLGPMM5048LH | P-MLGPMM5048RH |              |              | 869   |
| 50 | 54 | Horizontal | P-MLGPMM5054LH | P-MLGPMM5054RH |              |              | 938   |

**LINEAR MID MOUNT END GALLERY PANELS**


| H  | W  | Grain      | Left           |                | Right        |              | List  |
|----|----|------------|----------------|----------------|--------------|--------------|-------|
|    |    |            | Model Number   | Model Number   | Model Number | Model Number |       |
| 58 | 24 | Vertical   | P-MLGPMM5824L  | P-MLGPMM5824R  |              |              | 681   |
| 58 | 30 | Vertical   | P-MLGPMM5830L  | P-MLGPMM5830R  |              |              | 747   |
| 58 | 36 | Vertical   | P-MLGPMM5836L  | P-MLGPMM5836R  |              |              | 805   |
| 58 | 42 | Vertical   | P-MLGPMM5842L  | P-MLGPMM5842R  |              |              | 868   |
| 58 | 48 | Vertical   | P-MLGPMM5848L  | P-MLGPMM5848R  |              |              | 915   |
| 58 | 54 | Vertical   | P-MLGPMM5854L  | P-MLGPMM5854R  |              |              | 964   |
| 58 | 60 | Vertical   | P-MLGPMM5860L  | P-MLGPMM5860R  |              |              | 1,050 |
| 58 | 66 | Vertical   | P-MLGPMM5866L  | P-MLGPMM5866R  |              |              | 1,137 |
| 58 | 24 | Horizontal | P-MLGPMM5824LH | P-MLGPMM5824RH |              |              | 681   |
| 58 | 30 | Horizontal | P-MLGPMM5830LH | P-MLGPMM5830RH |              |              | 747   |
| 58 | 36 | Horizontal | P-MLGPMM5836LH | P-MLGPMM5836RH |              |              | 805   |
| 58 | 42 | Horizontal | P-MLGPMM5842LH | P-MLGPMM5842RH |              |              | 868   |
| 58 | 48 | Horizontal | P-MLGPMM5848LH | P-MLGPMM5848RH |              |              | 915   |
| 58 | 54 | Horizontal | P-MLGPMM5854LH | P-MLGPMM5854RH |              |              | 964   |
| 66 | 24 | Vertical   | P-MLGPMM6624L  | P-MLGPMM6624R  |              |              | 699   |
| 66 | 30 | Vertical   | P-MLGPMM6630L  | P-MLGPMM6630R  |              |              | 769   |
| 66 | 36 | Vertical   | P-MLGPMM6636L  | P-MLGPMM6636R  |              |              | 833   |
| 66 | 42 | Vertical   | P-MLGPMM6642L  | P-MLGPMM6642R  |              |              | 901   |
| 66 | 48 | Vertical   | P-MLGPMM6648L  | P-MLGPMM6648R  |              |              | 966   |
| 66 | 54 | Vertical   | P-MLGPMM6654L  | P-MLGPMM6654R  |              |              | 1,032 |




Left Hand Shown



Horizontal Grain



Vertical Grain



**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Can not be used freestanding, must be attached to a panel.



**Linear Mid Mount End for Wing Gallery Panels**

**LINEAR MID MOUNT END FOR WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 34 | 48 | Vertical   | P-MLGMMW3448L  | P-MLGMMW3448R  | 625   |
| 34 | 54 | Vertical   | P-MLGMMW3454L  | P-MLGMMW3454R  | 632   |
| 34 | 48 | Horizontal | P-MLGMMW3448LH | P-MLGMMW3448RH | 625   |
| 34 | 54 | Horizontal | P-MLGMMW3454LH | P-MLGMMW3454RH | 632   |
| 34 | 60 | Horizontal | P-MLGMMW3460L  | P-MLGMMW3460R  | 744   |
| 34 | 66 | Horizontal | P-MLGMMW3466L  | P-MLGMMW3466R  | 780   |
| 34 | 72 | Horizontal | P-MLGMMW3472L  | P-MLGMMW3472R  | 829   |
| 34 | 78 | Horizontal | P-MLGMMW3478L  | P-MLGMMW3478R  | 877   |
| 34 | 84 | Horizontal | P-MLGMMW3484L  | P-MLGMMW3484R  | 925   |
| 34 | 90 | Horizontal | P-MLGMMW3490L  | P-MLGMMW3490R  | 974   |
| 42 | 48 | Vertical   | P-MLGMMW4248L  | P-MLGMMW4248R  | 762   |
| 42 | 54 | Vertical   | P-MLGMMW4254L  | P-MLGMMW4254R  | 800   |
| 42 | 48 | Horizontal | P-MLGMMW4248LH | P-MLGMMW4248RH | 762   |
| 42 | 54 | Horizontal | P-MLGMMW4254LH | P-MLGMMW4254RH | 800   |
| 42 | 60 | Horizontal | P-MLGMMW4260L  | P-MLGMMW4260R  | 900   |
| 42 | 66 | Horizontal | P-MLGMMW4266L  | P-MLGMMW4266R  | 964   |
| 42 | 72 | Horizontal | P-MLGMMW4272L  | P-MLGMMW4272R  | 1,001 |
| 42 | 78 | Horizontal | P-MLGMMW4278L  | P-MLGMMW4278R  | 1,038 |
| 42 | 84 | Horizontal | P-MLGMMW4284L  | P-MLGMMW4284R  | 1,076 |
| 42 | 90 | Horizontal | P-MLGMMW4290L  | P-MLGMMW4290R  | 1,114 |

**LINEAR MID MOUNT END FOR WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 50 | 48 | Vertical   | P-MLGMMW5048L  | P-MLGMMW5048R  | 899   |
| 50 | 54 | Vertical   | P-MLGMMW5054L  | P-MLGMMW5054R  | 967   |
| 50 | 48 | Horizontal | P-MLGMMW5048LH | P-MLGMMW5048RH | 899   |
| 50 | 54 | Horizontal | P-MLGMMW5054LH | P-MLGMMW5054RH | 967   |
| 50 | 60 | Horizontal | P-MLGMMW5060L  | P-MLGMMW5060R  | 1,058 |
| 50 | 66 | Horizontal | P-MLGMMW5066L  | P-MLGMMW5066R  | 1,147 |
| 50 | 72 | Horizontal | P-MLGMMW5072L  | P-MLGMMW5072R  | 1,174 |
| 50 | 78 | Horizontal | P-MLGMMW5078L  | P-MLGMMW5078R  | 1,200 |
| 50 | 84 | Horizontal | P-MLGMMW5084L  | P-MLGMMW5084R  | 1,226 |
| 50 | 90 | Horizontal | P-MLGMMW5090L  | P-MLGMMW5090R  | 1,252 |
| 58 | 48 | Vertical   | P-MLGMMW5848L  | P-MLGMMW5848R  | 945   |
| 58 | 54 | Vertical   | P-MLGMMW5854L  | P-MLGMMW5854R  | 994   |
| 58 | 48 | Horizontal | P-MLGMMW5848LH | P-MLGMMW5848RH | 945   |
| 58 | 54 | Horizontal | P-MLGMMW5854LH | P-MLGMMW5854RH | 994   |
| 58 | 60 | Horizontal | P-MLGMMW5860L  | P-MLGMMW5860R  | 1,080 |
| 58 | 66 | Horizontal | P-MLGMMW5866L  | P-MLGMMW5866R  | 1,166 |
| 58 | 72 | Horizontal | P-MLGMMW5872L  | P-MLGMMW5872R  | 1,251 |
| 58 | 78 | Horizontal | P-MLGMMW5878L  | P-MLGMMW5878R  | 1,338 |
| 58 | 84 | Horizontal | P-MLGMMW5884L  | P-MLGMMW5884R  | 1,424 |
| 58 | 90 | Horizontal | P-MLGMMW5890L  | P-MLGMMW5890R  | 1,509 |
| 66 | 48 | Vertical   | P-MLGMMW6648L  | P-MLGMMW6648R  | 996   |
| 66 | 54 | Vertical   | P-MLGMMW6654L  | P-MLGMMW6654R  | 1,061 |



**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Mid Mount End for Wing Facing Forward Gallery Panels**

| LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS |    |            |                |                |       |
|-------------------------------------------------------------|----|------------|----------------|----------------|-------|
| H                                                           | W  | Grain      | Left           | Right          | List  |
|                                                             |    |            | Model Number   | Model Number   |       |
| 34                                                          | 48 | Vertical   | P-MGMMWF3448L  | P-MGMMWF3448R  | 625   |
| 34                                                          | 54 | Vertical   | P-MGMMWF3454L  | P-MGMMWF3454R  | 632   |
| 34                                                          | 48 | Horizontal | P-MGMMWF3448LH | P-MGMMWF3448RH | 625   |
| 34                                                          | 54 | Horizontal | P-MGMMWF3454LH | P-MGMMWF3454RH | 632   |
| 34                                                          | 60 | Horizontal | P-MGMMWF3460L  | P-MGMMWF3460R  | 744   |
| 34                                                          | 66 | Horizontal | P-MGMMWF3466L  | P-MGMMWF3466R  | 780   |
| 34                                                          | 72 | Horizontal | P-MGMMWF3472L  | P-MGMMWF3472R  | 829   |
| 34                                                          | 78 | Horizontal | P-MGMMWF3478L  | P-MGMMWF3478R  | 877   |
| 34                                                          | 84 | Horizontal | P-MGMMWF3484L  | P-MGMMWF3484R  | 925   |
| 34                                                          | 90 | Horizontal | P-MGMMWF3490L  | P-MGMMWF3490R  | 974   |
| 42                                                          | 48 | Vertical   | P-MGMMWF4248L  | P-MGMMWF4248R  | 762   |
| 42                                                          | 54 | Vertical   | P-MGMMWF4254L  | P-MGMMWF4254R  | 800   |
| 42                                                          | 48 | Horizontal | P-MGMMWF4248LH | P-MGMMWF4248RH | 762   |
| 42                                                          | 54 | Horizontal | P-MGMMWF4254LH | P-MGMMWF4254RH | 800   |
| 42                                                          | 60 | Horizontal | P-MGMMWF4260L  | P-MGMMWF4260R  | 900   |
| 42                                                          | 66 | Horizontal | P-MGMMWF4266L  | P-MGMMWF4266R  | 964   |
| 42                                                          | 72 | Horizontal | P-MGMMWF4272L  | P-MGMMWF4272R  | 1,001 |
| 42                                                          | 78 | Horizontal | P-MGMMWF4278L  | P-MGMMWF4278R  | 1,038 |
| 42                                                          | 84 | Horizontal | P-MGMMWF4284L  | P-MGMMWF4284R  | 1,076 |
| 42                                                          | 90 | Horizontal | P-MGMMWF4290L  | P-MGMMWF4290R  | 1,114 |

| LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS |    |            |                |                |       |
|-------------------------------------------------------------|----|------------|----------------|----------------|-------|
| H                                                           | W  | Grain      | Left           | Right          | List  |
|                                                             |    |            | Model Number   | Model Number   |       |
| 50                                                          | 48 | Vertical   | P-MGMMWF5048L  | P-MGMMWF5048R  | 899   |
| 50                                                          | 54 | Vertical   | P-MGMMWF5054L  | P-MGMMWF5054R  | 967   |
| 50                                                          | 48 | Horizontal | P-MGMMWF5048LH | P-MGMMWF5048RH | 899   |
| 50                                                          | 54 | Horizontal | P-MGMMWF5054LH | P-MGMMWF5054RH | 967   |
| 50                                                          | 60 | Horizontal | P-MGMMWF5060L  | P-MGMMWF5060R  | 1,058 |
| 50                                                          | 66 | Horizontal | P-MGMMWF5066L  | P-MGMMWF5066R  | 1,147 |
| 50                                                          | 72 | Horizontal | P-MGMMWF5072L  | P-MGMMWF5072R  | 1,174 |
| 50                                                          | 78 | Horizontal | P-MGMMWF5078L  | P-MGMMWF5078R  | 1,200 |
| 50                                                          | 84 | Horizontal | P-MGMMWF5084L  | P-MGMMWF5084R  | 1,226 |
| 50                                                          | 90 | Horizontal | P-MGMMWF5090L  | P-MGMMWF5090R  | 1,252 |
| 58                                                          | 48 | Vertical   | P-MGMMWF5848L  | P-MGMMWF5848R  | 945   |
| 58                                                          | 54 | Vertical   | P-MGMMWF5854L  | P-MGMMWF5854R  | 994   |
| 58                                                          | 48 | Horizontal | P-MGMMWF5848LH | P-MGMMWF5848RH | 945   |
| 58                                                          | 54 | Horizontal | P-MGMMWF5854LH | P-MGMMWF5854RH | 994   |
| 58                                                          | 60 | Horizontal | P-MGMMWF5860L  | P-MGMMWF5860R  | 1,080 |
| 58                                                          | 66 | Horizontal | P-MGMMWF5866L  | P-MGMMWF5866R  | 1,166 |
| 58                                                          | 72 | Horizontal | P-MGMMWF5872L  | P-MGMMWF5872R  | 1,251 |
| 58                                                          | 78 | Horizontal | P-MGMMWF5878L  | P-MGMMWF5878R  | 1,338 |
| 58                                                          | 84 | Horizontal | P-MGMMWF5884L  | P-MGMMWF5884R  | 1,424 |
| 58                                                          | 90 | Horizontal | P-MGMMWF5890L  | P-MGMMWF5890R  | 1,509 |
| 66                                                          | 48 | Vertical   | P-MGMMWF6648L  | P-MGMMWF6648R  | 996   |
| 66                                                          | 54 | Vertical   | P-MGMMWF6654L  | P-MGMMWF6654R  | 1,061 |



Left Hand Shown



**Specify**

• Laminated with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Mid Mount End for Double Wing Gallery Panels**

**LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**


| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 34 | 48 | Vertical   | P-MGMMWD3448L  | P-MGMMWD3448R  | 684   |
| 34 | 54 | Vertical   | P-MGMMWD3454L  | P-MGMMWD3454R  | 692   |
| 34 | 48 | Horizontal | P-MGMMWD3448LH | P-MGMMWD3448RH | 684   |
| 34 | 54 | Horizontal | P-MGMMWD3454LH | P-MGMMWD3454RH | 692   |
| 34 | 60 | Horizontal | P-MGMMWD3460L  | P-MGMMWD3460R  | 803   |
| 34 | 66 | Horizontal | P-MGMMWD3466L  | P-MGMMWD3466R  | 840   |
| 34 | 72 | Horizontal | P-MGMMWD3472L  | P-MGMMWD3472R  | 888   |
| 34 | 78 | Horizontal | P-MGMMWD3478L  | P-MGMMWD3478R  | 937   |
| 34 | 84 | Horizontal | P-MGMMWD3484L  | P-MGMMWD3484R  | 984   |
| 34 | 90 | Horizontal | P-MGMMWD3490L  | P-MGMMWD3490R  | 1,033 |
| 42 | 48 | Vertical   | P-MGMMWD4248L  | P-MGMMWD4248R  | 821   |
| 42 | 54 | Vertical   | P-MGMMWD4254L  | P-MGMMWD4254R  | 859   |
| 42 | 48 | Horizontal | P-MGMMWD4248LH | P-MGMMWD4248RH | 821   |
| 42 | 54 | Horizontal | P-MGMMWD4254LH | P-MGMMWD4254RH | 859   |
| 42 | 60 | Horizontal | P-MGMMWD4260L  | P-MGMMWD4260R  | 960   |
| 42 | 66 | Horizontal | P-MGMMWD4266L  | P-MGMMWD4266R  | 1,023 |
| 42 | 72 | Horizontal | P-MGMMWD4272L  | P-MGMMWD4272R  | 1,060 |
| 42 | 78 | Horizontal | P-MGMMWD4278L  | P-MGMMWD4278R  | 1,098 |
| 42 | 84 | Horizontal | P-MGMMWD4284L  | P-MGMMWD4284R  | 1,136 |
| 42 | 90 | Horizontal | P-MGMMWD4290L  | P-MGMMWD4290R  | 1,173 |

**LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Left           | Right          | List  |
|----|----|------------|----------------|----------------|-------|
|    |    |            | Model Number   | Model Number   |       |
| 50 | 48 | Vertical   | P-MGMMWD5048L  | P-MGMMWD5048R  | 958   |
| 50 | 54 | Vertical   | P-MGMMWD5054L  | P-MGMMWD5054R  | 1,026 |
| 50 | 48 | Horizontal | P-MGMMWD5048LH | P-MGMMWD5048RH | 958   |
| 50 | 54 | Horizontal | P-MGMMWD5054LH | P-MGMMWD5054RH | 1,026 |
| 50 | 60 | Horizontal | P-MGMMWD5060L  | P-MGMMWD5060R  | 1,117 |
| 50 | 66 | Horizontal | P-MGMMWD5066L  | P-MGMMWD5066R  | 1,207 |
| 50 | 72 | Horizontal | P-MGMMWD5072L  | P-MGMMWD5072R  | 1,234 |
| 50 | 78 | Horizontal | P-MGMMWD5078L  | P-MGMMWD5078R  | 1,260 |
| 50 | 84 | Horizontal | P-MGMMWD5084L  | P-MGMMWD5084R  | 1,286 |
| 50 | 90 | Horizontal | P-MGMMWD5090L  | P-MGMMWD5090R  | 1,312 |
| 58 | 48 | Vertical   | P-MGMMWD5848L  | P-MGMMWD5848R  | 1,005 |
| 58 | 54 | Vertical   | P-MGMMWD5854L  | P-MGMMWD5854R  | 1,053 |
| 58 | 48 | Horizontal | P-MGMMWD5848LH | P-MGMMWD5848RH | 1,005 |
| 58 | 54 | Horizontal | P-MGMMWD5854LH | P-MGMMWD5854RH | 1,053 |
| 58 | 60 | Horizontal | P-MGMMWD5860L  | P-MGMMWD5860R  | 1,140 |
| 58 | 66 | Horizontal | P-MGMMWD5866L  | P-MGMMWD5866R  | 1,225 |
| 58 | 72 | Horizontal | P-MGMMWD5872L  | P-MGMMWD5872R  | 1,311 |
| 58 | 78 | Horizontal | P-MGMMWD5878L  | P-MGMMWD5878R  | 1,397 |
| 58 | 84 | Horizontal | P-MGMMWD5884L  | P-MGMMWD5884R  | 1,483 |
| 58 | 90 | Horizontal | P-MGMMWD5890L  | P-MGMMWD5890R  | 1,569 |
| 66 | 48 | Horizontal | P-MGMMWD6648L  | P-MGMMWD6648R  | 1,056 |
| 66 | 54 | Horizontal | P-MGMMWD6654L  | P-MGMMWD6654R  | 1,120 |



Left Hand Shown



**Specify**

• Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.


**Linear Mid Mount Spine Gallery Panels**

**LINEAR MID MOUNT SPINE GALLERY PANELS**


| H  | W  | Grain      | Model Number   | List |
|----|----|------------|----------------|------|
| 34 | 24 | Vertical   | P-MLGPMMS3424  | 561  |
| 34 | 30 | Vertical   | P-MLGPMMS3430  | 587  |
| 34 | 36 | Vertical   | P-MLGPMMS3436  | 604  |
| 34 | 42 | Vertical   | P-MLGPMMS3442  | 616  |
| 34 | 48 | Vertical   | P-MLGPMMS3448  | 625  |
| 34 | 54 | Vertical   | P-MLGPMMS3454  | 632  |
| 34 | 24 | Horizontal | P-MLGPMMS3424H | 561  |
| 34 | 30 | Horizontal | P-MLGPMMS3430H | 587  |
| 34 | 36 | Horizontal | P-MLGPMMS3436H | 604  |
| 34 | 42 | Horizontal | P-MLGPMMS3442H | 616  |
| 34 | 48 | Horizontal | P-MLGPMMS3448H | 625  |
| 34 | 54 | Horizontal | P-MLGPMMS3454H | 632  |
| 34 | 60 | Horizontal | P-MLGPMMS3460  | 744  |
| 34 | 66 | Horizontal | P-MLGPMMS3466  | 780  |
| 34 | 72 | Horizontal | P-MLGPMMS3472  | 829  |
| 34 | 78 | Horizontal | P-MLGPMMS3478  | 877  |
| 34 | 84 | Horizontal | P-MLGPMMS3484  | 925  |
| 34 | 90 | Horizontal | P-MLGPMMS3490  | 974  |

**LINEAR MID MOUNT SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number   | List  |
|----|----|------------|----------------|-------|
| 42 | 24 | Vertical   | P-MLGPMMS4224  | 602   |
| 42 | 30 | Vertical   | P-MLGPMMS4230  | 645   |
| 42 | 36 | Vertical   | P-MLGPMMS4236  | 685   |
| 42 | 42 | Vertical   | P-MLGPMMS4242  | 723   |
| 42 | 48 | Vertical   | P-MLGPMMS4248  | 762   |
| 42 | 54 | Vertical   | P-MLGPMMS4254  | 800   |
| 42 | 24 | Horizontal | P-MLGPMMS4224H | 602   |
| 42 | 30 | Horizontal | P-MLGPMMS4230H | 645   |
| 42 | 36 | Horizontal | P-MLGPMMS4236H | 685   |
| 42 | 42 | Horizontal | P-MLGPMMS4242H | 723   |
| 42 | 48 | Horizontal | P-MLGPMMS4248H | 762   |
| 42 | 54 | Horizontal | P-MLGPMMS4254H | 800   |
| 42 | 60 | Horizontal | P-MLGPMMS4260  | 900   |
| 42 | 66 | Horizontal | P-MLGPMMS4266  | 964   |
| 42 | 72 | Horizontal | P-MLGPMMS4272  | 1,001 |
| 42 | 78 | Horizontal | P-MLGPMMS4278  | 1,038 |
| 42 | 84 | Horizontal | P-MLGPMMS4284  | 1,076 |
| 42 | 90 | Horizontal | P-MLGPMMS4290  | 1,114 |



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.



**Linear Mid Mount Spine Gallery Panels**

**LINEAR MID MOUNT SPINE GALLERY PANELS**


| H  | W  | Grain      | Model Number   | List  |
|----|----|------------|----------------|-------|
| 50 | 24 | Vertical   | P-MLGPMMS5024  | 641   |
| 50 | 30 | Vertical   | P-MLGPMMS5030  | 704   |
| 50 | 36 | Vertical   | P-MLGPMMS5036  | 765   |
| 50 | 42 | Vertical   | P-MLGPMMS5042  | 831   |
| 50 | 48 | Vertical   | P-MLGPMMS5048  | 899   |
| 50 | 54 | Vertical   | P-MLGPMMS5054  | 967   |
| 50 | 24 | Horizontal | P-MLGPMMS5024H | 641   |
| 50 | 30 | Horizontal | P-MLGPMMS5030H | 704   |
| 50 | 36 | Horizontal | P-MLGPMMS5036H | 765   |
| 50 | 42 | Horizontal | P-MLGPMMS5042H | 831   |
| 50 | 48 | Horizontal | P-MLGPMMS5048H | 899   |
| 50 | 54 | Horizontal | P-MLGPMMS5054H | 967   |
| 50 | 60 | Horizontal | P-MLGPMMS5060  | 1,058 |
| 50 | 66 | Horizontal | P-MLGPMMS5066  | 1,147 |
| 50 | 72 | Horizontal | P-MLGPMMS5072  | 1,174 |
| 50 | 78 | Horizontal | P-MLGPMMS5078  | 1,200 |
| 50 | 84 | Horizontal | P-MLGPMMS5084  | 1,226 |
| 50 | 90 | Horizontal | P-MLGPMMS5090  | 1,252 |

**LINEAR MID MOUNT SPINE GALLERY PANELS**

| H  | W  | Grain      | Model Number   | List  |
|----|----|------------|----------------|-------|
| 58 | 24 | Vertical   | P-MLGPMMS5824  | 711   |
| 58 | 30 | Vertical   | P-MLGPMMS5830  | 776   |
| 58 | 36 | Vertical   | P-MLGPMMS5836  | 834   |
| 58 | 42 | Vertical   | P-MLGPMMS5842  | 898   |
| 58 | 48 | Vertical   | P-MLGPMMS5848  | 945   |
| 58 | 54 | Vertical   | P-MLGPMMS5854  | 994   |
| 58 | 24 | Horizontal | P-MLGPMMS5824H | 711   |
| 58 | 30 | Horizontal | P-MLGPMMS5830H | 776   |
| 58 | 36 | Horizontal | P-MLGPMMS5836H | 834   |
| 58 | 42 | Horizontal | P-MLGPMMS5842H | 898   |
| 58 | 48 | Horizontal | P-MLGPMMS5848H | 945   |
| 58 | 54 | Horizontal | P-MLGPMMS5854H | 994   |
| 58 | 60 | Horizontal | P-MLGPMMS5860  | 1,080 |
| 58 | 66 | Horizontal | P-MLGPMMS5866  | 1,166 |
| 58 | 72 | Horizontal | P-MLGPMMS5872  | 1,251 |
| 58 | 78 | Horizontal | P-MLGPMMS5878  | 1,338 |
| 58 | 84 | Horizontal | P-MLGPMMS5884  | 1,424 |
| 58 | 90 | Horizontal | P-MLGPMMS5890  | 1,509 |
| 66 | 24 | Vertical   | P-MLGPMMS6624  | 728   |
| 66 | 30 | Vertical   | P-MLGPMMS6630  | 799   |
| 66 | 36 | Vertical   | P-MLGPMMS6636  | 863   |
| 66 | 42 | Vertical   | P-MLGPMMS6642  | 930   |
| 66 | 48 | Vertical   | P-MLGPMMS6648  | 996   |
| 66 | 54 | Vertical   | P-MLGPMMS6654  | 1,061 |



Horizontal Grain



Vertical Grain



**Specify**

- Laminate with matching edge



**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.


**Linear Mid Mount Spine for Wing Gallery Panels**

| LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS |    |            |                |                |       |
|------------------------------------------------|----|------------|----------------|----------------|-------|
| H                                              | W  | Grain      | Left           | Right          | List  |
|                                                |    |            | Model Number   | Model Number   |       |
| 34                                             | 48 | Vertical   | P-MGSMMW3448L  | P-MGSMMW3448R  | 654   |
| 34                                             | 54 | Vertical   | P-MGSMMW3454L  | P-MGSMMW3454R  | 663   |
| 34                                             | 48 | Horizontal | P-MGSMMW3448LH | P-MGSMMW3448RH | 654   |
| 34                                             | 54 | Horizontal | P-MGSMMW3454LH | P-MGSMMW3454RH | 663   |
| 34                                             | 60 | Horizontal | P-MLGSMMW3460L | P-MLGSMMW3460R | 773   |
| 34                                             | 66 | Horizontal | P-MLGSMMW3466L | P-MLGSMMW3466R | 809   |
| 34                                             | 72 | Horizontal | P-MLGSMMW3472L | P-MLGSMMW3472R | 858   |
| 34                                             | 78 | Horizontal | P-MLGSMMW3478L | P-MLGSMMW3478R | 907   |
| 34                                             | 84 | Horizontal | P-MLGSMMW3484L | P-MLGSMMW3484R | 954   |
| 34                                             | 90 | Horizontal | P-MLGSMMW3490L | P-MLGSMMW3490R | 1,003 |
| 42                                             | 48 | Vertical   | P-MGSMMW4248L  | P-MGSMMW4248R  | 792   |
| 42                                             | 54 | Vertical   | P-MGSMMW4254L  | P-MGSMMW4254R  | 830   |
| 42                                             | 48 | Horizontal | P-MGSMMW4248LH | P-MGSMMW4248RH | 792   |
| 42                                             | 54 | Horizontal | P-MGSMMW4254LH | P-MGSMMW4254RH | 830   |
| 42                                             | 60 | Horizontal | P-MLGSMMW4260L | P-MLGSMMW4260R | 929   |
| 42                                             | 66 | Horizontal | P-MLGSMMW4266L | P-MLGSMMW4266R | 994   |
| 42                                             | 72 | Horizontal | P-MLGSMMW4272L | P-MLGSMMW4272R | 1,031 |
| 42                                             | 78 | Horizontal | P-MLGSMMW4278L | P-MLGSMMW4278R | 1,069 |
| 42                                             | 84 | Horizontal | P-MLGSMMW4284L | P-MLGSMMW4284R | 1,105 |
| 42                                             | 90 | Horizontal | P-MLGSMMW4290L | P-MLGSMMW4290R | 1,143 |

| LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS |    |            |                |                |       |
|------------------------------------------------|----|------------|----------------|----------------|-------|
| H                                              | W  | Grain      | Left           | Right          | List  |
|                                                |    |            | Model Number   | Model Number   |       |
| 50                                             | 48 | Vertical   | P-MGSMMW5048L  | P-MGSMMW5048R  | 928   |
| 50                                             | 54 | Vertical   | P-MGSMMW5054L  | P-MGSMMW5054R  | 997   |
| 50                                             | 48 | Horizontal | P-MGSMMW5048LH | P-MGSMMW5048RH | 928   |
| 50                                             | 54 | Horizontal | P-MGSMMW5054LH | P-MGSMMW5054RH | 997   |
| 50                                             | 60 | Horizontal | P-MLGSMMW5060L | P-MLGSMMW5060R | 1,088 |
| 50                                             | 66 | Horizontal | P-MLGSMMW5066L | P-MLGSMMW5066R | 1,177 |
| 50                                             | 72 | Horizontal | P-MLGSMMW5072L | P-MLGSMMW5072R | 1,204 |
| 50                                             | 78 | Horizontal | P-MLGSMMW5078L | P-MLGSMMW5078R | 1,231 |
| 50                                             | 84 | Horizontal | P-MLGSMMW5084L | P-MLGSMMW5084R | 1,257 |
| 50                                             | 90 | Horizontal | P-MLGSMMW5090L | P-MLGSMMW5090R | 1,282 |
| 58                                             | 48 | Vertical   | P-MGSMMW5848L  | P-MGSMMW5848R  | 975   |
| 58                                             | 54 | Vertical   | P-MGSMMW5854L  | P-MGSMMW5854R  | 1,023 |
| 58                                             | 48 | Horizontal | P-MGSMMW5848LH | P-MGSMMW5848RH | 975   |
| 58                                             | 54 | Horizontal | P-MGSMMW5854LH | P-MGSMMW5854RH | 1,023 |
| 58                                             | 60 | Horizontal | P-MLGSMMW5860L | P-MLGSMMW5860R | 1,110 |
| 58                                             | 66 | Horizontal | P-MLGSMMW5866L | P-MLGSMMW5866R | 1,196 |
| 58                                             | 72 | Horizontal | P-MLGSMMW5872L | P-MLGSMMW5872R | 1,281 |
| 58                                             | 78 | Horizontal | P-MLGSMMW5878L | P-MLGSMMW5878R | 1,367 |
| 58                                             | 84 | Horizontal | P-MLGSMMW5884L | P-MLGSMMW5884R | 1,453 |
| 58                                             | 90 | Horizontal | P-MLGSMMW5890L | P-MLGSMMW5890R | 1,539 |
| 66                                             | 48 | Vertical   | P-MGSMMW6648L  | P-MGSMMW6648R  | 1,025 |
| 66                                             | 54 | Vertical   | P-MGSMMW6654L  | P-MGSMMW6654R  | 1,091 |



HORIZONTAL GRAIN



**Specify**

- Laminate with matching edge

**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.





**Linear Mid Mount Spine for Double Wing Gallery Panels**

**LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number    | List  |
|----|----|------------|-----------------|-------|
| 34 | 48 | Vertical   | P-MGMMMSWD3448  | 713   |
| 34 | 54 | Vertical   | P-MGMMMSWD3454  | 722   |
| 34 | 48 | Horizontal | P-MGMMMSWD3448H | 713   |
| 34 | 54 | Horizontal | P-MGMMMSWD3454H | 722   |
| 34 | 60 | Horizontal | P-MGMMMSWD3460  | 832   |
| 34 | 66 | Horizontal | P-MGMMMSWD3466  | 869   |
| 34 | 72 | Horizontal | P-MGMMMSWD3472  | 917   |
| 34 | 78 | Horizontal | P-MGMMMSWD3478  | 966   |
| 34 | 84 | Horizontal | P-MGMMMSWD3484  | 1,014 |
| 34 | 90 | Horizontal | P-MGMMMSWD3490  | 1,062 |
| 42 | 48 | Vertical   | P-MGMMMSWD4248  | 852   |
| 42 | 54 | Vertical   | P-MGMMMSWD4254  | 889   |
| 42 | 48 | Horizontal | P-MGMMMSWD4248H | 852   |
| 42 | 54 | Horizontal | P-MGMMMSWD4254H | 889   |
| 42 | 60 | Horizontal | P-MGMMMSWD4260  | 989   |
| 42 | 66 | Horizontal | P-MGMMMSWD4266  | 1,053 |
| 42 | 72 | Horizontal | P-MGMMMSWD4272  | 1,090 |
| 42 | 78 | Horizontal | P-MGMMMSWD4278  | 1,128 |
| 42 | 84 | Horizontal | P-MGMMMSWD4284  | 1,165 |
| 42 | 90 | Horizontal | P-MGMMMSWD4290  | 1,203 |

**LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS**

| H  | W  | Grain      | Model Number    | List  |
|----|----|------------|-----------------|-------|
| 50 | 48 | Vertical   | P-MGMMMSWD5048  | 988   |
| 50 | 54 | Vertical   | P-MGMMMSWD5054  | 1,057 |
| 50 | 48 | Horizontal | P-MGMMMSWD5048H | 988   |
| 50 | 54 | Horizontal | P-MGMMMSWD5054H | 1,057 |
| 50 | 60 | Horizontal | P-MGMMMSWD5060  | 1,147 |
| 50 | 66 | Horizontal | P-MGMMMSWD5066  | 1,236 |
| 50 | 72 | Horizontal | P-MGMMMSWD5072  | 1,263 |
| 50 | 78 | Horizontal | P-MGMMMSWD5078  | 1,290 |
| 50 | 84 | Horizontal | P-MGMMMSWD5084  | 1,316 |
| 50 | 90 | Horizontal | P-MGMMMSWD5090  | 1,342 |
| 58 | 48 | Vertical   | P-MGMMMSWD5848  | 1,034 |
| 58 | 54 | Vertical   | P-MGMMMSWD5854  | 1,083 |
| 58 | 48 | Horizontal | P-MGMMMSWD5848H | 1,034 |
| 58 | 54 | Horizontal | P-MGMMMSWD5854H | 1,083 |
| 58 | 60 | Horizontal | P-MGMMMSWD5860  | 1,169 |
| 58 | 66 | Horizontal | P-MGMMMSWD5866  | 1,255 |
| 58 | 72 | Horizontal | P-MGMMMSWD5872  | 1,341 |
| 58 | 78 | Horizontal | P-MGMMMSWD5878  | 1,426 |
| 58 | 84 | Horizontal | P-MGMMMSWD5884  | 1,512 |
| 58 | 90 | Horizontal | P-MGMMMSWD5890  | 1,599 |
| 66 | 54 | Vertical   | P-MGMMMSWD6648  | 1,085 |
| 66 | 60 | Vertical   | P-MGMMMSWD6654  | 1,151 |



**Specify**

• Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

**Linear Wing Gallery Panels**

| LINEAR WING GALLERY PANELS |    |            |                      |                       |      |
|----------------------------|----|------------|----------------------|-----------------------|------|
| H                          | W  | Grain      | Left<br>Model Number | Right<br>Model Number | List |
| 34                         | 18 | Vertical   | P-MLGWPL3418         | P-MLGWPR3418          | 477  |
| 34                         | 24 | Vertical   | P-MLGWPL3424         | P-MLGWPR3424          | 502  |
| 34                         | 30 | Vertical   | P-MLGWPL3430         | P-MLGWPR3430          | 528  |
| 34                         | 18 | Horizontal | P-MLGWPL3418H        | P-MLGWPR3418H         | 477  |
| 34                         | 24 | Horizontal | P-MLGWPL3424H        | P-MLGWPR3424H         | 502  |
| 34                         | 30 | Horizontal | P-MLGWPL3430H        | P-MLGWPR3430H         | 528  |
| 42                         | 18 | Vertical   | P-MLGWPL4218         | P-MLGWPR4218          | 497  |
| 42                         | 24 | Vertical   | P-MLGWPL4224         | P-MLGWPR4224          | 543  |
| 42                         | 30 | Vertical   | P-MLGWPL4230         | P-MLGWPR4230          | 586  |
| 42                         | 18 | Horizontal | P-MLGWPL4218H        | P-MLGWPR4218H         | 497  |
| 42                         | 24 | Horizontal | P-MLGWPL4224H        | P-MLGWPR4224H         | 543  |
| 42                         | 30 | Horizontal | P-MLGWPL4230H        | P-MLGWPR4230H         | 586  |
| 50                         | 18 | Vertical   | P-MLGWPL5018         | P-MLGWPR5018          | 518  |
| 50                         | 24 | Vertical   | P-MLGWPL5024         | P-MLGWPR5024          | 582  |
| 50                         | 30 | Vertical   | P-MLGWPL5030         | P-MLGWPR5030          | 644  |


| LINEAR WING GALLERY PANELS |    |            |                      |                       |      |
|----------------------------|----|------------|----------------------|-----------------------|------|
| H                          | W  | Grain      | Left<br>Model Number | Right<br>Model Number | List |
| 50                         | 18 | Horizontal | P-MLGWPL5018H        | P-MLGWPR5018H         | 518  |
| 50                         | 24 | Horizontal | P-MLGWPL5024H        | P-MLGWPR5024H         | 582  |
| 50                         | 30 | Horizontal | P-MLGWPL5030H        | P-MLGWPR5030H         | 644  |
| 58                         | 18 | Vertical   | P-MLGWPL5818         | P-MLGWPR5818          | 587  |
| 58                         | 24 | Vertical   | P-MLGWPL5824         | P-MLGWPR5824          | 652  |
| 58                         | 30 | Vertical   | P-MLGWPL5830         | P-MLGWPR5830          | 717  |
| 58                         | 18 | Horizontal | P-MLGWPL5818H        | P-MLGWPR5818H         | 587  |
| 58                         | 24 | Horizontal | P-MLGWPL5824H        | P-MLGWPR5824H         | 652  |
| 58                         | 30 | Horizontal | P-MLGWPL5830H        | P-MLGWPR5830H         | 717  |
| 66                         | 18 | Vertical   | P-MLGWPL6618         | P-MLGWPR6618          | 598  |
| 66                         | 24 | Vertical   | P-MLGWPL6624         | P-MLGWPR6624          | 669  |
| 66                         | 30 | Vertical   | P-MLGWPL6630         | P-MLGWPR6630          | 739  |



Horizontal Grain



Vertical Grain



Left Hand Shown

**Specify**

- Laminate with matching edge


**Notes**

- Gallery Panels are 1 1/8" thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

**Brackets for Gallery Panels**

**DESKING L BRACKET**

| <b>Model Number</b> | <b>List</b> |
|---------------------|-------------|
| O-WSLB              | 50          |



**Specify**

**Notes**

- Order L Bracket when mounting worksurfaces to Gallery Panels.
- Brackets measure 5.5" x 1" x 1".
- Available in black only.



**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 34 | 24 | P-MLWMGP3424 | 532   |
| 34 | 30 | P-MLWMGP3430 | 558   |
| 34 | 36 | P-MLWMGP3436 | 574   |
| 34 | 42 | P-MLWMGP3442 | 586   |
| 34 | 48 | P-MLWMGP3448 | 594   |
| 34 | 54 | P-MLWMGP3454 | 603   |
| 34 | 60 | P-MLWMGP3460 | 713   |
| 34 | 66 | P-MLWMGP3466 | 750   |
| 34 | 72 | P-MLWMGP3472 | 799   |
| 34 | 78 | P-MLWMGP3478 | 847   |
| 34 | 84 | P-MLWMGP3484 | 895   |
| 34 | 90 | P-MLWMGP3490 | 943   |
| 34 | 96 | P-MLWMGP3496 | 1,028 |
| 42 | 24 | P-MLWMGP4224 | 572   |
| 42 | 30 | P-MLWMGP4230 | 616   |
| 42 | 36 | P-MLWMGP4236 | 655   |
| 42 | 42 | P-MLWMGP4242 | 693   |
| 42 | 48 | P-MLWMGP4248 | 733   |
| 42 | 54 | P-MLWMGP4254 | 771   |
| 42 | 60 | P-MLWMGP4260 | 870   |
| 42 | 66 | P-MLWMGP4266 | 935   |
| 42 | 72 | P-MLWMGP4272 | 1,601 |
| 42 | 78 | P-MLWMGP4278 | 1,009 |
| 42 | 84 | P-MLWMGP4284 | 1,046 |
| 42 | 90 | P-MLWMGP4290 | 1,084 |
| 42 | 96 | P-MLWMGP4296 | 1,168 |

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 50 | 24 | P-MLWMGP5024 | 611   |
| 50 | 30 | P-MLWMGP5030 | 674   |
| 50 | 36 | P-MLWMGP5036 | 736   |
| 50 | 42 | P-MLWMGP5042 | 801   |
| 50 | 48 | P-MLWMGP5048 | 869   |
| 50 | 54 | P-MLWMGP5054 | 938   |
| 50 | 60 | P-MLWMGP5060 | 1,029 |
| 50 | 66 | P-MLWMGP5066 | 1,117 |
| 50 | 72 | P-MLWMGP5072 | 1,144 |
| 50 | 78 | P-MLWMGP5078 | 1,171 |
| 50 | 84 | P-MLWMGP5084 | 1,197 |
| 50 | 90 | P-MLWMGP5090 | 1,223 |
| 50 | 96 | P-MLWMGP5096 | 1,307 |



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets



**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – HORIZONTAL**

| H  | W  | Model Number | List  |
|----|----|--------------|-------|
| 58 | 24 | P-MLWMGP5824 | 681   |
| 58 | 30 | P-MLWMGP5830 | 747   |
| 58 | 36 | P-MLWMGP5836 | 805   |
| 58 | 42 | P-MLWMGP5842 | 868   |
| 58 | 48 | P-MLWMGP5848 | 915   |
| 58 | 54 | P-MLWMGP5854 | 964   |
| 58 | 60 | P-MLWMGP5860 | 1,050 |
| 58 | 66 | P-MLWMGP5866 | 1,137 |
| 58 | 72 | P-MLWMGP5872 | 1,222 |
| 58 | 78 | P-MLWMGP5878 | 1,307 |
| 58 | 84 | P-MLWMGP5884 | 1,394 |
| 58 | 90 | P-MLWMGP5890 | 1,480 |
| 58 | 96 | P-MLWMGP5896 | 1,555 |
| 66 | 24 | P-MLWMGP6624 | 699   |
| 66 | 30 | P-MLWMGP6630 | 769   |
| 66 | 36 | P-MLWMGP6636 | 833   |
| 66 | 42 | P-MLWMGP6642 | 901   |
| 66 | 48 | P-MLWMGP6648 | 966   |
| 66 | 54 | P-MLWMGP6654 | 1,032 |



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.



**Wall Mounted Gallery Panels**

**WALL MOUNTED GALLERY PANELS – VERTICAL**

| H  | W  | Model Number  | List |
|----|----|---------------|------|
| 34 | 24 | P-MLWMGP3424V | 532  |
| 34 | 30 | P-MLWMGP3430V | 558  |
| 34 | 36 | P-MLWMGP3436V | 574  |
| 34 | 42 | P-MLWMGP3442V | 586  |
| 34 | 48 | P-MLWMGP3448V | 594  |
| 34 | 54 | P-MLWMGP3454V | 603  |
| 42 | 24 | P-MLWMGP4224V | 572  |
| 42 | 30 | P-MLWMGP4230V | 616  |
| 42 | 36 | P-MLWMGP4236V | 655  |
| 42 | 42 | P-MLWMGP4242V | 693  |
| 42 | 48 | P-MLWMGP4248V | 733  |
| 42 | 54 | P-MLWMGP4254V | 771  |

**WALL MOUNTED GALLERY PANELS – VERTICAL**

| H  | W  | Model Number  | List |
|----|----|---------------|------|
| 50 | 24 | P-MLWMGP5024V | 611  |
| 50 | 30 | P-MLWMGP5030V | 674  |
| 50 | 36 | P-MLWMGP5036V | 736  |
| 50 | 42 | P-MLWMGP5042V | 801  |
| 50 | 48 | P-MLWMGP5048V | 869  |
| 50 | 54 | P-MLWMGP5054V | 938  |
| 58 | 24 | P-MLWMGP5824V | 681  |
| 58 | 30 | P-MLWMGP5830V | 747  |
| 58 | 36 | P-MLWMGP5836V | 805  |
| 58 | 42 | P-MLWMGP5842V | 868  |
| 58 | 48 | P-MLWMGP5848V | 915  |
| 58 | 54 | P-MLWMGP5854V | 964  |



**Specify**

- Laminate selection
- Paint selection for Mounting Brackets


**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66" wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.


**Wall Mounted Gallery Panels for Wing**

| WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL |    |               |               |       |
|---------------------------------------------------|----|---------------|---------------|-------|
|                                                   |    | Left          | Right         |       |
| H                                                 | W  | Model Number  | Model Number  | List  |
| 34                                                | 66 | P-MLWMPWL3466 | P-MLWMPWR3466 | 780   |
| 34                                                | 72 | P-MLWMPWL3472 | P-MLWMPWR3472 | 829   |
| 34                                                | 78 | P-MLWMPWL3478 | P-MLWMPWR3478 | 877   |
| 34                                                | 84 | P-MLWMPWL3484 | P-MLWMPWR3484 | 925   |
| 34                                                | 90 | P-MLWMPWL3490 | P-MLWMPWR3490 | 974   |
| 42                                                | 66 | P-MLWMPWL4266 | P-MLWMPWR4266 | 964   |
| 42                                                | 72 | P-MLWMPWL4272 | P-MLWMPWR4272 | 1,001 |
| 42                                                | 78 | P-MLWMPWL4278 | P-MLWMPWR4278 | 1,038 |
| 42                                                | 84 | P-MLWMPWL4284 | P-MLWMPWR4284 | 1,076 |
| 42                                                | 90 | P-MLWMPWL4290 | P-MLWMPWR4290 | 1,114 |

| WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL |    |               |               |       |
|---------------------------------------------------|----|---------------|---------------|-------|
|                                                   |    | Left          | Right         |       |
| H                                                 | W  | Model Number  | Model Number  | List  |
| 50                                                | 66 | P-MLWMPWL5066 | P-MLWMPWR5066 | 1,147 |
| 50                                                | 72 | P-MLWMPWL5072 | P-MLWMPWR5072 | 1,174 |
| 50                                                | 78 | P-MLWMPWL5078 | P-MLWMPWR5078 | 1,200 |
| 50                                                | 84 | P-MLWMPWL5084 | P-MLWMPWR5084 | 1,226 |
| 50                                                | 90 | P-MLWMPWL5090 | P-MLWMPWR5090 | 1,252 |
| 58                                                | 66 | P-MLWMPWL5866 | P-MLWMPWR5866 | 1,166 |
| 58                                                | 72 | P-MLWMPWL5872 | P-MLWMPWR5872 | 1,251 |
| 58                                                | 78 | P-MLWMPWL5878 | P-MLWMPWR5878 | 1,338 |
| 58                                                | 84 | P-MLWMPWL5884 | P-MLWMPWR5884 | 1,424 |
| 58                                                | 90 | P-MLWMPWL5890 | P-MLWMPWR5890 | 1,509 |



Left Hand Shown



Left Hand Shown

**Specify**

- Laminate selection
- Paint selection for Mounting Brackets

**Notes**

- Gallery panels are 1 1/8" with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.


**Matrix Connector Product Details**

**Product Detail 1**  
**Connector and Profile Options**

**2-Way Connectors:**

Available in either 90°, 120°, or 135°. 2-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal




Available Heights: 34", 42", 50", 58", 66", 82"

**3-Way Connectors:**

Available in either 90° or 120°. 3-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal




Available Heights: 34", 42", 50", 58", 66", 82"

**4-Way Connectors:**

Available in 90°. 4-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82"



**Product Detail 2**  
**Connector and Profile Options (Cont.)**

**Panel End Caps:**

Finish the end of a panel frame run where no other panel frames are to be connected.

Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"

Note: 90", 98" and 106" high panel end caps are specified when stack-on panel frames are being utilized, drive the overall height of the panel frames over 82".

**HiLo Trim Covers (Corner Application):**

For 2-way, 3-way and 4-way applications finish the side of a 90° connector above the low panel. Specify size which corresponds to the difference between the height of the connector and the height of the low panel frame (ie: 66" high connector with a 42" high panel frame attached receives a 24" trim cover above the 42" panel frame).

Linear Profile - Painted Metal



Available Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"

**HiLo Trim Covers (Straight Line Application):**

For 180° applications finishes the side of the panel frame above the low panel. Specify size that corresponds to the difference between the height of the high panel frame and the height of the low panel frame (ie: 66" high panel frame with a 42" high panel frame attached receives a 24" trim cover above the 42" panel frame).

Linear Profile - Painted Metal



Available Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"


**Matrix Connector Product Details**

**Product Detail 3  
Connector and Profile Options (Cont.)**

**Wall Mounts:**

Mounts panel frames and door frames perpendicular to a fixed wall. Because the wall mount adds 1" of creep to the panel run, the extended topcap sent with this kit replaces the panel frame topcap which would otherwise be used on the panel frame at the connection. Be sure to specify this particular panel frame with the "no topcap option" in order to avoid receiving an unusable panel frame topcap.


Linear Profile - Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 108"  
Available Widths: 24", 30", 36", 42", 48"

**Stack-On Connectors:**

For 2-way, 3-way, or 4-way scenarios are designed to add height to a base connector where stack-on frames are used. For instance, two 66" high panel frames connected at 90° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panel frames. A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector. A separate connector vertical cover must be specified separately to accommodate the added height. The connector topcap from the base connector is used at the top of the stack-on connector. Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.




**Matrix Connector Product Details**

**Product Detail 4**  
**Connector Vertical Covers and Profile Options**


**2-Way Connector Vertical Covers:**

In 90°, 120°, or 135° are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"




Stack-On Cover

Available Heights: 8", 16", 24", 32", 40", 48"


**3-Way Connector Vertical Covers:**

In 90° are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Note: Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal



Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"



Stack-On Cover

Available Heights: 8", 16", 24", 32", 40", 48"

**90° 2-Way, 3-Way and 4-Way Stack-On Connectors**

**2-WAY STACK-ON CONNECTORS 90°**

| H  | Model Number | List |
|----|--------------|------|
| 8  | P-M2BCC08    | 88   |
| 16 | P-M2BCC16    | 110  |
| 24 | P-M2BCC24    | 126  |



**3-WAY STACK-ON CONNECTORS 90°**

| H  | Model Number | List |
|----|--------------|------|
| 8  | P-M2B3C08    | 111  |
| 16 | P-M2B3C16    | 124  |
| 24 | P-M2B3C24    | 134  |



**4-WAY STACK-ON CONNECTORS 90°**

| H  | Model Number | List |
|----|--------------|------|
| 8  | P-M2BXC08    | 153  |
| 16 | P-M2BXC16    | 173  |
| 24 | P-M2BXC24    | 181  |



**Notes**

- Stack-On Connectors for a 2-way, 3-way or 4-way scenario are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66" high panels connected at 90° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panels.
- A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack on connector.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**120° 2-Way and 3-Way Stack-On Connectors**

**2-WAY STACK-ON CONNECTORS 120°**

| H  | Model Number | List |
|----|--------------|------|
| 8  | P-M2B120CC08 | 146  |
| 16 | P-M2B120CC16 | 180  |
| 24 | P-M2B120CC24 | 189  |



**2-WAY STACK-ON CONNECTORS 135°**

| H  | Model Number | List |
|----|--------------|------|
| 8  | P-M2B45CC08  | 110  |
| 16 | P-M2B45CC16  | 152  |
| 24 | P-M2B45CC24  | 174  |



**3-WAY STACK-ON CONNECTORS 120°**

| H  | Model Number | List |
|----|--------------|------|
| 8  | P-M2B1203C08 | 216  |
| 16 | P-M2B1203C16 | 240  |
| 24 | P-M2B1203C24 | 259  |



**Notes**

- Stack-On Connectors for a 120° or 135° 2-way and a 120° 3-way are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66" high panels connected at 120° with a 66" high 2-way connector could be expanded 24" with two 24" stack-on frames inserted into the tops of the two 66" panels.
- A 24" 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack-on connector.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**Linear Profile 2-Ways**

**LINEAR PROFILE 2-WAY 90°**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLCC34     | 188  | +15           |
| 42 | P-MLCC42     | 209  | +15           |
| 50 | P-MLCC50     | 229  | +15           |
| 58 | P-MLCC58     | 258  | +15           |
| 66 | P-MLCC66     | 280  | +15           |
| 82 | P-MLCC82     | 357  | +15           |



**LINEAR PROFILE 2-WAY 120°**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLCC12034  | 224  | +15           |
| 42 | P-MLCC12042  | 384  | +15           |
| 50 | P-MLCC12050  | 429  | +15           |
| 58 | P-MLCC12058  | 331  | +15           |
| 66 | P-MLCC12066  | 518  | +15           |
| 82 | P-MLCC12082  | 606  | +15           |



**LINEAR PROFILE 2-WAY 135°**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLCC4534   | 224  | +15           |
| 42 | P-MLCC4542   | 384  | +15           |
| 50 | P-MLCC4550   | 297  | +15           |
| 58 | P-MLCC4558   | 331  | +15           |
| 66 | P-MLCC4566   | 518  | +15           |
| 82 | P-MLCC4582   | 606  | +15           |



**Specify**

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal

**Notes**

- 2-Way Connectors connect two frames of equal height at 90°, 120°, or 135°.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover. Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**Linear Profile 3-Ways**

**LINEAR PROFILE 3-WAY 90°**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-ML3C34     | 191  | +15           |
| 42 | P-ML3C42     | 229  | +15           |
| 50 | P-ML3C50     | 237  | +15           |
| 58 | P-ML3C58     | 286  | +15           |
| 66 | P-ML3C66     | 292  | +15           |
| 82 | P-ML3C82     | 363  | +15           |

**LINEAR PROFILE 3-WAY 120°**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-ML3C12034  | 526  | +5            |
| 42 | P-ML3C12042  | 549  | +5            |
| 50 | P-ML3C12050  | 577  | +5            |
| 58 | P-ML3C12058  | 597  | +5            |
| 66 | P-ML3C12066  | 619  | +5            |
| 82 | P-ML3C12082  | 668  | +5            |



**Specify**

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal

**Notes**

- 3-Way Connectors connect three frames of equal height at 90° or 120°.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover.
- Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.
- 3-Way 120 connectors do not require a vertical cover.

**Linear Profile 4-Ways and End Caps**

**LINEAR PROFILE 4-WAY 90°**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLXC34     | 367  | +5            |
| 42 | P-MLXC42     | 383  | +5            |
| 50 | P-MLXC50     | 401  | +5            |
| 58 | P-MLXC58     | 418  | +5            |
| 66 | P-MLXC66     | 435  | +5            |
| 82 | P-MLXC82     | 464  | +5            |

**LINEAR PROFILE PANEL END CAPS**

| H   | Model Number | List | Grade C Paint |
|-----|--------------|------|---------------|
| 34  | P-MLEC34     | 73   | +15           |
| 42  | P-MLEC42     | 87   | +15           |
| 50  | P-MLEC50     | 102  | +15           |
| 58  | P-MLEC58     | 112  | +15           |
| 66  | P-MLEC66     | 132  | +15           |
| 74  | P-MLEC74     | 153  | +15           |
| 82  | P-MLEC82     | 152  | +15           |
| 90  | P-MLEC90     | 194  | +15           |
| 98  | P-MLEC98     | 210  | +15           |
| 106 | P-MLEC106    | 195  | +15           |



**Specify**

**Notes**

- Paint Selection for Top-cap (if applicable)
- Finish Style for Painted Metal
- 4-Way Connectors connect four frames of equal height at 90°.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and four base shrouds. See installation instructions.
- Includes 1/4 - 20 x 2 1/4" long bolts for connecting to adjacent frames.

**Specify**

**Notes**


- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)
- Panel End Caps finish the end of a panel run where no other panels are to be connected.



**Linear Profile Wall Mount Kits**

**LINEAR PROFILE WALL MOUNT KITS**

| H  | W  | Model Number | List | Grade C Paint | H   | W  | Model Number | List | Grade C Paint |
|----|----|--------------|------|---------------|-----|----|--------------|------|---------------|
| 34 | 24 | P-MLWM3424   | 475  | +15           | 74  | 24 | P-MLWM7424   | 587  | +15           |
| 34 | 30 | P-MLWM3430   | 475  | +15           | 74  | 30 | P-MLWM7430   | 587  | +15           |
| 34 | 36 | P-MLWM3436   | 475  | +15           | 74  | 36 | P-MLWM7436   | 587  | +15           |
| 34 | 42 | P-MLWM3442   | 475  | +15           | 74  | 42 | P-MLWM7442   | 587  | +15           |
| 34 | 48 | P-MLWM3448   | 475  | +15           | 74  | 48 | P-MLWM7448   | 587  | +15           |
| 42 | 24 | P-MLWM4224   | 490  | +15           | 82  | 24 | P-MLWM8224   | 603  | +15           |
| 42 | 30 | P-MLWM4230   | 490  | +15           | 82  | 30 | P-MLWM8230   | 603  | +15           |
| 42 | 36 | P-MLWM4236   | 490  | +15           | 82  | 36 | P-MLWM8236   | 603  | +15           |
| 42 | 42 | P-MLWM4242   | 490  | +15           | 82  | 42 | P-MLWM8242   | 603  | +15           |
| 42 | 48 | P-MLWM4248   | 490  | +15           | 82  | 48 | P-MLWM8248   | 603  | +15           |
| 50 | 24 | P-MLWM5024   | 524  | +15           | 90  | 24 | P-MLWM9024   | 618  | +15           |
| 50 | 30 | P-MLWM5030   | 524  | +15           | 90  | 30 | P-MLWM9030   | 618  | +15           |
| 50 | 36 | P-MLWM5036   | 524  | +15           | 90  | 36 | P-MLWM9036   | 618  | +15           |
| 50 | 42 | P-MLWM5042   | 524  | +15           | 90  | 42 | P-MLWM9042   | 618  | +15           |
| 50 | 48 | P-MLWM5048   | 524  | +15           | 90  | 48 | P-MLWM9048   | 618  | +15           |
| 58 | 24 | P-MLWM5824   | 543  | +15           | 98  | 24 | P-MLWM9824   | 634  | +15           |
| 58 | 30 | P-MLWM5830   | 543  | +15           | 98  | 30 | P-MLWM9830   | 634  | +15           |
| 58 | 36 | P-MLWM5836   | 543  | +15           | 98  | 36 | P-MLWM9836   | 634  | +15           |
| 58 | 42 | P-MLWM5842   | 543  | +15           | 98  | 42 | P-MLWM9842   | 634  | +15           |
| 58 | 48 | P-MLWM5848   | 543  | +15           | 98  | 48 | P-MLWM9848   | 634  | +15           |
| 66 | 24 | P-MLWM6624   | 572  | +15           | 106 | 24 | P-MLWM10624  | 652  | +15           |
| 66 | 30 | P-MLWM6630   | 572  | +15           | 106 | 30 | P-MLWM10630  | 652  | +15           |
| 66 | 36 | P-MLWM6636   | 572  | +15           | 106 | 36 | P-MLWM10636  | 652  | +15           |
| 66 | 42 | P-MLWM6642   | 572  | +15           | 106 | 42 | P-MLWM10642  | 652  | +15           |
| 66 | 48 | P-MLWM6648   | 572  | +15           | 106 | 48 | P-MLWM10648  | 652  | +15           |



**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)
- Wall Mount Kits mount frames and doors perpendicular to a fixed wall.
- Includes a 180° straight line topcap and a filler topcap to finish top of the wall mount.
- Specify according to the height of the panel to be mounted.
- Wall mount adds 1" to panel run. See panel creep description pages.
- Wall mount hardware to attach wall mount to wall is not included.
- Screws and hardware needed are determined by the type of wall the wall mount is being mounted to.

**Linear Profile HiLo Trim Covers**


**LINEAR PROFILE HILO TRIM COVERS (CORNER APPLICATION)**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 8  | P-MLHILO08   | 103  | +15           |
| 16 | P-MLHILO16   | 106  | +15           |
| 24 | P-MLHILO24   | 121  | +15           |
| 32 | P-MLHILO32   | 161  | +15           |
| 40 | P-MLHILO40   | 186  | +15           |
| 48 | P-MLHILO48   | 209  | +15           |
| 56 | P-MLHILO56   | 226  | +15           |
| 64 | P-MLHILO64   | 249  | +15           |
| 72 | P-MLHILO72   | 274  | +15           |
| 80 | P-MLHILO80   | 295  | +15           |



**LINEAR PROFILE HILO TRIM COVERS (STRAIGHT LINE APPLICATION)**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 8  | P-MLHILOSK08 | 98   | +15           |
| 16 | P-MLHILOSK16 | 102  | +15           |
| 24 | P-MLHILOSK24 | 117  | +15           |
| 32 | P-MLHILOSK32 | 154  | +15           |
| 40 | P-MLHILOSK40 | 180  | +15           |
| 48 | P-MLHILOSK48 | 200  | +15           |
| 56 | P-MLHILOSK56 | 218  | +15           |
| 64 | P-MLHILOSK64 | 238  | +15           |
| 72 | P-MLHILOSK72 | 264  | +15           |
| 80 | P-MLHILOSK80 | 285  | +15           |



**Specify**

**Notes**

- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

- HiLo Trim Cover for 2-way, 3-way and 4-way applications finishes the side of a 90° connector above the low panel.
- Order one for each unfinished side.
- Specify size which corresponds to difference between the height of the connector and the height of the low panel (ie: 66" high connector with a 42" high panel attached gets a 24" trim cover above the 42" panel).
- HiLo trim covers for 90° connectors are different from those used in a straight line 180° HiLo condition. See straight line HiLo's.

**Specify**

**Notes**


- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

- HiLo Trim Covers for 2-way, 3-way and 4-way applications finish the side of a panel frame above the low panel.
- Order one per condition.
- Specify size which corresponds to the difference between the height of the high panel and the height of the low panel (ie: 66" high panel with a 42" high panel attached gets a 24" trim cover above the 42" panel).
- HiLo trim covers for 90° connectors are different from those used in a straight line HiLo condition. See 90° HiLo's.

**Linear Profile 2-Way Vertical Covers**

**LINEAR PROFILE 2-WAY 90° VERTICAL COVERS**

| H   | Model Number | List | Grade C Paint |
|-----|--------------|------|---------------|
| 34  | P-MLCCT34    | 72   | +15           |
| 42  | P-MLCCT42    | 86   | +15           |
| 50  | P-MLCCT50    | 102  | +15           |
| 58  | P-MLCCT58    | 115  | +15           |
| 66  | P-MLCCT66    | 130  | +15           |
| 74  | P-MLCCT74    | 153  | +15           |
| 82  | P-MLCCT82    | 158  | +15           |
| 90  | P-MLCCT90    | 246  | +15           |
| 98  | P-MLCCT98    | 262  | +15           |
| 106 | P-MLCCT106   | 204  | +15           |




**LINEAR PROFILE 2-WAY 120° VERTICAL COVERS**

| H   | Model Number | List | Grade C Paint |
|-----|--------------|------|---------------|
| 34  | P-MLCT12034  | 78   | +15           |
| 42  | P-MLCT12042  | 97   | +15           |
| 50  | P-MLCT12050  | 114  | +15           |
| 58  | P-MLCT12058  | 133  | +15           |
| 66  | P-MLCT12066  | 146  | +15           |
| 74  | P-MLCT12074  | 168  | +15           |
| 82  | P-MLCT12082  | 182  | +15           |
| 90  | P-MLCT12090  | 200  | +15           |
| 98  | P-MLCT12098  | 215  | +15           |
| 106 | P-MLCT120106 | 228  | +15           |



**LINEAR PROFILE 2-WAY 135° VERTICAL COVERS**

| H   | Model Number | List | Grade C Paint |
|-----|--------------|------|---------------|
| 34  | P-MLCT4534   | 78   | +15           |
| 42  | P-MLCT4542   | 97   | +15           |
| 50  | P-MLCT4550   | 114  | +15           |
| 58  | P-MLCT4558   | 133  | +15           |
| 66  | P-MLCT4566   | 146  | +15           |
| 74  | P-MLCT4574   | 168  | +15           |
| 82  | P-MLCT4582   | 182  | +15           |
| 90  | P-MLCT4590   | 200  | +15           |
| 98  | P-MLCT4598   | 215  | +15           |
| 106 | P-MLCT45106  | 228  | +15           |



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

**Notes**

- 2-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.



**Linear Profile 2-Way Vertical Stack-On Covers**

**LINEAR PROFILE 2-WAY 90° VERTICAL STACK-ON COVERS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 8  | P-ML2WSC08   | 145  | +15           |
| 16 | P-ML2WSC16   | 169  | +15           |
| 24 | P-ML2WSC24   | 191  | +15           |
| 32 | P-ML2WSC32   | 213  | +15           |
| 40 | P-ML2WSC40   | 167  | +15           |
| 48 | P-ML2WSC48   | 182  | +15           |


**LINEAR PROFILE 2-WAY 120° VERTICAL STACK-ON COVERS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 8  | P-ML120SC08  | 97   | +15           |
| 16 | P-ML120SC16  | 112  | +15           |
| 24 | P-ML120SC24  | 129  | +15           |
| 32 | P-ML120SC32  | 143  | +15           |
| 40 | P-ML120SC40  | 157  | +15           |
| 48 | P-ML120SC48  | 175  | +15           |



**LINEAR PROFILE 2-WAY 135° VERTICAL STACK-ON COVERS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 8  | P-ML135SC08  | 102  | +15           |
| 16 | P-ML135SC16  | 116  | +15           |
| 24 | P-ML135SC24  | 133  | +15           |
| 32 | P-ML135SC32  | 147  | +15           |
| 40 | P-ML135SC40  | 167  | +15           |
| 48 | P-ML135SC48  | 182  | +15           |



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)


**Notes**

- 2-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108".
- The vertical cover splice plate is included with vertical stack-on covers.

**Linear Profile 3-Way Vertical and Vertical Stack-On Covers**


**LINEAR PROFILE 3-WAY 90° VERTICAL COVERS**

| H   | Model Number | List | Grade C Paint |
|-----|--------------|------|---------------|
| 34  | P-ML3CT34    | 57   | +15           |
| 42  | P-ML3CT42    | 64   | +15           |
| 50  | P-ML3CT50    | 75   | +15           |
| 58  | P-ML3CT58    | 86   | +15           |
| 66  | P-ML3CT66    | 98   | +15           |
| 74  | P-ML3CT74    | 115  | +15           |
| 82  | P-ML3CT82    | 116  | +15           |
| 90  | P-ML3CT90    | 158  | +15           |
| 98  | P-ML3CT98    | 173  | +15           |
| 106 | P-ML3CT106   | 150  | +15           |



**LINEAR PROFILE 3-WAY 90° VERTICAL STACK-ON COVERS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 8  | P-M23WSC08   | 97   | +15           |
| 16 | P-M23WSC16   | 112  | +15           |
| 24 | P-M23WSC24   | 129  | +15           |
| 32 | P-M23WSC32   | 143  | +15           |
| 40 | P-M23WSC40   | 157  | +15           |
| 48 | P-M23WSC48   | 175  | +15           |



**Specify**

**Notes**

- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal
- 3-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.

**Specify**


**Notes**

- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal
- 3-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108".
- The vertical cover splice plate is included with vertical stack-on covers.

**2-Way Linear Connector Trim Conversion Kits**


**2-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLKCC34    | 174  | +15           |
| 42 | P-MLKCC42    | 214  | +15           |
| 50 | P-MLKCC50    | 258  | +15           |
| 58 | P-MLKCC58    | 296  | +15           |
| 66 | P-MLKCC66    | 337  | +15           |
| 82 | P-MLKCC82    | 381  | +15           |




**2-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLKCC12034 | 134  | +15           |
| 42 | P-MLKCC12042 | 169  | +15           |
| 50 | P-MLKCC12050 | 197  | +15           |
| 58 | P-MLKCC12058 | 227  | +15           |
| 66 | P-MLKCC12066 | 263  | +15           |
| 82 | P-MLKCC12082 | 292  | +15           |



**2-WAY 135° LINEAR CONNECTOR TRIM CONVERSION KIT**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLKCC4534  | 126  | +15           |
| 42 | P-MLKCC4542  | 153  | +15           |
| 50 | P-MLKCC4550  | 181  | +15           |
| 58 | P-MLKCC4558  | 206  | +15           |
| 66 | P-MLKCC4566  | 229  | +15           |
| 82 | P-MLKCC4582  | 260  | +15           |



**Specify**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

**Notes**

- Linear Connector Trim Conversion Kits - 2-Way 90°, 120°, 135° - are specified when converting existing radius profile connectors to linear profile connectors.
- Includes linear profile connector topcap and vertical cover (painted metal).

**3-Way and 4-Way Linear Connector Trim Conversion Kits**

**3-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 34 | P-MLK3C34    | 108  | +15           |
| 42 | P-MLK3C42    | 133  | +15           |
| 50 | P-MLK3C50    | 155  | +15           |
| 58 | P-MLK3C58    | 182  | +15           |
| 66 | P-MLK3C66    | 205  | +15           |
| 82 | P-MLK3C82    | 227  | +15           |

**3-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| P-MLK3C120   | 74   | +5            |




**Specify**

**Notes**

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap/Vertical Cover (if applicable)
- Linear Connector Trim Conversion Kits - 3-Way 90°, 120°- are specified when converting existing radius profile connectors to linear profile connectors.
- Includes linear profile connector topcap and vertical cover (painted metal).
- 3-way 120° kits include only the connector topcap since there are no vertical covers on 3-way 120° connectors.

**4-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT**

| Model Number | List |
|--------------|------|
| P-MLK4       | 73   |



**Specify**


**Notes**

- Paint Selection for Vertical Cover (if applicable)
- Finish Style for Painted Metal
- Linear Connector Trim Conversion Kits - 4-Way 90°- are specified when converting existing radius profile connectors to linear profile connectors.
- Includes only the connector topcap (painted metal) since there are no vertical covers on 4-way 90° connectors.

**Linear Wall Mount Trim Conversion Kits, Wall Tracks and Off-Modular Frame Connection Kits**

**LINEAR WALL MOUNT TRIM CONVERSION KITS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 24 | P-MLKWM24    | 133  | +10           |
| 30 | P-MLKWM30    | 140  | +10           |
| 36 | P-MLKWM36    | 143  | +10           |
| 42 | P-MLKWM42    | 146  | +10           |
| 48 | P-MLKWM48    | 153  | +10           |



**Specify**


**Notes**

- Finish Style for Painted Metal
- Paint Selection for Top-cap(if applicable)

- Linear Wall Mount Trim Conversion Kits - specify topcap width to correspond to the width of the panel attached to the wall mount.

**OFF-MODULAR FRAME CONNECTION KITS**

| Model Number | List |
|--------------|------|
| P-M2OMFC     | 171  |



**Specify**


**Notes**

- Paint Selection

- Off-Modular Frame Connection Kit mounts over top of panel and is available in all standard paint colors.
- Used in conjunction with off-modular rails (included with off-modular tiles) to mount a Matrix frame to the face of another Matrix frame.
- Frame may be mounted anywhere along off-modular rail and may be moved easily in the future.
- Connection is fully load bearing.
- Specify an off-modular top-tile and off-modular mid-tile at the bottom of the frame to accommodate an off-modular frame connection.
- If off-modular panel is lower than spine panel, specify an off-modular mid-tile at location such that the top of the mid-tile matches the top of the low off-modular frame.

**WALL TRACKS**

| H  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 60 | A-WTRK60     | 179  | +5            |
| 80 | A-WTRK80     | 216  | +5            |



**Specify**

**Notes**

- Paint Selection

- Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tack-boards or shelves.
- Slots are on 1" vertical repeat pattern.
- Wall track mounting holes are 1/4" diameter, repeat 6" on center starting 1/2" from top of track.
- Track sits approx. 5" off floor when leveled with top of panels to accommodate wall cover base.
- Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type.
- **Important:** Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.





**Matrix Electrical Product Details**

**Product Detail 1  
Electrical Components (8 Wire, 4 Circuit)**



AIS Matrix 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).

Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other powerways can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end.

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway and include a plastic or metal outlet trim bezel which can be ordered black to match outlets or the color of the painted tile. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



**Common Equipment Amperages:**


|                         |              |
|-------------------------|--------------|
| Personal Computer ..... | 2.00 - 4.00  |
| Laser Printer .....     | 5.00 - 8.00  |
| Desktop Plotter .....   | 1.50         |
| Fan .....               | 1.00         |
| Heater .....            | 8.50 - 12.50 |
| Tasklight .....         | 1.00         |
| Slide Projector .....   | 2.00 - 6.00  |
| Coffee Pot .....        | 15.00        |
| Paper Shredder .....    | 4.40 - 13.00 |
| Radio .....             | 0.05         |
| Pencil Sharpener .....  | 1.00         |
| Calculator .....        | 0.25         |
| Answering Machine ..... | 0.08         |

**Matrix Electrical Product Details**

**Product Detail 2  
Electrical Location and Vertical Jumpers**

An AIS Matrix panel frame contains an electrical “chase” hole for electrical and data cables at every 8” of height. These chase holes are divided into “locations”. Each location has an upper and lower “position”. A 34” high panel has four electrical locations while an 82” high panel has 10 locations. Powerway assemblies can be mounted in any location and position except the four upper and the last upper position of the highest location, which in the illustration below, is 10 upper. Each location has one electrical chase hole aligned with the lower position of every location. Therefore, electrical cables can only be chased from the lower positions to lower positions. Use the upper positions for additional powerway assemblies to provide access for more duplex outlets or jump points for vertical jumpers. Horizontal crossbar of frames inhibit the use of power and data in the top upper position.

Location 4 is not recommended for use, as an electrical tile located at this location would most likely be blocked by a worksurface. Powerway assemblies can be mounted at any position; however, jumping to adjacent panels can only be done at the lower positions. To access the upper positions, use vertical jumpers or double powerway jumpers inside a frame or use a lower position from a location above the assembly. The formula for figuring out a vertical jumper length inside the same frame is: Higher Location - Lower Location x 8” = Delta. Location 7 lower to location 5 lower = 7 - 5 = 2 x 8 = 16” delta. Note: Vertical jumpers are designed to span from lower to lower or upper to upper. For example, jumping from 5 lower to 9 upper is not correct. Note: Horizontal crossbar of frames inhibit the use of power and data in the top upper position.




**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

**Electrical Jumpers**

**PANEL-TO-PANEL JUMPERS**

| L  | Type     | Model Number  | List |
|----|----------|---------------|------|
| 18 | Standard | E-MX8W4PTPC18 | 212  |
| 21 | Extended | E-MX8W4PTPC21 | 222  |




**Notes**

Panel-to-Panel Jumpers connect two powerway assemblies across a straight panel connection at the same elevation location. Order an Extended Panel-to-Panel Jumper when connecting two powerway assemblies at 90° at the same elevation location or straight across the gap created by a 3-way or 4-way at the same elevation location.

**LATERAL PASS THROUGH JUMPERS**

| Panel W | Actual L | Model Number | List |
|---------|----------|--------------|------|
| 24      | 45       | E-MW8W4PJ24E | 315  |
| 30      | 51       | E-MW8W4PJ30E | 331  |
| 36      | 57       | E-MW8W4PJ36E | 342  |
| 42      | 63       | E-MW8W4PJ42E | 351  |
| 48      | 69       | E-MW8W4PJ48E | 382  |




**Notes**

Lateral Pass Through Jumpers pass laterally through a non-powered frame to connect two powerway assemblies at the same elevation location. Specify the jumper that corresponds to the width of the panel to be passed through. Lateral pass through jumpers are used for both straight, standard pass throughs, and extended situations.

**VERTICAL TRANSITION JUMPERS**

| Panel W | Actual L | Model Number  | List |
|---------|----------|---------------|------|
| 8       | 18       | E-MX8W4PTPC18 | 212  |
| 16      | 24       | E-UN8W4VT16   | 260  |
| 24      | 37       | E-MW8W4PJ18   | 272  |
| 32      | 43       | E-MW8W4PJ24   | 303  |
| 40      | 48       | E-MW8W4PJ30   | 324  |
| 48      | 57       | E-MW8W4PJ36E  | 342  |
| 56      | 67       | E-MW8W4PJ48   | 372  |
| 64      | 79       | E-MW8W4PJ60   | 400  |
| 72      | 81       | E-MW8W4PJ60E  | 421  |




**Notes**

Vertical Transition Jumpers connect two powerway assemblies at different elevation locations inside the same frame. Specify length by delta elevation. [ie: location 7 lower to location 3 lower = (7-3 = 4) x 8" = 32" = VT jumper for a 32" delta.]

**DOUBLE POWERWAY VERTICAL JUMPER**

| L  | Model Number | List |
|----|--------------|------|
| 12 | E-MXDPWJV    | 254  |



**Notes**


Double Powerway Vertical Jumper connects two powerway assemblies inside the same elevation location.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

**Access Hole Covers, Outlet Trim Bezels and I-Connectors**

**ACCESS HOLE COVERS**

| Model Number | List |
|--------------|------|
| E-MXWCPB     | 32   |




**Specify**                      **Notes**

---

• Paint Selection for Access Hole Covers      Access Hole Covers are included with every electrical tile. Order separately only if using less than the indicated number of holes (one per dual tile or two per quad tile).

**OUTLET TRIM BEZELS**

| Model Number | List |
|--------------|------|
| E-MXWPCP     | 27   |




**Specify**                      **Notes**

---

• Paint Selection for Outlet Trim Bezels      Outlet trim bezels are included with every duplex outlet. Order separately only if bezels are lost or for punch lists.

**I-CONNECTOR**

| Model Number | List |
|--------------|------|
| E-UN8W4ICON  | 155  |



**Notes**


---

I-Connector is only required when it is necessary to connect two male end jumpers.

**Electrical Outlets**


**DUPLEX OUTLETS**

| Line | Color | Model Number  | List |
|------|-------|---------------|------|
| 1    | Black | E-MX8W4FDO1   | 67   |
| 2    | Black | E-MX8W4FDO2   | 67   |
| 3    | Black | E-MX8W4FDO3   | 67   |
| 4    | Black | E-MX8W4FDO4   | 67   |
| 1    | White | E-MX8W4FDO1-W | 61   |
| 2    | White | E-MX8W4FDO2-W | 61   |
| 3    | White | E-MX8W4FDO3-W | 61   |
| 4    | White | E-MX8W4FDO4-W | 61   |



**CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS**

| Line | Color | Model Number    | List |
|------|-------|-----------------|------|
| 1    | Black | E-MX8W4T24DO1   | 81   |
| 2    | Black | E-MX8W4T24DO2   | 81   |
| 3    | Black | E-MX8W4T24DO3   | 81   |
| 4    | Black | E-MX8W4T24DO4   | 81   |
| 1    | White | E-MX8W4T24DO1-W | 73   |
| 2    | White | E-MX8W4T24DO2-W | 73   |
| 3    | White | E-MX8W4T24DO3-W | 73   |
| 4    | White | E-MX8W4T24DO4-W | 73   |



**Notes**

- Duplex Outlets are available in designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for circuit 1, 2 and 3 is white. The lettering on outlets for circuit 4 is orange.
- Outlets are screw mounted to the powerway and include a plastic or metal outlet trim bezel which can be ordered in black, to match outlets or the color of the painted tile.
- Duplex outlets are standard 15 amp outlets.

**Notes**


- In California, 50% of all outlets in a system panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using 2 and 3 controlled circuits, and plan general load for all items on circuits 1 and 4.
- If using 2+2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the “controlled” symbol for identification purposes.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

## Electrical Outlets

## USB OUTLETS

| Line | Color | Model Number   | List |
|------|-------|----------------|------|
| 1    | Black | E-MX8W4USB01   | 408  |
| 2    | Black | E-MX8W4USB02   | 408  |
| 3    | Black | E-MX8W4USB03   | 408  |
| 4    | Black | E-MX8W4USB04   | 408  |
| 1    | White | E-MX8W4USB01-W | 364  |
| 2    | White | E-MX8W4USB02-W | 364  |
| 3    | White | E-MX8W4USB03-W | 364  |
| 4    | White | E-MX8W4USB04-W | 364  |




## Notes

USB Outlets bring charging options to panel power distribution systems. The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle. Include a plastic or metal outlet trim bezel which can be ordered in black to match outlets or the color of the painted tile. The USB Outlets offer a total of 2 Amps between two USB charging ports. The USB Outlets are UL and FCC Part 15A approved.

**In-Feeds and Hardwire Junction Boxes**

**RECEPTACLE MOUNTED BASE IN-FEEDS**

| L  | Hand  | Model Number | List |
|----|-------|--------------|------|
| 72 | Left  | E-UN8W4BIFL  | 529  |
| 72 | Right | E-UN8W4BIFR  | 529  |




**Notes**

Receptacle Mounted Base In-Feeds provide interface with building power and mounts to powerway at duplex outlet location. Each base feed is 6' in length, encased in "liquid tight". New York City code requires the use of a special base feed with an in-line junction box, see New York City Base In-Feeds for more details.

**NEW YORK CITY BASE IN-FEEDS**

| L  | Hand  | Model Number  | List  |
|----|-------|---------------|-------|
| 72 | Left  | E-HM8W4BIFLNY | 1,028 |
| 72 | Right | E-HM8W4BIFRNY | 1,028 |




**Notes**

New York City Receptacle Mounted Base In-Feeds provide interface with building power and mount to powerway at duplex outlet location. Each base feed is 6' in length, encased in "liquid tight". New York City code requires the use of a special base feed with an in-line junction box.

**CEILING IN-FEED KIT**

| Model Number | List |
|--------------|------|
| E-M28W4CIF   | 618  |




**Notes**

Ceiling In-Feed Kit provides interface with building power from a suspended ceiling through a power pole shell. Power pole shells are ordered separately. Includes one ceiling in-feed 144", one panel-to-panel jumper 18", and two I-Connectors. Power/Data Pole Kits are sold and specified separately.

**Important:** Vertical transition jumper is required and specified separately in order to reach power input destination. The ceiling in-feed is restricted at the horizontal steel tube at the top of the panel frame. The panel-to-panel jumper (via an I-Connector) brings the power 18" down into the panel frame. From this point, an additional vertical transition jumper (via an I-Connector) needs to be specified in order to bring power source to the power assembly mounted at any of the locations within the panel frame.

**DOUBLE SIDED JUNCTION BOX**

| Model Number | List |
|--------------|------|
| E-M2JBCH     | 381  |



**Notes**


Hardwire Junction Box allows standard, hardwired, single gang duplex outlets to be used in Matrix panels at each standard, modular duplex outlet location. Each outlet will require one junction box; however, outlets can be placed back to back on a spine, with a total of two outlets total per box. Junction boxes mount to inside wall of Matrix frame and occupy one vertical electrical position in any numbered location. Thus boxes can be stacked in location 1 (base) or location 5 (beltline) in both the upper and lower positions. **Junction boxes do not include electrical connectors.** Boxes are UL listed. Decora faced outlets cannot be used. Kit includes all hardware required to attach box to Matrix frame at duplex outlet location. Designed for use with Chicago power or wherever junction boxes are required by code.

Standard Matrix electrical tiles are required on both front and back sides of frame, regardless of if 2 outlets are needed. If only using 1 outlet on one side, use standard duplex outlet cover on non-outlet side. Boxes have standard 0.875" knock-outs for electrical connectors. Kit includes two low profile metal face plates painted per specification. Box is 2.448"H x 2.059"W x 12"L. Junction boxes can be used with either 15 amp or 20 amp single gang outlets.

**Linear Power / Data Pole Kits**

**LINEAR PROFILE POWER / DATA POLE KITS**

| H  | W  | Model Number | List  | Grade C Pole Paint | Grade C Topcap Paint | H  | W  | Model Number | List | Grade C Pole Paint | Grade C Topcap Paint |
|----|----|--------------|-------|--------------------|----------------------|----|----|--------------|------|--------------------|----------------------|
| 34 | 24 | A-PPML3424   | 1,240 | +15                | +10                  | 66 | 24 | A-PPML6624   | 803  | +15                | +10                  |
| 34 | 30 | A-PPML3430   | 1,250 | +15                | +10                  | 66 | 30 | A-PPML6630   | 812  | +15                | +10                  |
| 34 | 36 | A-PPML3436   | 1,262 | +15                | +10                  | 66 | 36 | A-PPML6636   | 828  | +15                | +10                  |
| 34 | 42 | A-PPML3442   | 1,274 | +15                | +10                  | 66 | 42 | A-PPML6642   | 839  | +15                | +10                  |
| 34 | 48 | A-PPML3448   | 1,294 | +15                | +10                  | 66 | 48 | A-PPML6648   | 848  | +15                | +10                  |
| 42 | 24 | A-PPML4224   | 1,181 | +15                | +10                  | 74 | 24 | A-PPML7424   | 745  | +15                | +10                  |
| 42 | 30 | A-PPML4230   | 1,195 | +15                | +10                  | 74 | 30 | A-PPML7430   | 762  | +15                | +10                  |
| 42 | 36 | A-PPML4236   | 1,204 | +15                | +10                  | 74 | 36 | A-PPML7436   | 774  | +15                | +10                  |
| 42 | 42 | A-PPML4242   | 1,214 | +15                | +10                  | 74 | 42 | A-PPML7442   | 782  | +15                | +10                  |
| 42 | 48 | A-PPML4248   | 1,228 | +15                | +10                  | 74 | 48 | A-PPML7448   | 795  | +15                | +10                  |
| 50 | 24 | A-PPML5024   | 1,156 | +15                | +10                  | 82 | 24 | A-PPML8224   | 803  | +15                | +10                  |
| 50 | 30 | A-PPML5030   | 1,167 | +15                | +10                  | 82 | 30 | A-PPML8230   | 812  | +15                | +10                  |
| 50 | 36 | A-PPML5036   | 1,177 | +15                | +10                  | 82 | 36 | A-PPML8236   | 828  | +15                | +10                  |
| 50 | 42 | A-PPML5042   | 1,188 | +15                | +10                  | 82 | 42 | A-PPML8242   | 840  | +15                | +10                  |
| 50 | 48 | A-PPML5048   | 1,198 | +15                | +10                  | 82 | 48 | A-PPML8248   | 848  | +15                | +10                  |
| 58 | 24 | A-PPML5824   | 1,061 | +15                | +10                  |    |    |              |      |                    |                      |
| 58 | 30 | A-PPML5830   | 1,090 | +15                | +10                  |    |    |              |      |                    |                      |
| 58 | 36 | A-PPML5836   | 1,152 | +15                | +10                  |    |    |              |      |                    |                      |
| 58 | 42 | A-PPML5842   | 1,161 | +15                | +10                  |    |    |              |      |                    |                      |
| 58 | 48 | A-PPML5848   | 1,187 | +15                | +10                  |    |    |              |      |                    |                      |



**Specify**

- Paint Selection for Power Pole
- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)

**Notes**


Power/Data Pole Kits provide a sealed vertical channel for running ceiling feeds and/or data cables from a suspended ceiling. Poles mount to any Matrix frame or stack-on frame and are designed to finish at a height of 136". Each frame can accommodate two poles mounted approximately 4" from panel end. Order ceiling in-feeds separately. Pole can be divided into one, two or three sections for separation of low voltage and high voltage. Specify pole that corresponds to panel height and panel width.



**Powerway Assemblies and Data Plate Kits**

**SINGLE POWERWAY ASSEMBLIES**

| W  | Model Number | List |
|----|--------------|------|
| 24 | E-MXEK24     | 293  |
| 30 | E-MXEK30     | 308  |
| 36 | E-MXEK36     | 328  |
| 42 | E-MXEK42     | 342  |
| 48 | E-MXEK48     | 358  |




**Notes**

Single Powerway Assemblies occupy one position of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate four duplex outlets total.

**DOUBLE POWERWAY ASSEMBLIES**

| W  | Model Number | List |
|----|--------------|------|
| 24 | E-MXEL24     | 733  |
| 30 | E-MXEL30     | 767  |
| 36 | E-MXEL36     | 799  |
| 42 | E-MXEL42     | 832  |
| 48 | E-MXEL48     | 864  |




**Notes**

Double Powerway Assemblies occupy two positions of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate eight duplex outlets total. Assembly includes a double powerway vertical jumper.

**DATA PLATE KITS**

| Item                   | Model Number | List |
|------------------------|--------------|------|
| 6 Port Data Gang Plate | E-HDP6B-SM   | 34   |
| CAT 5e Jack            | E-HRJ45-SM   | 123  |
| CAT 6 Data Jack        | E-HXJ6BK-SM  | 134  |
| Hole Blank (Pk 10)     | E-SFBB10-SM  | 83   |



**Notes**


Data Plate Kits has six ports for modular jacks. Bezel screws directly to Matrix electrical access tiles in pre-drilled and tapped hole pattern. RJ-45 jack can be used in place of RJ-11 jacks.

**Note:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

**Electrical Tiles and Data Cable Support Troughs**

**DUAL ELECTRICAL TILES**

| H | W  | Model Number | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Tile Paint | Grade C Retainer Paint |
|---|----|--------------|------|--------------|----------------|----------------|--------------------|------------------------|
| 8 | 24 | P-M2TED0824  | 98   | +20          | +31            | +44            | +5                 | +5                     |
| 8 | 30 | P-M2TED0830  | 110  | +20          | +31            | +44            | +5                 | +5                     |
| 8 | 36 | P-M2TED0836  | 117  | +20          | +31            | +44            | +5                 | +5                     |
| 8 | 42 | P-M2TED0842  | 126  | +20          | +31            | +44            | +5                 | +5                     |
| 8 | 48 | P-M2TED0848  | 150  | +20          | +31            | +44            | +5                 | +5                     |



**Specify**


**Notes**

- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Dual Electrical Tiles contain two access holes at the lower position for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard electrical single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and one access hole cover. If only one access hole is used, order an additional access hole cover separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only one access hole. Access Hole has dimensions of 2"H x 2.875"W.

**QUAD ELECTRICAL TILES**

| H | W  | Model Number | List | C.O.M Fabric | Grade B Fabric | Grade C Fabric | Grade D Fabric | Grade C Tile Paint | Grade C Retainer Paint |
|---|----|--------------|------|--------------|----------------|----------------|----------------|--------------------|------------------------|
| 8 | 24 | P-M2TEQ0824  | 108  | +20          | +20            | +31            | +44            | +5                 | +5                     |
| 8 | 30 | P-M2TEQ0830  | 118  | +20          | +20            | +31            | +44            | +5                 | +5                     |
| 8 | 36 | P-M2TEQ0836  | 129  | +20          | +20            | +31            | +44            | +5                 | +5                     |
| 8 | 42 | P-M2TEQ0842  | 138  | +20          | +20            | +31            | +44            | +5                 | +5                     |
| 8 | 48 | P-M2TEQ0848  | 153  | +20          | +20            | +31            | +44            | +5                 | +5                     |



**Specify**


**Notes**

- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Quad Electrical Tiles contain four access holes (two in the top location and two in the bottom location) for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and two access hole covers. If less than two access holes are used, order additional access hole covers separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only two access holes. Access Hole has dimensions of 2"H x 2.875"W.

**DATA CABLE SUPPORT TROUGHS**

| W  | Model Number | List |
|----|--------------|------|
| 24 | E-MXSTKIT24  | 218  |
| 30 | E-MXSTKIT30  | 233  |
| 36 | E-MXSTKIT36  | 239  |
| 42 | E-MXSTKIT42  | 260  |
| 48 | E-MXSTKIT48  | 313  |




**Notes**

Data Cable Support Troughs screw to inside of Matrix frame at any height and provide shielded channel via snap on cover.

**Product Detail 1**  
**Tile Availability**


All Matrix tiles (excluding off-modular mid and top tiles) include one mid-tile retainer and one set of mid-tile retainer clips. Off-modular tiles (mid or top) include one off-modular tile retainer rail (mid or top).

Tackable Acoustical




Available Heights\*: 8", 16", 24", 32", 40", 48", 56", 64"  
Available Widths: 24", 30", 36", 42", 48"

Standard Steel




Available Heights: 8", 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Embossed Steel




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Perforated Steel




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Laminate




Available Heights: 8", 16"  
Available Widths: 24", 30", 36", 42", 48"

Standard Front Glass (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Standard Back Glass (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Bottom Front Glass (Linear Profile)



Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Bottom Back Glass (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

\*Tile Sizes 40"H - 64"H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.

**Tile Availability**


**Product Detail 2  
Tile Availability (Cont.)**

Standard Open Frame (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Bottom Open Frame (Linear Profile)




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

White Board (Non-Magnetic)\*\*




Available Heights: 16", 24"  
Available Widths: 24", 30", 36", 42", 48"

Utility Tile




Available Heights: 8"  
Available Widths: 24", 30", 36", 42", 48"

Off-Modular Mid-Tile



Available Heights\*: 8", 16", 24", 32", 40", 48", 56", 64"  
Available Widths: 24", 30", 36", 42", 48"

Off-Modular Top-Tile





Available Heights\*: 8", 16", 24", 32", 40", 48", 56", 64"  
Available Widths: 24", 30", 36", 42", 48"

\*Tile Sizes 40"H - 64"H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.

\*\*Marker Tray for white board specified separately and available in all standard white board widths.



**Product Detail 3  
Wall Tile Basic Rail Setup**



**Tackable Acoustical Tiles**

**TACKABLE ACOUSTICAL TILES**

| H  | W  | Model Number | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Paint | H  | W  | Model Number | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Paint |
|----|----|--------------|------|--------------|----------------|----------------|---------------|----|----|--------------|------|--------------|----------------|----------------|---------------|
| 8  | 24 | P-M2TTK0824  | 70   | -7           | +11            | +22            | +5            | 40 | 24 | P-M2TTK4024  | 146  | -25          | +42            | +84            | +5            |
| 8  | 30 | P-M2TTK0830  | 74   | -7           | +11            | +22            | +5            | 40 | 30 | P-M2TTK4030  | 158  | -25          | +42            | +84            | +5            |
| 8  | 36 | P-M2TTK0836  | 85   | -7           | +11            | +22            | +5            | 40 | 36 | P-M2TTK4036  | 214  | -25          | +42            | +84            | +5            |
| 8  | 42 | P-M2TTK0842  | 91   | -7           | +11            | +22            | +5            | 40 | 42 | P-M2TTK4042  | 229  | -25          | +42            | +84            | +5            |
| 8  | 48 | P-M2TTK0848  | 96   | -7           | +11            | +22            | +5            | 40 | 48 | P-M2TTK4048  | 249  | -25          | +42            | +84            | +5            |
| 16 | 24 | P-M2TTK1624  | 98   | -12          | +19            | +38            | +5            | 48 | 24 | P-M2TTK4824  | 173  | -30          | +49            | +98            | +5            |
| 16 | 30 | P-M2TTK1630  | 106  | -12          | +19            | +38            | +5            | 48 | 30 | P-M2TTK4830  | 195  | -30          | +49            | +98            | +5            |
| 16 | 36 | P-M2TTK1636  | 130  | -12          | +19            | +38            | +5            | 48 | 36 | P-M2TTK4836  | 250  | -30          | +49            | +98            | +5            |
| 16 | 42 | P-M2TTK1642  | 132  | -12          | +19            | +38            | +5            | 48 | 42 | P-M2TTK4842  | 273  | -30          | +49            | +98            | +5            |
| 16 | 48 | P-M2TTK1648  | 142  | -12          | +19            | +38            | +5            | 48 | 48 | P-M2TTK4848  | 290  | -30          | +49            | +98            | +5            |
| 24 | 24 | P-M2TTK2424  | 102  | -16          | +27            | +54            | +5            | 56 | 24 | P-M2TTK5624  | 192  | -35          | +56            | +112           | +5            |
| 24 | 30 | P-M2TTK2430  | 108  | -16          | +27            | +54            | +5            | 56 | 30 | P-M2TTK5630  | 209  | -35          | +56            | +112           | +5            |
| 24 | 36 | P-M2TTK2436  | 145  | -16          | +27            | +54            | +5            | 56 | 36 | P-M2TTK5636  | 286  | -35          | +56            | +112           | +5            |
| 24 | 42 | P-M2TTK2442  | 155  | -16          | +27            | +54            | +5            | 56 | 42 | P-M2TTK5642  | 305  | -35          | +56            | +112           | +5            |
| 24 | 48 | P-M2TTK2448  | 170  | -16          | +27            | +54            | +5            | 56 | 48 | P-M2TTK5648  | 332  | -35          | +56            | +112           | +5            |
| 32 | 24 | P-M2TTK3224  | 123  | -20          | +34            | +68            | +5            | 64 | 24 | P-M2TTK6424  | 214  | -40          | +63            | +126           | +5            |
| 32 | 30 | P-M2TTK3230  | 134  | -20          | +34            | +68            | +5            | 64 | 30 | P-M2TTK6430  | 247  | -40          | +63            | +126           | +5            |
| 32 | 36 | P-M2TTK3236  | 183  | -20          | +34            | +68            | +5            | 64 | 36 | P-M2TTK6436  | 320  | -40          | +63            | +126           | +5            |
| 32 | 42 | P-M2TTK3242  | 194  | -20          | +34            | +68            | +5            | 64 | 42 | P-M2TTK6442  | 370  | -40          | +63            | +126           | +5            |
| 32 | 48 | P-M2TTK3248  | 210  | -20          | +34            | +68            | +5            | 64 | 48 | P-M2TTK6448  | 399  | -40          | +63            | +126           | +5            |



Mid-Grip Bracket

**Specify**

- Paint Selection for Tile Retainer
- Fabric Selection for Tile


**Notes**

- Tackable Acoustical Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tackable acoustical tiles are available fabric covered only.
- Tile sizes 16”H - 32”H include two mid-grip brackets. Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.

Steel Tiles


8" HIGH STANDARD STEEL TILES

| H | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|---|----|--------------|------|--------------------|------------------------|
| 8 | 24 | P-M2TMR0824  | 71   | +5                 | +5                     |
| 8 | 30 | P-M2TMR0830  | 78   | +5                 | +5                     |
| 8 | 36 | P-M2TMR0836  | 90   | +5                 | +5                     |
| 8 | 42 | P-M2TMR0842  | 97   | +5                 | +5                     |
| 8 | 48 | P-M2TMR0848  | 117  | +5                 | +5                     |




16" HIGH STANDARD STEEL TILES

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-M2TMR1624  | 206  | +5                 | +5                     |
| 16 | 30 | P-M2TMR1630  | 222  | +5                 | +5                     |
| 16 | 36 | P-M2TMR1636  | 246  | +5                 | +5                     |
| 16 | 42 | P-M2TMR1642  | 282  | +5                 | +5                     |
| 16 | 48 | P-M2TMR1648  | 331  | +5                 | +5                     |



24" HIGH STANDARD STEEL TILES

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 24 | 24 | P-M2TMR2424  | 273  | +5                 | +5                     |
| 24 | 30 | P-M2TMR2430  | 305  | +5                 | +5                     |
| 24 | 36 | P-M2TMR2436  | 342  | +5                 | +5                     |
| 24 | 42 | P-M2TMR2442  | 399  | +5                 | +5                     |
| 24 | 48 | P-M2TMR2448  | 462  | +5                 | +5                     |



Specify


Notes

- Paint Selection for Tile Retainer and Tile
- Standard Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- 8"H standard steel tiles are often used at the base of a Matrix panel frame next to electrical tiles to give the appearance of a base cover.

**Embossed and Perforated Steel Tiles**

**EMBOSSED STEEL TILES**

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-M2TDS1624  | 210  | +5                 | +5                     |
| 16 | 30 | P-M2TDS1630  | 246  | +5                 | +5                     |
| 16 | 36 | P-M2TDS1636  | 259  | +5                 | +5                     |
| 16 | 42 | P-M2TDS1642  | 292  | +5                 | +5                     |
| 16 | 48 | P-M2TDS1648  | 310  | +5                 | +5                     |
| 24 | 24 | P-M2TDS2424  | 280  | +5                 | +5                     |
| 24 | 30 | P-M2TDS2430  | 323  | +5                 | +5                     |
| 24 | 36 | P-M2TDS2436  | 331  | +5                 | +5                     |
| 24 | 42 | P-M2TDS2442  | 361  | +5                 | +5                     |
| 24 | 48 | P-M2TDS2448  | 382  | +5                 | +5                     |



**Specify**


- Paint Selection for Tile Retainer and Tile

**Notes**

- Embossed Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.

**PERFORATED STEEL TILES**

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-M2TPM1624  | 240  | +5                 | +5                     |
| 16 | 30 | P-M2TPM1630  | 294  | +5                 | +5                     |
| 16 | 36 | P-M2TPM1636  | 301  | +5                 | +5                     |
| 16 | 42 | P-M2TPM1642  | 319  | +5                 | +5                     |
| 16 | 48 | P-M2TPM1648  | 383  | +5                 | +5                     |
| 24 | 24 | P-M2TPM2424  | 318  | +5                 | +5                     |
| 24 | 30 | P-M2TPM2430  | 428  | +5                 | +5                     |
| 24 | 36 | P-M2TPM2436  | 476  | +5                 | +5                     |
| 24 | 42 | P-M2TPM2442  | 531  | +5                 | +5                     |
| 24 | 48 | P-M2TPM2448  | 497  | +5                 | +5                     |



**Specify**

- Paint Selection for Tile Retainer and Tile



**Notes**

- Perforated Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Perforated steel tiles are used primarily for air flow under worksurfaces or for aesthetics.

White Board and Laminate Tiles

| WHITE BOARD TILES |    |              |      |                        |
|-------------------|----|--------------|------|------------------------|
| H                 | W  | Model Number | List | Grade C Retainer Paint |
| 16                | 24 | P-M2TWB1624  | 214  | +5                     |
| 16                | 30 | P-M2TWB1630  | 254  | +5                     |
| 16                | 36 | P-M2TWB1636  | 292  | +5                     |
| 16                | 42 | P-M2TWB1642  | 330  | +5                     |
| 16                | 48 | P-M2TWB1648  | 368  | +5                     |
| 24                | 24 | P-M2TWB2424  | 283  | +5                     |
| 24                | 30 | P-M2TWB2430  | 335  | +5                     |
| 24                | 36 | P-M2TWB2436  | 389  | +5                     |
| 24                | 42 | P-M2TWB2442  | 447  | +5                     |
| 24                | 48 | P-M2TWB2448  | 501  | +5                     |


| LAMINATE TILES |    |              |      |                        |                  |
|----------------|----|--------------|------|------------------------|------------------|
| H              | W  | Model Number | List | Grade C Retainer Paint | Grade C Laminate |
| 8              | 24 | P-M2TLM0824  | 173  | +5                     | +34              |
| 8              | 30 | P-M2TLM0830  | 193  | +5                     | +42              |
| 8              | 36 | P-M2TLM0836  | 231  | +5                     | +50              |
| 8              | 42 | P-M2TLM0842  | 256  | +5                     | +59              |
| 8              | 48 | P-M2TLM0848  | 285  | +5                     | +67              |
| 16             | 24 | P-M2TLM1624  | 215  | +5                     | +34              |
| 16             | 30 | P-M2TLM1630  | 260  | +5                     | +42              |
| 16             | 36 | P-M2TLM1636  | 296  | +5                     | +50              |
| 16             | 42 | P-M2TLM1642  | 336  | +5                     | +59              |
| 16             | 48 | P-M2TLM1648  | 381  | +5                     | +67              |



- |                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specify</b>                                                                                 | <b>Notes</b>                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer and Tile</li> </ul> | <ul style="list-style-type: none"> <li>• White Board Tiles include one mid-tile retainer and one set of mid-tile retainer clips.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile. Tile slides into groove in back of marker tray.</li> <li>• For use with dry erase markers only.</li> </ul> |

- |                                                                                                                              |                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specify</b>                                                                                                               | <b>Notes</b>                                                                                                                                                                                                                                                             |
| <ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer</li> <li>• Laminate Selection for Tile</li> </ul> | <ul style="list-style-type: none"> <li>• Laminate Tiles include one mid-tile retainer and one set of mid-tile retainer clips.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Grain direction runs vertical.</li> </ul> |

| WHITE BOARD MARKER TRAYS |              |      |
|--------------------------|--------------|------|
| W                        | Model Number | List |
| 24                       | A-M2WBMT24   | 107  |
| 30                       | A-M2WBMT30   | 111  |
| 36                       | A-M2WBMT36   | 117  |
| 42                       | A-M2WBMT42   | 126  |
| 48                       | A-M2WBMT48   | 130  |




- Notes**
- Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile.
  - White board marker tray is available in black only and ordered separately.



**Laminate Tiles and Double Sided MX Monolithic Kit**

| LAMINATE TILES |    |               |       |
|----------------|----|---------------|-------|
| H              | W  | Model Number  | List  |
| 24             | 24 | P-M2TLMSS2424 | 341   |
| 24             | 30 | P-M2TLMSS2430 | 413   |
| 24             | 36 | P-M2TLMSS2436 | 469   |
| 24             | 42 | P-M2TLMSS2442 | 536   |
| 24             | 48 | P-M2TLMSS2448 | 611   |
| 32             | 24 | P-M2TLMSS3224 | 424   |
| 32             | 30 | P-M2TLMSS3230 | 508   |
| 32             | 36 | P-M2TLMSS3236 | 583   |
| 32             | 42 | P-M2TLMSS3242 | 660   |
| 32             | 48 | P-M2TLMSS3248 | 749   |
| 40             | 24 | P-M2TLMSS4024 | 591   |
| 40             | 30 | P-M2TLMSS4030 | 699   |
| 40             | 36 | P-M2TLMSS4036 | 809   |
| 40             | 42 | P-M2TLMSS4042 | 910   |
| 40             | 48 | P-M2TLMSS4048 | 1,026 |
| 48             | 24 | P-M2TLMSS4824 | 633   |
| 48             | 30 | P-M2TLMSS4830 | 761   |
| 48             | 36 | P-M2TLMSS4836 | 872   |
| 48             | 42 | P-M2TLMSS4842 | 989   |
| 48             | 48 | P-M2TLMSS4848 | 1,122 |


| LAMINATE TILES |    |               |       |
|----------------|----|---------------|-------|
| H              | W  | Model Number  | List  |
| 56             | 24 | P-M2TLMSS5624 | 845   |
| 56             | 30 | P-M2TLMSS5630 | 1,014 |
| 56             | 36 | P-M2TLMSS5636 | 1,164 |
| 56             | 42 | P-M2TLMSS5642 | 1,318 |
| 56             | 48 | P-M2TLMSS5648 | 1,496 |
| 64             | 24 | P-M2TLMSS6424 | 845   |
| 64             | 30 | P-M2TLMSS6430 | 1,014 |
| 64             | 36 | P-M2TLMSS6436 | 1,164 |
| 64             | 42 | P-M2TLMSS6442 | 1,318 |
| 64             | 48 | P-M2TLMSS6448 | 1,496 |
| 80             | 24 | P-M2TLMSS8024 | 1,057 |
| 80             | 30 | P-M2TLMSS8030 | 1,267 |
| 80             | 36 | P-M2TLMSS8036 | 1,454 |
| 80             | 42 | P-M2TLMSS8042 | 1,647 |
| 80             | 48 | P-M2TLMSS8048 | 1,870 |



| Specify                                                                                                                       | Notes                                                                                                                                                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Laminate Selection for Tiles</li> <li>Paint Selection for Mid-Tile Retainer</li> </ul> | <ul style="list-style-type: none"> <li>Mid-tile retainer and clips included.</li> <li>Tile is front removable for easy replacement and access to frame interior.</li> <li>Grain directions runs vertical.</li> </ul> |

**DOUBLE SIDED MX MONOLITHIC KIT**

| Model Number | List |
|--------------|------|
| P-MXMTKIT    | 50   |




| Notes                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Kit required for monolithic tiles on Matrix where a double sided application is desired.</li> <li>Each kit comes with 16 brackets.</li> <li>Order the quantity of kits needed to satisfy the requirement needed per Tile. Refer to the chart to the right for the quantities needed per Tile size.</li> </ul> |


| Height                                     | Width |     |     |     |     |
|--------------------------------------------|-------|-----|-----|-----|-----|
|                                            | 24"   | 30" | 36" | 42" | 48" |
| 32"                                        | 12    | 12  | 12  | 12  | 12  |
| 40"                                        | 12    | 12  | 12  | 12  | 12  |
| 48"                                        | 16    | 16  | 16  | 16  | 16  |
| 56"                                        | 20    | 20  | 20  | 20  | 20  |
| 64"                                        | 20    | 20  | 20  | 20  | 20  |
| 80"                                        | 28    | 28  | 28  | 28  | 28  |
| <b># Qty of Brackets Required per Tile</b> |       |     |     |     |     |

Linear Profile Standard Front Glass Tiles

| LINEAR PROFILE STANDARD FRONT GLASS TILES |    |              |      |                    |                        |
|-------------------------------------------|----|--------------|------|--------------------|------------------------|
| H                                         | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
| 16                                        | 24 | P-MLTGF1624  | 239  | +5                 | +5                     |
| 16                                        | 30 | P-MLTGF1630  | 282  | +5                 | +5                     |
| 16                                        | 36 | P-MLTGF1636  | 321  | +5                 | +5                     |
| 16                                        | 42 | P-MLTGF1642  | 363  | +5                 | +5                     |
| 16                                        | 48 | P-MLTGF1648  | 402  | +5                 | +5                     |
| 24                                        | 24 | P-MLTGF2424  | 332  | +5                 | +5                     |
| 24                                        | 30 | P-MLTGF2430  | 391  | +5                 | +5                     |
| 24                                        | 36 | P-MLTGF2436  | 452  | +5                 | +5                     |
| 24                                        | 42 | P-MLTGF2442  | 511  | +5                 | +5                     |
| 24                                        | 48 | P-MLTGF2448  | 574  | +5                 | +5                     |



| LINEAR PROFILE STANDARD BACK GLASS TILES |    |              |      |                    |                        |
|------------------------------------------|----|--------------|------|--------------------|------------------------|
| H                                        | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
| 16                                       | 24 | P-MLTGB1624  | 155  | +5                 | +5                     |
| 16                                       | 30 | P-MLTGB1630  | 181  | +5                 | +5                     |
| 16                                       | 36 | P-MLTGB1636  | 204  | +5                 | +5                     |
| 16                                       | 42 | P-MLTGB1642  | 224  | +5                 | +5                     |
| 16                                       | 48 | P-MLTGB1648  | 241  | +5                 | +5                     |
| 24                                       | 24 | P-MLTGB2424  | 199  | +5                 | +5                     |
| 24                                       | 30 | P-MLTGB2430  | 225  | +5                 | +5                     |
| 24                                       | 36 | P-MLTGB2436  | 260  | +5                 | +5                     |
| 24                                       | 42 | P-MLTGB2442  | 288  | +5                 | +5                     |
| 24                                       | 48 | P-MLTGB2448  | 318  | +5                 | +5                     |




- |                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Specify</b></p> <ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer and Tile</li> <li>• Style Selection for Glass Insert</li> </ul> | <p><b>Notes</b></p> <ul style="list-style-type: none"> <li>• Standard Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Must be paired with standard back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.</li> </ul> |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- |                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Specify</b></p> <ul style="list-style-type: none"> <li>• Paint Selection for Tile Retainer and Tile</li> </ul> | <p><b>Notes</b></p> <ul style="list-style-type: none"> <li>• Standard Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.</li> <li>• Standard back glass tiles do not include glass inserts or mounting hardware.</li> <li>• Tile is front removable for easy replacement and access to frame interior.</li> <li>• Must be paired with standard front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.</li> </ul> |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Linear Profile Standard Bottom Glass Tiles**


**LINEAR PROFILE BOTTOM FRONT GLASS TILES**

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-MLTGY1624  | 182  | +5                 | +5                     |
| 16 | 30 | P-MLTGY1630  | 286  | +5                 | +5                     |
| 16 | 36 | P-MLTGY1636  | 320  | +5                 | +5                     |
| 16 | 42 | P-MLTGY1642  | 363  | +5                 | +5                     |
| 16 | 48 | P-MLTGY1648  | 400  | +5                 | +5                     |
| 24 | 24 | P-MLTGY2424  | 246  | +5                 | +5                     |
| 24 | 30 | P-MLTGY2430  | 391  | +5                 | +5                     |
| 24 | 36 | P-MLTGY2436  | 447  | +5                 | +5                     |
| 24 | 42 | P-MLTGY2442  | 506  | +5                 | +5                     |
| 24 | 48 | P-MLTGY2448  | 567  | +5                 | +5                     |



**LINEAR PROFILE BOTTOM BACK GLASS TILES**

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-MLTGZ1624  | 155  | +5                 | +5                     |
| 16 | 30 | P-MLTGZ1630  | 181  | +5                 | +5                     |
| 16 | 36 | P-MLTGZ1636  | 204  | +5                 | +5                     |
| 16 | 42 | P-MLTGZ1642  | 224  | +5                 | +5                     |
| 16 | 48 | P-MLTGZ1648  | 241  | +5                 | +5                     |
| 24 | 24 | P-MLTGZ2424  | 175  | +5                 | +5                     |
| 24 | 30 | P-MLTGZ2430  | 195  | +5                 | +5                     |
| 24 | 36 | P-MLTGZ2436  | 216  | +5                 | +5                     |
| 24 | 42 | P-MLTGZ2442  | 238  | +5                 | +5                     |
| 24 | 48 | P-MLTGZ2448  | 263  | +5                 | +5                     |



**Specify**

**Notes**

- Paint Selection for Tile Retainer and Tile
- Style Selection for Glass Insert

- Bottom Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

**Specify**

**Notes**


- Paint Selection for Tile Retainer and Tile

- Bottom Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Bottom back glass tiles do not include glass inserts or mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

Linear Profile Open Frame Tiles

LINEAR PROFILE STANDARD OPEN FRAME TILES

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-MLTOF1624  | 155  | +5                 | +5                     |
| 16 | 30 | P-MLTOF1630  | 181  | +5                 | +5                     |
| 16 | 36 | P-MLTOF1636  | 204  | +5                 | +5                     |
| 16 | 42 | P-MLTOF1642  | 224  | +5                 | +5                     |
| 16 | 48 | P-MLTOF1648  | 241  | +5                 | +5                     |
| 24 | 24 | P-MLTOF2424  | 199  | +5                 | +5                     |
| 24 | 30 | P-MLTOF2430  | 225  | +5                 | +5                     |
| 24 | 36 | P-MLTOF2436  | 260  | +5                 | +5                     |
| 24 | 42 | P-MLTOF2442  | 288  | +5                 | +5                     |
| 24 | 48 | P-MLTOF2448  | 318  | +5                 | +5                     |



Specify


- Paint Selection for Tile

Notes

- Standard Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second standard open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.

LINEAR PROFILE BOTTOM OPEN FRAME TILES

| H  | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|----|----|--------------|------|--------------------|------------------------|
| 16 | 24 | P-MLTOB1624  | 155  | +5                 | +5                     |
| 16 | 30 | P-MLTOB1630  | 181  | +5                 | +5                     |
| 16 | 36 | P-MLTOB1636  | 204  | +5                 | +5                     |
| 16 | 42 | P-MLTOB1642  | 224  | +5                 | +5                     |
| 16 | 48 | P-MLTOB1648  | 241  | +5                 | +5                     |
| 24 | 24 | P-MLTOB2424  | 175  | +5                 | +5                     |
| 24 | 30 | P-MLTOB2430  | 195  | +5                 | +5                     |
| 24 | 36 | P-MLTOB2436  | 216  | +5                 | +5                     |
| 24 | 42 | P-MLTOB2442  | 238  | +5                 | +5                     |
| 24 | 48 | P-MLTOB2448  | 263  | +5                 | +5                     |



Specify

- Paint Selection for Tile


Notes

- Bottom Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second bottom open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.


**Open Frame In-Feed Tiles and Utility Tiles**

**LINEAR PROFILE 16" HIGH OPEN FRAME TILE IN-FEED KIT**

| W  | With Hole      |                | Without Hole |              | List | Grade C Paint | Grade C Retainer |
|----|----------------|----------------|--------------|--------------|------|---------------|------------------|
|    | Model Number   | Model Number   | Model Number | Model Number |      |               |                  |
| 24 | P-MLTOBINH1624 | P-MLTOBINB1624 | 394          | +5           | +5   |               |                  |
| 30 | P-MLTOBINH1630 | P-MLTOBINB1630 | 401          | +5           | +5   |               |                  |
| 36 | P-MLTOBINH1636 | P-MLTOBINB1636 | 417          | +5           | +5   |               |                  |
| 42 | P-MLTOBINH1642 | P-MLTOBINB1642 | 451          | +5           | +5   |               |                  |
| 48 | P-MLTOBINH1648 | P-MLTOBINB1648 | 458          | +5           | +5   |               |                  |



With Hole



Without Hole

**Specify**


- Paint Selection

**Notes**

- Open Frame In-Feed Tiles allow for the use of a side-mounted in-feed with Matrix product, when using an open frame tile at the bottom of the frame.
- Open frame tiles should be used back to back in a Matrix frame, with one tile containing a knock out hole and the other without.
- Must use side mounted in-feed with open frame in-feed tiles.

**UTILITY TILES**

| H | W  | Model Number | List | Grade C Tile Paint | Grade C Retainer Paint |
|---|----|--------------|------|--------------------|------------------------|
| 8 | 24 | P-MLTTB0824  | 146  | +5                 | +5                     |
| 8 | 30 | P-MLTTB0830  | 179  | +5                 | +5                     |
| 8 | 36 | P-MLTTB0836  | 209  | +5                 | +5                     |
| 8 | 42 | P-MLTTB0842  | 234  | +5                 | +5                     |
| 8 | 48 | P-MLTTB0848  | 266  | +5                 | +5                     |



**Specify**


- Paint Selection for Tile Retainer and Tile

**Notes**

- Utility Tiles include one mid-tile retainer (linear profile) and one set of mid-tile retainer clips. Tile is front removable for easy replacement and access to frame interior.
- Utility tiles are designed to receive various paper flow elements.
- Utility tiles are available in 8"H only. For taller utility tile situations, place additional tile above or below as needed.
- Tiles are designed to blend with tile retainers to give a uniform look.
- See Accessories for compatible paper flow elements.

**STAND ALONE IN-FEED TILES**

| H  | W | With Hole     |               | Without Hole |              | List | Grade C Paint |
|----|---|---------------|---------------|--------------|--------------|------|---------------|
|    |   | Model Number  | Model Number  | Model Number | Model Number |      |               |
| 16 | 6 | P-M2TBIFH0616 | P-M2TBIFB0616 | 237          | +25          |      |               |





**Notes**

- Order with adjacent tile separate.


Tackable Acoustical Off-Modular Mid-Tiles

TACKABLE ACOUSTICAL OFF-MODULAR MID-TILES

| H  | W  | Model Number  | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Paint | H  | W  | Model Number  | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Paint |
|----|----|---------------|------|--------------|----------------|----------------|---------------|----|----|---------------|------|--------------|----------------|----------------|---------------|
| 8  | 24 | P-M2TTKOM0824 | 116  | -7           | +11            | +22            | +5            | 40 | 24 | P-M2TTKOM4024 | 191  | -25          | +42            | +84            | +5            |
| 8  | 30 | P-M2TTKOM0830 | 120  | -7           | +11            | +22            | +5            | 40 | 30 | P-M2TTKOM4030 | 204  | -25          | +42            | +84            | +5            |
| 8  | 36 | P-M2TTKOM0836 | 139  | -7           | +11            | +22            | +5            | 40 | 36 | P-M2TTKOM4036 | 280  | -25          | +42            | +84            | +5            |
| 8  | 42 | P-M2TTKOM0842 | 140  | -7           | +11            | +22            | +5            | 40 | 42 | P-M2TTKOM4042 | 320  | -25          | +42            | +84            | +5            |
| 8  | 48 | P-M2TTKOM0848 | 144  | -7           | +11            | +22            | +5            | 40 | 48 | P-M2TTKOM4048 | 320  | -25          | +42            | +84            | +5            |
| 16 | 24 | P-M2TTKOM1624 | 147  | -12          | +19            | +38            | +5            | 48 | 24 | P-M2TTKOM4824 | 215  | -30          | +49            | +98            | +5            |
| 16 | 30 | P-M2TTKOM1630 | 155  | -12          | +19            | +38            | +5            | 48 | 30 | P-M2TTKOM4830 | 225  | -30          | +49            | +98            | +5            |
| 16 | 36 | P-M2TTKOM1636 | 185  | -12          | +19            | +38            | +5            | 48 | 36 | P-M2TTKOM4836 | 292  | -30          | +49            | +98            | +5            |
| 16 | 42 | P-M2TTKOM1642 | 186  | -12          | +19            | +38            | +5            | 48 | 42 | P-M2TTKOM4842 | 320  | -30          | +49            | +98            | +5            |
| 16 | 48 | P-M2TTKOM1648 | 194  | -12          | +19            | +38            | +5            | 48 | 48 | P-M2TTKOM4848 | 367  | -30          | +49            | +98            | +5            |
| 24 | 24 | P-M2TTKOM2424 | 152  | -16          | +27            | +54            | +5            | 56 | 24 | P-M2TTKOM5624 | 254  | -35          | +56            | +112           | +5            |
| 24 | 30 | P-M2TTKOM2430 | 158  | -16          | +27            | +54            | +5            | 56 | 30 | P-M2TTKOM5630 | 272  | -35          | +56            | +112           | +5            |
| 24 | 36 | P-M2TTKOM2436 | 201  | -16          | +27            | +54            | +5            | 56 | 36 | P-M2TTKOM5636 | 358  | -35          | +56            | +112           | +5            |
| 24 | 42 | P-M2TTKOM2442 | 214  | -16          | +27            | +54            | +5            | 56 | 42 | P-M2TTKOM5642 | 388  | -35          | +56            | +112           | +5            |
| 24 | 48 | P-M2TTKOM2448 | 225  | -16          | +27            | +54            | +5            | 56 | 48 | P-M2TTKOM5648 | 441  | -35          | +56            | +112           | +5            |
| 32 | 24 | P-M2TTKOM3224 | 179  | -20          | +34            | +68            | +5            | 64 | 24 | P-M2TTKOM6424 | 252  | -40          | +63            | +126           | +5            |
| 32 | 30 | P-M2TTKOM3230 | 188  | -20          | +34            | +68            | +5            | 64 | 30 | P-M2TTKOM6430 | 270  | -40          | +63            | +126           | +5            |
| 32 | 36 | P-M2TTKOM3236 | 259  | -20          | +34            | +68            | +5            | 64 | 36 | P-M2TTKOM6436 | 357  | -40          | +63            | +126           | +5            |
| 32 | 42 | P-M2TTKOM3242 | 276  | -20          | +34            | +68            | +5            | 64 | 42 | P-M2TTKOM6442 | 393  | -40          | +63            | +126           | +5            |
| 32 | 48 | P-M2TTKOM3248 | 258  | -20          | +34            | +68            | +5            | 64 | 48 | P-M2TTKOM6448 | 426  | -40          | +63            | +126           | +5            |



Mid-Grip Bracket



Off-Modular Mid-Rail Radius Profile Only (works with Linear)

Specify

- Paint Selection for Tile Rail (Radius Profile only)
- Fabric Selection for Tile



Notes

- Off-Modular Mid-Tiles - Tackable Acoustical include one off-modular mid-tile rail and mounting hardware.
- Off-modular mid-tiles are made smaller in height to accommodate off-modular rails.
- Use rails in conjunction with off-modular frame connectors and off-modular overhead elements. Tile sizes 16”H - 32”H include two mid-grip brackets.
- Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.


**Tackable Acoustical Radius Off-Modular Top-Tiles**

**TACKABLE ACOUSTICAL RADIUS OFF-MODULAR TOP-TILES**

| H  | W  | Model Number  | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Paint | H  | W  | Model Number  | List | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Grade C Paint |
|----|----|---------------|------|--------------|----------------|----------------|---------------|----|----|---------------|------|--------------|----------------|----------------|---------------|
| 8  | 24 | P-M2TTKOT0824 | 116  | -7           | +11            | +22            | +5            | 40 | 24 | P-M2TTKOT4024 | 191  | -25          | +42            | +84            | +5            |
| 8  | 30 | P-M2TTKOT0830 | 120  | -7           | +11            | +22            | +5            | 40 | 30 | P-M2TTKOT4030 | 204  | -25          | +42            | +84            | +5            |
| 8  | 36 | P-M2TTKOT0836 | 139  | -7           | +11            | +22            | +5            | 40 | 36 | P-M2TTKOT4036 | 263  | -25          | +42            | +84            | +5            |
| 8  | 42 | P-M2TTKOT0842 | 140  | -7           | +11            | +22            | +5            | 40 | 42 | P-M2TTKOT4042 | 301  | -25          | +42            | +84            | +5            |
| 8  | 48 | P-M2TTKOT0848 | 144  | -7           | +11            | +22            | +5            | 40 | 48 | P-M2TTKOT4048 | 340  | -25          | +42            | +84            | +5            |
| 16 | 24 | P-M2TTKOT1624 | 147  | -12          | +19            | +38            | +5            | 48 | 24 | P-M2TTKOT4824 | 215  | -30          | +49            | +98            | +5            |
| 16 | 30 | P-M2TTKOT1630 | 155  | -12          | +19            | +38            | +5            | 48 | 30 | P-M2TTKOT4830 | 225  | -30          | +49            | +98            | +5            |
| 16 | 36 | P-M2TTKOT1636 | 185  | -12          | +19            | +38            | +5            | 48 | 36 | P-M2TTKOT4836 | 321  | -30          | +49            | +98            | +5            |
| 16 | 42 | P-M2TTKOT1642 | 186  | -12          | +19            | +38            | +5            | 48 | 42 | P-M2TTKOT4842 | 320  | -30          | +49            | +98            | +5            |
| 16 | 48 | P-M2TTKOT1648 | 194  | -12          | +19            | +38            | +5            | 48 | 48 | P-M2TTKOT4848 | 367  | -30          | +49            | +98            | +5            |
| 24 | 24 | P-M2TTKOT2424 | 152  | -16          | +27            | +54            | +5            | 56 | 24 | P-M2TTKOT5624 | 254  | -35          | +56            | +112           | +5            |
| 24 | 30 | P-M2TTKOT2430 | 150  | -16          | +27            | +54            | +5            | 56 | 30 | P-M2TTKOT5630 | 272  | -35          | +56            | +112           | +5            |
| 24 | 36 | P-M2TTKOT2436 | 201  | -16          | +27            | +54            | +5            | 56 | 36 | P-M2TTKOT5636 | 336  | -35          | +56            | +112           | +5            |
| 24 | 42 | P-M2TTKOT2442 | 202  | -16          | +27            | +54            | +5            | 56 | 42 | P-M2TTKOT5642 | 388  | -35          | +56            | +112           | +5            |
| 24 | 48 | P-M2TTKOT2448 | 225  | -16          | +27            | +54            | +5            | 56 | 48 | P-M2TTKOT5648 | 417  | -35          | +56            | +112           | +5            |
| 32 | 24 | P-M2TTKOT3224 | 179  | -20          | +34            | +68            | +5            | 64 | 24 | P-M2TTKOT6424 | 252  | -40          | +63            | +126           | +5            |
| 32 | 30 | P-M2TTKOT3230 | 188  | -20          | +34            | +68            | +5            | 64 | 30 | P-M2TTKOT6430 | 270  | -40          | +63            | +126           | +5            |
| 32 | 36 | P-M2TTKOT3236 | 240  | -20          | +34            | +68            | +5            | 64 | 36 | P-M2TTKOT6436 | 357  | -40          | +63            | +126           | +5            |
| 32 | 42 | P-M2TTKOT3242 | 276  | -20          | +34            | +68            | +5            | 64 | 42 | P-M2TTKOT6442 | 393  | -40          | +63            | +126           | +5            |
| 32 | 48 | P-M2TTKOT3248 | 258  | -20          | +34            | +68            | +5            | 64 | 48 | P-M2TTKOT6448 | 426  | -40          | +63            | +126           | +5            |



Mid-Grip Bracket



Off-Modular Top-Rail  
Radius Profile Only (Radius Frames Only)

**Specify**

- Paint Selection for Tile Rail
- Fabric Selection for Tile


**Notes**

- Radius Off-Modular Top-Tiles - Tackable Acoustical include one off-modular top-tile rail and mounting hardware.
- Off-modular top-tiles are made smaller in height to accommodate off-modular rails.
- Use rails in conjunction with off-modular frame connectors and off-modular overhead elements.
- Tile sizes 16"H - 32"H include two mid-grip brackets. Tile sizes 40"H - 64"H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.
- **Important:** Radius Off-Modular Top Tiles may not be used with Linear Trim.

Linear Profile Tile Retainer Kits

LINEAR PROFILE TOP TILE RETAINER KIT

| W  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 24 | P-MLTTR24    | 61   | +5            |
| 30 | P-MLTTR30    | 67   | +5            |
| 36 | P-MLTTR36    | 76   | +5            |
| 42 | P-MLTTR42    | 86   | +5            |
| 48 | P-MLTTR48    | 92   | +5            |



Side View


Specify

Notes

- Paint Selection
- Top Tile Retainer Kit includes mounting hardware.
- Order when dressing wall tile rails.
- Top tile retainers automatically come with all AIS Matrix frames.
- Order only when extra are needed.

LINEAR PROFILE BOTTOM TILE RETAINER KIT

| W  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 24 | P-MLBTR24    | 31   | +5            |
| 30 | P-MLBTR30    | 33   | +5            |
| 36 | P-MLBTR36    | 36   | +5            |
| 42 | P-MLBTR42    | 39   | +5            |
| 48 | P-MLBTR48    | 43   | +5            |



Side View



Specify

Notes

- Paint Selection
- Bottom Tile Retainer Kit includes mounting hardware.
- Order when dressing wall tile rails.
- Bottom tile retainers automatically come with all AIS Matrix frames.
- Order only when extra are needed.

LINEAR PROFILE MID-TILE RETAINER KIT

| W  | Model Number | List | Grade C Paint |
|----|--------------|------|---------------|
| 24 | P-MLMTR24    | 27   | +5            |
| 30 | P-MLMTR30    | 31   | +5            |
| 36 | P-MLMTR36    | 32   | +5            |
| 42 | P-MLMTR42    | 34   | +5            |
| 48 | P-MLMTR48    | 36   | +5            |



Side View

Specify

Notes

- Paint Selection
- Mid-Tile Retainer Kit includes one set of tile retainer clips.
- All AIS Matrix tiles automatically come with mid tile retainers.
- Order only when extra are needed.



**Tile Rails**

**SINGLE WALL TILE RAILS**

| H  | Model Number | List |
|----|--------------|------|
| 34 | A-M2WTRS34   | 140  |
| 42 | A-M2WTRS42   | 154  |
| 50 | A-M2WTRS50   | 173  |
| 58 | A-M2WTRS58   | 188  |
| 66 | A-M2WTRS66   | 205  |
| 74 | A-M2WTRS74   | 219  |
| 82 | A-M2WTRS82   | 240  |




**Notes**

- Single Wall Tile Rails are used at the edge of tiles where there are no adjacent tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

**SHARED WALL TILE RAILS**

| H  | Model Number | List |
|----|--------------|------|
| 34 | A-M2WTRSH34  | 140  |
| 42 | A-M2WTRSH42  | 154  |
| 50 | A-M2WTRSH50  | 173  |
| 58 | A-M2WTRSH58  | 188  |
| 66 | A-M2WTRSH66  | 205  |
| 74 | A-M2WTRSH74  | 219  |
| 82 | A-M2WTRSH82  | 240  |



**Notes**

- Shared Wall Tile Rails are used for sharing tiles between tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

**SINGLE STACK WALL TILE RAILS**

| H  | Model Number | List |
|----|--------------|------|
| 8  | A-M2WTRS08   | 91   |
| 16 | A-M2WTRS16   | 107  |
| 24 | A-M2WTRS24   | 123  |



**Notes**

- Single Stack Wall Tile Rails are used to stack above longer rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

**SHARED STACK WALL TILE RAILS**

| H  | Model Number | List |
|----|--------------|------|
| 8  | A-M2WTRSH08  | 90   |
| 16 | A-M2WTRSH16  | 107  |
| 24 | A-M2WTRSH24  | 123  |



**Notes**

- Shared Stack Wall Tile Rails are used to stack above shared rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tile and tile retainers ordered separately.

**Wall Tile Corner Filler Strips**

**WALL TILE CORNER FILLER STRIPS**

| <b>H</b> | <b>Model Number</b> | <b>List</b> |
|----------|---------------------|-------------|
| 34       | P-M2WTRCFS34        | 32          |
| 42       | P-M2WTRCFS42        | 36          |
| 50       | P-M2WTRCFS50        | 40          |
| 58       | P-M2WTRCFS58        | 46          |
| 66       | P-M2WTRCFS66        | 50          |
| 74       | P-M2WTRCFS74        | 56          |
| 82       | P-M2WTRCFS82        | 60          |
| 90       | P-M2WTRCFS90        | 64          |
| 98       | P-M2WTRCFS98        | 70          |
| 103      | P-M2WTRCFS106       | 73          |
| 114      | P-M2WTRCFS114       | 76          |
| 122      | P-M2WTRCFS122       | 80          |
| 130      | P-M2WTRCFS130       | 90          |




**Notes**

- Wall Tile Corner Filler Strips are a 1” square foam which is used to fill the gap created in a corner when using wall tile rails.
- Available in black.
- Tiles and tile retainers ordered separately.

**Cantilevers and Support Brackets**

**STANDARD CANTILEVERS**

| Surface Depth | Actual Depth | Hand  | Model Number | List | Grade C Paint |
|---------------|--------------|-------|--------------|------|---------------|
| 24            | 18           | Left  | WPS-UNCT24L  | 94   | +10           |
| 24            | 18           | Right | WPS-UNCT24R  | 94   | +10           |
| 24            | 18           | Pair  | WPS-UNCT24P  | 182  | +20           |
| 30            | 25.5         | Left  | WPS-UNCT30L  | 182  | +10           |
| 30            | 25.5         | Right | WPS-UNCT30R  | 182  | +10           |
| 30            | 25.5         | Pair  | WPS-UNCT30P  | 361  | +20           |




**Specify** **Notes**

- Paint Selection for Cantilevers
- Standard Cantilevers provide cantilevered work-surface support from panel or wall track at either the left or right hand side of a worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Standard cantilevers may also be used as a center support.
- Specify cantilever that corresponds to worksurface depth.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.
- Painted black as standard, all other trim colors are Grade C upcharged.

**SHARED CANTILEVERS**

| Surface Depth | Actual Depth | Hand   | Model Number | List | Grade C Paint |
|---------------|--------------|--------|--------------|------|---------------|
| 24            | 18           | Single | WPS-UNCT24S  | 135  | +10           |
| 24            | 18           | Pair   | WPS-UNCT24SP | 266  | +20           |
| 30            | 25.5         | Single | WPS-UNCT30S  | 266  | +10           |
| 30            | 25.5         | Pair   | WPS-UNCT30SP | 534  | +20           |




**Specify** **Notes**

- Paint Selection for Cantilevers
- Shared Cantilevers provide cantilevered support from panel or wall track at seam between two worksurfaces.
- All worksurface support components fasten directly to worksurfaces with screws.
- Specify cantilever that corresponds to worksurface depth.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.
- Painted black as standard, all other trim colors are Grade C upcharged.

**PANEL MOUNTED SHELF CANTILEVERS**

| Surface Depth | Actual Depth | Hand  | Model Number | List | Grade C Paint |
|---------------|--------------|-------|--------------|------|---------------|
| 12            | 10           | Left  | WPS-CT10L    | 170  | +10           |
| 12            | 10           | Right | WPS-CT10R    | 170  | +10           |
| 12            | 10           | Pair  | WPS-CT10P    | 323  | +20           |




**Specify** **Notes**

- Paint Selection
- Panel Mounted Shelf Cantilevers are 10”d and designed to work in conjunction with 12”d worksurfaces to create additional desk top shelving.
- Available for all AIS panel systems (Matrix, Divi and MWall).
- For use with 12” to 16” worksurfaces only.

**SIDE SUPPORT / REAR BRACKETS**

| Hand  | Model Number | List | Grade C Paint |
|-------|--------------|------|---------------|
| Left  | WPS-SSSAL    | 69   | +10           |
| Right | WPS-SSSAR    | 69   | +10           |
| Pair  | WPS-SSSA     | 132  | +20           |




**Specify** **Notes**

- Paint Selection for Side Support / Rear Bracket
- Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Painted black as a standard. All other trim colors are Grade C upcharged.

**End Panels and Pedestal-to-Panel Attachment Brackets**

**STANDARD END PANELS**


| D  | Model Number | List | Grade C Laminate |
|----|--------------|------|------------------|
| 12 | WFS-EPMX12   | 319  | +20              |
| 18 | WFS-EPMX18   | 375  | +24              |
| 24 | WFS-EPMX24   | 425  | +27              |
| 30 | WFS-EPMX30   | 470  | +30              |
| 36 | WFS-EPMX36   | 535  | +34              |



| Specify                                                                                                                      | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Laminate Selection for End Panel</li> <li>2mm Edge Selection for End Panel</li> </ul> | <ul style="list-style-type: none"> <li>Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge.</li> <li>Standard end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets. A</li> <li>If worksurface support components fasten directly to worksurfaces with screws.</li> <li>Specify end panel that corresponds to worksurface depth.</li> </ul> |

**CLEAR ACCESS END PANELS**

| D  | Model Number | List | Grade C Laminate |
|----|--------------|------|------------------|
| 24 | WFS-EPCAMX24 | 444  | +29              |
| 30 | WFS-EPCAMX30 | 497  | +32              |



| Specify                                                                                                                      | Notes                                                                                                                                                                                                                                                                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Laminate Selection for End Panel</li> <li>2mm Edge Selection for End Panel</li> </ul> | <ul style="list-style-type: none"> <li>Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge.</li> <li>Clear access end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.</li> <li>All worksurface support components fasten directly to worksurfaces with screws.</li> </ul> |

**PEDESTAL-TO-PANEL ATTACHMENT BRACKET**

| Model Number | List | Grade C Laminate |
|--------------|------|------------------|
| S-MXPMPB     | 206  | +25              |




| Specify                                                           | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels. T</li> <li>These brackets serve as a space filler and as a way to add stability to panels.</li> <li>Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24" Deep surface &amp; 24" deep pedestal or 30" deep surface and 30" deep pedestal).</li> </ul> |


**Matrix Panel Mounted A-Legs**

| <b>MATRIX PANEL MOUNTED A-LEGS</b> |          |                     |                     |             |  |
|------------------------------------|----------|---------------------|---------------------|-------------|--|
|                                    |          | <b>Left Hand</b>    | <b>Right Hand</b>   |             |  |
| <b>H</b>                           | <b>D</b> | <b>Model Number</b> | <b>Model Number</b> | <b>List</b> |  |
| 27                                 | 12       | WFS-ALW2712MXL      | WFS-ALW2712MXR      | 385         |  |
| 27                                 | 24       | WFS-ALW2724MXL      | WFS-ALW2724MXR      | 439         |  |
| 27                                 | 30       | WFS-ALW2730MXL      | WFS-ALW2730MXR      | 466         |  |


| <b>SHARED MATRIX PANEL MOUNTED A-LEGS</b> |          |                         |                          |             |  |
|-------------------------------------------|----------|-------------------------|--------------------------|-------------|--|
|                                           |          | <b>Left Hand Shared</b> | <b>Right Hand Shared</b> |             |  |
| <b>H</b>                                  | <b>D</b> | <b>Model Number</b>     | <b>Model Number</b>      | <b>List</b> |  |
| 27                                        | 12       | WFS-ALW2712MXLS         | WFS-ALW2712MXRS          | 415         |  |
| 27                                        | 24       | WFS-ALW2724MXLS         | WFS-ALW2724MXRS          | 466         |  |
| 27                                        | 30       | WFS-ALW2730MXLS         | WFS-ALW2730MXRS          | 496         |  |




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

**Specify**


- Paint Selection (+25 for Grade C)

**Notes**


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




**EXAMPLE 1 - UNSTABLE**  
32"H Structural Wing




**EXAMPLE 2 - UNSTABLE**  
32"H Panel with Cantilever




**EXAMPLE 3 - UNSTABLE**  
32"H Panel with Cantilevers



**EXAMPLE 1 - STABLE**  
Standard Structural Wing



**EXAMPLE 2 - STABLE**  
32"H Panel with Floor Support




**EXAMPLE 3 - STABLE**  
32"H Panel with Panel Mounted A-Legs


Matrix Panel Mounted O-Legs

| MATRIX PANEL MOUNTED O-LEGS |    |                |                |      |
|-----------------------------|----|----------------|----------------|------|
|                             |    | Left Hand      | Right Hand     |      |
| H                           | D  | Model Number   | Model Number   | List |
| 27                          | 12 | WFS-OLW2712MXL | WFS-OLW2712MXR | 510  |
| 27                          | 18 | WFS-OLW2718MXL | WFS-OLW2718MXR | 543  |
| 27                          | 24 | WFS-OLW2724MXL | WFS-OLW2724MXR | 580  |
| 27                          | 30 | WFS-OLW2730MXL | WFS-OLW2730MXR | 617  |

| SHARED MATRIX PANEL MOUNTED O-LEGS |    |                 |  |      |
|------------------------------------|----|-----------------|--|------|
| H                                  | D  | Model Number    |  | List |
| 27                                 | 12 | WFS-OLW2712MXLS |  | 547  |
| 27                                 | 18 | WFS-OLW2718MXLS |  | 580  |
| 27                                 | 24 | WFS-OLW2724MXLS |  | 617  |
| 27                                 | 30 | WFS-OLW2730MXLS |  | 655  |



Left Hand




Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE  
32"H Structural Wing




EXAMPLE 2 - UNSTABLE  
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE  
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE  
Standard Structural Wing



EXAMPLE 2 - STABLE  
32"H Panel with Floor Support




EXAMPLE 3 - STABLE  
32"H Panel with Panel Mounted O-Legs

**Worksurface Kits, Support Brackets and Attachment Brackets**

**LINEAR PROFILE TRANSACTION TOP WORKSURFACE KITS**

| D  | Model Number | List | Grade C Laminate |
|----|--------------|------|------------------|
| 24 | P-MLCTT24    | 425  | +5               |
| 30 | P-MLCTT30    | 444  | +5               |
| 36 | P-MLCTT36    | 466  | +5               |
| 42 | P-MLCTT42    | 490  | +5               |
| 48 | P-MLCTT48    | 515  | +5               |



**Specify**


- Paint Selection for Tiles Retainer and Topcap (if applicable)

**Notes**

- Transaction Top Worksurface Kit supports a panel top worksurface.
- Panel top worksurface kits are specified by panel width. If spanning two panels, order a panel top worksurface kit for each panel.
- Kit includes one topcap, two panel top worksurface brackets, two countertop splice plates, and hardware.
- When specifying for wood veneer trim, a new topcap is not required as it is for a painted metal topcap.
- Order panel top worksurfaces separately.

**OPEN FRAME WORKSURFACE KITS**

| Model Number | List |
|--------------|------|
| P-MXCTP      | 548  |




**Notes**

- Open Frame Worksurface Kit supports an open frame worksurface.
- Kit includes two open frame mounting brackets and mounting hardware.
- Specify open frame worksurface and open frame tiles separately.

**WING PANEL SUPPORT BRACKET**

| Model Number | List |
|--------------|------|
| P-MXWPSK     | 97   |




**Notes**

- Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a worksurface to a wing panel that matches the worksurface depth.
- Bracket can also be used on the back of a worksurface behind a structural pedestal to keep a panel tight to a worksurface back.


**Mid-Height Shelf Units**

| MID-HEIGHT SHELF UNITS |    |    |              |      |               |  |
|------------------------|----|----|--------------|------|---------------|--|
| H                      | W  | D  | Model Number | List | Grade C Paint |  |
| 7.75                   | 24 | 12 | S-SHFMX24    | 287  | +12           |  |
| 7.75                   | 30 | 12 | S-SHFMX30    | 296  | +12           |  |
| 7.75                   | 36 | 12 | S-SHFMX36    | 307  | +12           |  |
| 7.75                   | 42 | 12 | S-SHFMX42    | 324  | +12           |  |
| 7.75                   | 48 | 12 | S-SHFMX48    | 359  | +12           |  |
| 7.75                   | 60 | 12 | S-SHFMX60    | 378  | +12           |  |




| Specify                                                             | Notes                                                                                                                                                                                                                                                                                                                                                                                           |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Mid-Height Shelf Units provide low profile overhead storage.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Unit includes two mid-height shelf ends, one shelf pan, and mounting hardware.</li> <li>• Order shelf unit that corresponds to panel width.</li> </ul> |

| LINEAR MID-HEIGHT SHELF UNITS |    |    |              |      |               |  |
|-------------------------------|----|----|--------------|------|---------------|--|
| H                             | W  | D  | Model Number | List | Grade C Paint |  |
| 7.75                          | 24 | 12 | S-SHFLMX24   | 282  | +12           |  |
| 7.75                          | 30 | 12 | S-SHFLMX30   | 293  | +12           |  |
| 7.75                          | 36 | 12 | S-SHFLMX36   | 304  | +12           |  |
| 7.75                          | 42 | 12 | S-SHFLMX42   | 319  | +12           |  |
| 7.75                          | 48 | 12 | S-SHFLMX48   | 353  | +12           |  |
| 7.75                          | 60 | 12 | S-SHFLMX60   | 375  | +12           |  |



| Specify                                                             | Notes                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Linear Mid-Height Shelf Units provide low profile overhead storage.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware.</li> <li>• Order shelf unit that corresponds to panel width.</li> </ul> |

| SHELF DIVIDER |      |               |  |
|---------------|------|---------------|--|
| Model Number  | List | Grade C Paint |  |
| S-SHFDIV12    | 139  | +10           |  |




| Specify                                                             | Notes                                                                                                                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.</li> <li>• No hardware necessary.</li> <li>• Divider snaps into place.</li> <li>• Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.</li> </ul> |



**Mid-Height Corner Shelf Units**

**MID-HEIGHT CORNER SHELF UNITS**

| H    | W  | Center D | Wing D | Model Number | List  | Grade C Paint |
|------|----|----------|--------|--------------|-------|---------------|
| 7.75 | 36 | 30.5     | 12     | S-SHFCMX36   | 1,185 | +25           |
| 7.75 | 42 | 30.5     | 12     | S-SHFCMX42   | 1,312 | +25           |
| 7.75 | 48 | 30.5     | 12     | S-SHFCMX48   | 1,600 | +25           |




**Specify** **Notes**

- Paint Selection
- Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively.
- Unit includes two mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.

**LINEAR MID-HEIGHT CORNER SHELF UNITS**

| H    | W  | Center D | Wing D | Model Number | List  | Grade C Paint |
|------|----|----------|--------|--------------|-------|---------------|
| 7.75 | 36 | 30.5     | 12     | S-SHFLCMX36  | 1,192 | +25           |
| 7.75 | 42 | 30.5     | 12     | S-SHFLCMX42  | 1,271 | +25           |
| 7.75 | 48 | 30.5     | 12     | S-SHFLCMX48  | 1,787 | +25           |




**Specify** **Notes**

- Paint Selection
- Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36" or smaller tasklight parallel to front edge.
- All shelves 33 5/8" across front edge and are 30 1/2" deep front to back corner.
- Back corner has 3 1/2" x 3 1/2" cutout to facilitate cable management.
- 42" and 48" units have 6" and 12" wings respectively.
- Unit includes two Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.

**SHELF DIVIDER**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| S-SHFDIV12   | 139  | +10           |



**Specify** **Notes**

- Paint Selection
- Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.
- No hardware necessary. Divider snaps into place.
- Divider is 5 5/8" tall and designed to finish at the same height as a mid-height shelf end.

**OFF-MODULAR FLIPPER DOOR CONVERSION KIT**

| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| S-M2OMMKIT   | 256  | +10           |



**Specify** **Notes**

- Paint Selection
- Off-Modular Flipper Door Conversion Kit allows you to convert Type C and Type D flipper door units into an off-modular flipper door unit.
- Order flipper door units separately.

**Type C Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNITS**



| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Easy Down |
|------------|----|------------|--------------|-------|---------------|--------------|----------------|----------------|-----------|
| 14.25      | 24 | 12         | S-FDUMX24    | 740   | +20           | -5           | +13            | +24            | +232      |
| 14.25      | 30 | 12         | S-FDUMX30    | 755   | +20           | -5           | +13            | +24            | +232      |
| 14.25      | 36 | 12         | S-FDUMX36    | 779   | +20           | -5           | +13            | +24            | +232      |
| 14.25      | 42 | 12         | S-FDUMX42    | 794   | +20           | -5           | +13            | +24            | +232      |
| 14.25      | 48 | 12         | S-FDUMX48    | 846   | +20           | -5           | +13            | +24            | +232      |
| 14.25      | 60 | 12         | S-FDUMX60    | 1,026 | +20           | -5           | +13            | +24            | +232      |



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNITS**

| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Grade C Laminate | Grade C Edge | Easy Down |
|------------|----|------------|--------------|-------|---------------|------------------|--------------|-----------|
| 14.25      | 24 | 12         | S-FDUMX24L   | 916   | +20           | +17              | +16          | +232      |
| 14.25      | 30 | 12         | S-FDUMX30L   | 934   | +20           | +18              | +18          | +232      |
| 14.25      | 36 | 12         | S-FDUMX36L   | 954   | +20           | +19              | +20          | +232      |
| 14.25      | 42 | 12         | S-FDUMX42L   | 976   | +20           | +20              | +22          | +232      |
| 14.25      | 48 | 12         | S-FDUMX48L   | 1,085 | +20           | +21              | +24          | +232      |
| 14.25      | 60 | 12         | S-FDUMX60L   | 1,203 | +20           | +22              | +28          | +232      |



Easy Down Mechanism (Optional)

**Specify**

**Notes**



- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See "Accessories" for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.

**Type C Raised Flipper Door Units**

**METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS**



| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | C.O.M Fabric | Grade C Fabric | Grade D Fabric | Perf Back | Easy Down |
|------------|----|------------|--------------|-------|---------------|--------------|----------------|----------------|-----------|-----------|
| 14.25      | 24 | 12         | S-FDURFMX24  | 1,531 | +20           | -5           | +13            | +24            | +35       | +232      |
| 14.25      | 30 | 12         | S-FDURFMX30  | 1,565 | +20           | -5           | +13            | +24            | +35       | +232      |
| 14.25      | 36 | 12         | S-FDURFMX36  | 1,603 | +20           | -5           | +13            | +24            | +35       | +232      |
| 14.25      | 42 | 12         | S-FDURFMX42  | 1,650 | +20           | -5           | +13            | +24            | +35       | +232      |
| 14.25      | 48 | 12         | S-FDURFMX48  | 1,737 | +20           | -5           | +13            | +24            | +35       | +232      |
| 14.25      | 60 | 12         | S-FDURFMX60  | 1,962 | +20           | -5           | +13            | +24            | +35       | +232      |



Easy Down Mechanism (Optional)

**LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS**

| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Grade C Laminate | Grade C Edge | Perf Back | Easy Down |
|------------|----|------------|--------------|-------|---------------|------------------|--------------|-----------|-----------|
| 14.25      | 24 | 12         | S-FDURFMX24L | 1,713 | +20           | +17              | +16          | +35       | +232      |
| 14.25      | 30 | 12         | S-FDURFMX30L | 1,748 | +20           | +18              | +18          | +35       | +232      |
| 14.25      | 36 | 12         | S-FDURFMX36L | 1,782 | +20           | +19              | +20          | +35       | +232      |
| 14.25      | 42 | 12         | S-FDURFMX42L | 1,833 | +20           | +20              | +22          | +35       | +232      |
| 14.25      | 48 | 12         | S-FDURFMX48L | 1,983 | +20           | +21              | +24          | +35       | +232      |
| 14.25      | 60 | 12         | S-FDURFMX60L | 2,149 | +20           | +22              | +28          | +35       | +232      |



Easy Down Mechanism (Optional)



**Specify** **Notes**

- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> <li>• Paint or Fabric for Flipper Door Style (for metal/fabric units only)</li> <li>• Fabric Selection for Flipper Selection (for fabric units only)</li> <li>• Laminate Selection for Flipper Door (for laminate units only)</li> <li>• Edge Selection for Flipper Door (for laminate units only)</li> <li>• Metal or Perforated Back Panel Style</li> <li>• Easy Down Mechanism (optional)</li> </ul> | <ul style="list-style-type: none"> <li>• Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.</li> <li>• When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.</li> <li>• Door opens and stores above top cover pan.</li> <li>• Backside of unit is completely enclosed providing added security.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.</li> <li>• All flipper doors are lockable with two supplied keys.</li> <li>• Lock cores are removable with removal keys and master keys are available.</li> <li>• Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.</li> <li>• Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.</li> <li>• Order flipper unit that corresponds to panel width.</li> <li>• See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.</li> </ul> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Type D Flipper Door Units**

**SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNITS**



| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Easy Down |
|------------|----|------------|--------------|-------|---------------|-----------|
| 14.25      | 24 | 12         | S-FDDSMX24   | 899   | +20           | +232      |
| 14.25      | 30 | 12         | S-FDDSMX30   | 920   | +20           | +232      |
| 14.25      | 36 | 12         | S-FDDSMX36   | 939   | +20           | +232      |
| 14.25      | 42 | 12         | S-FDDSMX42   | 958   | +20           | +232      |
| 14.25      | 48 | 12         | S-FDDSMX48   | 1,007 | +20           | +232      |



Easy Down Mechanism (Optional)

**SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNITS**

| Interior H | W  | Interior D | Model Number | List  | Grade C Paint | Perf Back | Easy Down |
|------------|----|------------|--------------|-------|---------------|-----------|-----------|
| 14.25      | 24 | 12         | S-FDDRMX24   | 1,696 | +20           | +35       | +232      |
| 14.25      | 30 | 12         | S-FDDRMX30   | 1,732 | +20           | +35       | +232      |
| 14.25      | 36 | 12         | S-FDDRMX36   | 1,771 | +20           | +35       | +232      |
| 14.25      | 42 | 12         | S-FDDRMX42   | 1,816 | +20           | +35       | +232      |
| 14.25      | 48 | 12         | S-FDDRMX48   | 1,905 | +20           | +35       | +232      |



Easy Down Mechanism (Optional)

| Specify                                                                                                                                                                                            | Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> <li>• Metal or Perforated Back Panel Style (for raised flipper door units only)</li> <li>• Easy Down Mechanism (optional)</li> </ul> | <ul style="list-style-type: none"> <li>• Type D Flipper Door Unit provides binder height, lockable overhead storage.</li> <li>• When raised flipper door units are mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel</li> <li>• Door opens and stores above top cover pan.</li> <li>• Flipper unit has an open back.</li> <li>• Shelf ends have locking swing cams to prevent dislodgement.</li> <li>• Shelf bottom will receive tasklights.</li> <li>• Easy Down Mechanisms are optional for all sizes and recommended on 60" wide units.</li> <li>• All flipper doors are lockable with two supplied keys.</li> <li>• Lock cores are removable with removal keys and master keys are available.</li> <li>• Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.</li> <li>• Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.</li> <li>• Order flipper unit that corresponds to panel width.</li> <li>• See "Accessories" for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.</li> </ul> |



**Sliding Door Units**

**METAL DOOR FRONT SLIDING DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint |
|-------|----|----|--------------|-------|---------------|
| 14.25 | 30 | 12 | S-MS2DOMX30  | 922   | +20           |
| 14.25 | 36 | 12 | S-MS2DOMX36  | 945   | +20           |
| 14.25 | 42 | 12 | S-MS2DOMX42  | 964   | +20           |
| 14.25 | 48 | 12 | S-MS2DOMX48  | 1,016 | +20           |
| 14.25 | 60 | 12 | S-MS2DOMX60  | 1,193 | +20           |

**LAMINATE DOOR FRONT SLIDING DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Grade C Laminate |
|-------|----|----|--------------|-------|---------------|------------------|
| 14.25 | 30 | 12 | S-MS2DOMX30L | 1,101 | +20           | +18              |
| 14.25 | 36 | 12 | S-MS2DOMX36L | 1,123 | +20           | +19              |
| 14.25 | 42 | 12 | S-MS2DOMX42L | 1,142 | +20           | +20              |
| 14.25 | 48 | 12 | S-MS2DOMX48L | 1,254 | +20           | +21              |
| 14.25 | 60 | 12 | S-MS2DOMX60L | 1,372 | +20           | +22              |



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.



**Raised Sliding Door Units**

**METAL DOOR FRONT RAISED SLIDING DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Perforated Back |
|-------|----|----|--------------|-------|---------------|-----------------|
| 14.25 | 30 | 12 | S-RMS2DOMX30 | 1,733 | +20           | +35             |
| 14.25 | 36 | 12 | S-RMS2DOMX36 | 1,773 | +20           | +35             |
| 14.25 | 42 | 12 | S-RMS2DOMX42 | 1,817 | +20           | +35             |
| 14.25 | 48 | 12 | S-RMS2DOMX48 | 1,906 | +20           | +35             |
| 14.25 | 60 | 12 | S-RMS2DOMX60 | 2,128 | +20           | +35             |

**LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT**

| H     | W  | D  | Model Number  | List  | Grade C Paint | Grade C Laminate | Perforated Back |
|-------|----|----|---------------|-------|---------------|------------------|-----------------|
| 14.25 | 30 | 12 | S-RMS2DOMX30L | 1,912 | +20           | +18              | +35             |
| 14.25 | 36 | 12 | S-RMS2DOMX36L | 1,950 | +20           | +19              | +35             |
| 14.25 | 42 | 12 | S-RMS2DOMX42L | 1,997 | +20           | +20              | +35             |
| 14.25 | 48 | 12 | S-RMS2DOMX48L | 2,151 | +20           | +21              | +35             |
| 14.25 | 60 | 12 | S-RMS2DOMX60L | 2,313 | +20           | +22              | +35             |



**Specify**

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

**Notes**

- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50" high panels, unit rests level with a standard flipper door unit mounted at the top of a 66" high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.



**Cabinet Door Units**

**METAL DOOR FRONT CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint |
|-------|----|----|--------------|-------|---------------|
| 14.25 | 24 | 12 | S-VDOMX24    | 1,222 | +20           |
| 14.25 | 30 | 12 | S-VDOMX30    | 1,240 | +20           |
| 14.25 | 36 | 12 | S-VDOMX36    | 1,261 | +20           |
| 14.25 | 42 | 12 | S-VDOMX42    | 1,280 | +20           |
| 14.25 | 48 | 12 | S-VDOMX48    | 1,332 | +20           |

**LAMINATE DOOR FRONT CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Perforated Back |
|-------|----|----|--------------|-------|---------------|-----------------|
| 14.25 | 24 | 12 | S-VDOMX24L   | 1,400 | +20           | +17             |
| 14.25 | 30 | 12 | S-VDOMX30L   | 1,421 | +20           | +18             |
| 14.25 | 36 | 12 | S-VDOMX36L   | 1,437 | +20           | +19             |
| 14.25 | 42 | 12 | S-VDOMX42L   | 1,462 | +20           | +20             |
| 14.25 | 48 | 12 | S-VDOMX48L   | 1,570 | +20           | +21             |



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.



**Raised Cabinet Door Units**

**METAL DOOR FRONT RAISED CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Perforated Back |
|-------|----|----|--------------|-------|---------------|-----------------|
| 14.25 | 24 | 12 | S-RVDOMX24   | 1,962 | +20           | +35             |
| 14.25 | 30 | 12 | S-RVDOMX30   | 1,995 | +20           | +35             |
| 14.25 | 36 | 12 | S-RVDOMX36   | 2,033 | +20           | +35             |
| 14.25 | 42 | 12 | S-RVDOMX42   | 2,077 | +20           | +35             |
| 14.25 | 48 | 12 | S-RVDOMX48   | 2,160 | +20           | +35             |

**LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT**

| H     | W  | D  | Model Number | List  | Grade C Paint | Grade C Laminate | Perforated Back |
|-------|----|----|--------------|-------|---------------|------------------|-----------------|
| 14.25 | 24 | 12 | S-RVDOMX24L  | 2,137 | +20           | +17              | +35             |
| 14.25 | 30 | 12 | S-RVDOMX30L  | 2,167 | +20           | +18              | +35             |
| 14.25 | 36 | 12 | S-RVDOMX36L  | 2,207 | +20           | +19              | +35             |
| 14.25 | 42 | 12 | S-RVDOMX42L  | 2,294 | +20           | +20              | +35             |
| 14.25 | 48 | 12 | S-RVDOMX48L  | 2,399 | +20           | +21              | +35             |



**Specify**

**Notes**

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)


- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See "Accessories" for shelf, flipper and key accessories.



**Coat Hooks**

**LINEAR PANEL TOP COAT HOOK**


| Model Number | List | Grade C Paint |
|--------------|------|---------------|
| A-CHML       | 69   | +5            |



| Specify                                                             | Notes                                                                                                                                                                              |
|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Linear Panel Top Coat Hook mounts over top of panel frame (linear profile trim) and is available in all standard paint colors.</li> </ul> |

**MATRIX COAT HOOK**

| Model Number | List |
|--------------|------|
| A-MTXCH      | 61   |



| Specify                                                             | Notes                                                                                                                                                                   |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection</li> </ul> | <ul style="list-style-type: none"> <li>• Coat hook installs under topcap prior to tile installation.</li> <li>• Can only be used on fabric or laminate tile.</li> </ul> |


**Frameless Glass Mounting Kits**

**SINGLE FRAME FRAMELESS GLASS MOUNTING KITS**


| Frames | W  | Model Number | List | Grade C Paint | 3/8th" Glass Clamps |
|--------|----|--------------|------|---------------|---------------------|
| 24     | 24 | P-MLFGTC24   | 417  | +10           | +50                 |
| 30     | 30 | P-MLFGTC30   | 421  | +10           | +50                 |
| 36     | 36 | P-MLFGTC36   | 425  | +10           | +50                 |
| 42     | 42 | P-MLFGTC42   | 428  | +10           | +50                 |
| 48     | 48 | P-MLFGTC48   | 432  | +10           | +50                 |

**MULTIPLE FRAME FRAMELESS GLASS MOUNTING KITS**


| Frames     | W  | Model Number | List  | Grade C Paint | 3/8th" Glass Clamps |
|------------|----|--------------|-------|---------------|---------------------|
| 24, 24     | 48 | P-MLFGTC224  | 734   | +20           | +100                |
| 24, 30     | 54 | P-MLFGTC2430 | 739   | +20           | +100                |
| 24, 36     | 60 | P-MLFGTC2436 | 744   | +20           | +100                |
| 24, 42     | 66 | P-MLFGTC2442 | 748   | +20           | +100                |
| 24, 48     | 72 | P-MLFGTC2448 | 751   | +20           | +100                |
| 30, 30     | 60 | P-MLFGTC230  | 744   | +20           | +100                |
| 30, 36     | 66 | P-MLFGTC3036 | 748   | +20           | +100                |
| 30, 42     | 72 | P-MLFGTC3042 | 751   | +20           | +100                |
| 36, 36     | 72 | P-MLFGTC236  | 751   | +20           | +100                |
| 24, 24, 24 | 72 | P-MLFGTC324  | 1,055 | +20           | +150                |



36" Frameless Glass



72" Frameless Glass  
(36, 36)



72" Frameless Glass  
(24, 48)

**Specify**

- Finish Selection for Topcap


**Notes**

- Frameless Glass Mounting Kits - Matrix include topcaps with pre-drilled holes, mounting brackets and under topcap stabilizers for the glass.
- Frameless glass mounting kits are specified for the panel width, or in the case of multiple panels, the panel configuration.
- Glass is ordered separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.
- Frame Glass Mounting Kits inhibit using the top channel for cables.


**Frameless Recessed Glass Mounting Kits**

**SINGLE FRAME RECESSED GLASS MOUNTING KITS V2**

| Frames | W  | Model Number | List | Grade C Paint |
|--------|----|--------------|------|---------------|
| 24     | 24 | P-MLSFRG24   | 416  | +10           |
| 30     | 30 | P-MLSFRG30   | 420  | +10           |
| 36     | 36 | P-MLSFRG36   | 424  | +10           |
| 42     | 42 | P-MLSFRG42   | 427  | +10           |
| 48     | 48 | P-MLSFRG48   | 431  | +10           |




36" Frameless Glass



Screen Mounting Kit

**MULTIPLE FRAME RECESSED GLASS MOUNTING KITS V2**

| Frames     | W  | Model Number   | List  | Grade C Paint |
|------------|----|----------------|-------|---------------|
| 24, 24     | 48 | P-MLDFRG2424   | 733   | +10           |
| 24, 30     | 54 | P-MLDFRG2430   | 738   | +10           |
| 24, 36     | 60 | P-MLDFRG2436   | 748   | +10           |
| 24, 42     | 66 | P-MLDFRG2442   | 748   | +10           |
| 24, 48     | 72 | P-MLDFRG2448   | 751   | +10           |
| 30, 30     | 60 | P-MLDFRG3030   | 748   | +10           |
| 30, 36     | 66 | P-MLDFRG3036   | 748   | +10           |
| 30, 42     | 72 | P-MLDFRG3042   | 751   | +10           |
| 30, 48     | 78 | P-MLDFRG3048   | 755   | +10           |
| 36, 36     | 72 | P-MLDFRG3636   | 748   | +10           |
| 36, 42     | 78 | P-MLDFRG3642   | 755   | +10           |
| 36, 48     | 84 | P-MLDFRG3648   | 759   | +10           |
| 42, 42     | 84 | P-MLDFRG4242   | 759   | +10           |
| 42, 48     | 90 | P-MLDFRG4248   | 762   | +10           |
| 48, 48     | 96 | P-MLDFRG4848   | 762   | +10           |
| 24, 24, 24 | 72 | P-MLTFRG242424 | 1,124 | +10           |
| 24, 24, 30 | 78 | P-MLTFRG242430 | 1,128 | +10           |
| 24, 24, 36 | 84 | P-MLTFRG242436 | 1,131 | +10           |
| 24, 24, 42 | 90 | P-MLTFRG242442 | 1,136 | +10           |
| 24, 24, 48 | 96 | P-MLTFRG242448 | 1,139 | +10           |
| 30, 24, 30 | 84 | P-MLTFRG302430 | 1,131 | +10           |
| 30, 24, 36 | 90 | P-MLTFRG302436 | 1,136 | +10           |
| 30, 24, 42 | 96 | P-MLTFRG302442 | 1,139 | +10           |
| 30, 30, 36 | 96 | P-MLTFRG303036 | 1,139 | +10           |
| 36, 24, 36 | 96 | P-MLTFRG362436 | 1,139 | +10           |



72" Frameless Glass

**Specify**

- Paint Selection



**Notes**

- Recessed Frameless Mounting Kits - Matrix include mounting brackets and all required screws.
- The mounting brackets double as the top caps once installed.
- Screen is ordered separately. Screen must match frame width (no off-modular screens).
- For use with Linear Frames only.
- Frameless Screen Mounting Kits inhibit using the top channel for cables.
- **Recessed frameless up-mounted Screens MUST be ordered with these kits.**

**Recessed Glass for Linear Power Pole Situations**

**RECESSED GLASS FOR LINEAR POWER POLE SITUATIONS**

| H  | W  | Model Number | List Clear | Frosted | Gray | Bronze |
|----|----|--------------|------------|---------|------|--------|
| 8  | 24 | P-MLPPRG0824 | 709        | +30     | +15  | +15    |
| 8  | 30 | P-MLPPRG0830 | 741        | +60     | +30  | +30    |
| 8  | 36 | P-MLPPRG0836 | 783        | +60     | +30  | +30    |
| 8  | 42 | P-MLPPRG0842 | 821        | +60     | +30  | +30    |
| 8  | 48 | P-MLPPRG0848 | 876        | +90     | +45  | +45    |
| 12 | 24 | P-MLPPRG1224 | 739        | +60     | +30  | +30    |
| 12 | 30 | P-MLPPRG1230 | 810        | +60     | +30  | +30    |
| 12 | 36 | P-MLPPRG1236 | 880        | +90     | +45  | +45    |
| 12 | 42 | P-MLPPRG1242 | 950        | +90     | +45  | +45    |
| 12 | 48 | P-MLPPRG1248 | 1,025      | +120    | +60  | +60    |
| 16 | 24 | P-MLPPRG1624 | 816        | +60     | +30  | +30    |
| 16 | 30 | P-MLPPRG1630 | 880        | +90     | +45  | +45    |
| 16 | 36 | P-MLPPRG1636 | 964        | +120    | +60  | +60    |
| 16 | 42 | P-MLPPRG1642 | 1,072      | +120    | +60  | +60    |
| 16 | 48 | P-MLPPRG1648 | 1,143      | +150    | +75  | +75    |
| 20 | 24 | P-MLPPRG2024 | 891        | +60     | +30  | +30    |
| 20 | 30 | P-MLPPRG2030 | 949        | +90     | +45  | +45    |
| 20 | 36 | P-MLPPRG2036 | 1,049      | +120    | +60  | +60    |
| 20 | 42 | P-MLPPRG2042 | 1,193      | +150    | +75  | +75    |
| 20 | 48 | P-MLPPRG2048 | 1,259      | +180    | +90  | +90    |



**Specify**



**Notes**

- |                                                                                                                                     |                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• Paint Selection for Top Cap (Grade C +10)</li> <li>• Finish Selection for Glass</li> </ul> | <ul style="list-style-type: none"> <li>• Order when installing recessed glass on top of a panel that requires a power pole installation.</li> <li>• Includes glass and complete top cap kit.</li> <li>• Power poles are ordered separately.</li> <li>• Order size that corresponds to the overall panel width.</li> </ul> |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


**Frameless Up-Mounted Glass**

| FRAMELESS UP-MOUNTED GLASS |    |              |              |               |                |              |                |
|----------------------------|----|--------------|--------------|---------------|----------------|--------------|----------------|
| H                          | W  | Model Number | 1/4th" Clear | 1/4th" Tinted | 1/4th" Frosted | 3/8th" Clear | 3/8th" Frosted |
| 8                          | 24 | A-FG0824     | 206          | +33           | +68            | +92          | +136           |
| 8                          | 30 | A-FG0830     | 210          | +41           | +85            | +112         | +170           |
| 8                          | 36 | A-FG0836     | 226          | +49           | +102           | +132         | +204           |
| 8                          | 42 | A-FG0842     | 235          | +57           | +119           | +152         | +232           |
| 8                          | 48 | A-FG0848     | 264          | +65           | +135           | +172         | +270           |
| 8                          | 54 | A-FG0854     | 299          | +73           | +152           | +192         | +304           |
| 8                          | 60 | A-FG0860     | 342          | +81           | +169           | +212         | +338           |
| 8                          | 66 | A-FG0866     | 355          | +89           | +186           | +232         | +372           |
| 8                          | 72 | A-FG0872     | 385          | +97           | +203           | +252         | +406           |
| 12                         | 24 | A-FG1224     | 201          | +38           | +79            | +120         | +158           |
| 12                         | 30 | A-FG1230     | 241          | +47           | +99            | +146         | +198           |
| 12                         | 36 | A-FG1236     | 283          | +57           | +119           | +171         | +238           |
| 12                         | 42 | A-FG1242     | 323          | +66           | +138           | +196         | +276           |
| 12                         | 48 | A-FG1248     | 363          | +76           | +158           | +222         | +316           |
| 12                         | 54 | A-FG1254     | 404          | +85           | +178           | +247         | +356           |
| 12                         | 60 | A-FG1260     | 448          | +94           | +197           | +273         | +394           |
| 12                         | 66 | A-FG1266     | 486          | +104          | +217           | +298         | +434           |
| 12                         | 72 | A-FG1272     | 526          | +113          | +237           | +323         | +474           |

| FRAMELESS UP-MOUNTED GLASS |    |              |              |               |                |              |                |
|----------------------------|----|--------------|--------------|---------------|----------------|--------------|----------------|
| H                          | W  | Model Number | 1/4th" Clear | 1/4th" Tinted | 1/4th" Frosted | 3/8th" Clear | 3/8th" Frosted |
| 16                         | 24 | A-FG1624     | 246          | +43           | +90            | +148         | +180           |
| 16                         | 30 | A-FG1630     | 276          | +54           | +113           | +179         | +226           |
| 16                         | 36 | A-FG1636     | 323          | +65           | +135           | +210         | +270           |
| 16                         | 42 | A-FG1642     | 396          | +76           | +158           | +241         | +316           |
| 16                         | 48 | A-FG1648     | 430          | +86           | +180           | +272         | +360           |
| 16                         | 54 | A-FG1654     | 477          | +97           | +203           | +302         | +406           |
| 16                         | 60 | A-FG1660     | 548          | +108          | +225           | +333         | +450           |
| 16                         | 66 | A-FG1666     | 602          | +119          | +248           | +364         | +494           |
| 16                         | 72 | A-FG1672     | 648          | +129          | +270           | +395         | +540           |



1/4" Glass



3/8" Glass

**Specify**

- Finish Selection for Glass



**Notes**

- Frameless Up-Mounted Glass are sheets of glass to be used with up-mounted kits.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Glass Mounting Kit ordered separately.
- Glass used in HiLo situations has a different width. See "HiLo Frameless Up-Mounted Glass" when in a HiLo situation.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

**Recessed Frameless Glass**

| RECESSED FRAMELESS GLASS V2 |    |              |            |         |      |        |
|-----------------------------|----|--------------|------------|---------|------|--------|
| H                           | W  | Model Number | List Clear | Frosted | Gray | Bronze |
| 8                           | 24 | P-MLRGF0824  | 391        | +42     | +42  | +42    |
| 8                           | 30 | P-MLRGF0830  | 430        | +61     | +61  | +61    |
| 8                           | 36 | P-MLRGF0836  | 480        | +77     | +77  | +77    |
| 8                           | 42 | P-MLRGF0842  | 525        | +86     | +86  | +86    |
| 8                           | 48 | P-MLRGF0848  | 593        | +106    | +106 | +106   |
| 8                           | 54 | P-MLRGF0854  | 663        | +124    | +124 | +124   |
| 8                           | 60 | P-MLRGF0860  | 747        | +138    | +138 | +138   |
| 8                           | 66 | P-MLRGF0866  | 798        | +155    | +155 | +155   |
| 8                           | 72 | P-MLRGF0872  | 863        | +171    | +171 | +171   |
| 8                           | 78 | P-MLRGF0878  | 934        | +185    | +185 | +185   |
| 8                           | 84 | P-MLRGF0884  | 1,008      | +199    | +199 | +199   |
| 8                           | 90 | P-MLRGF0890  | 1,088      | +215    | +215 | +215   |
| 8                           | 96 | P-MLRGF0896  | 1,174      | +233    | +233 | +233   |
| 12                          | 24 | P-MLRGF1224  | 432        | +44     | +44  | +44    |
| 12                          | 30 | P-MLRGF1230  | 522        | +64     | +64  | +64    |
| 12                          | 36 | P-MLRGF1236  | 609        | +83     | +83  | +83    |
| 12                          | 42 | P-MLRGF1242  | 698        | +99     | +99  | +99    |
| 12                          | 48 | P-MLRGF1248  | 792        | +116    | +116 | +116   |
| 12                          | 54 | P-MLRGF1254  | 879        | +136    | +136 | +136   |
| 12                          | 60 | P-MLRGF1260  | 967        | +153    | +153 | +153   |
| 12                          | 66 | P-MLRGF1266  | 1,060      | +169    | +169 | +169   |
| 12                          | 72 | P-MLRGF1272  | 1,152      | +185    | +185 | +185   |
| 12                          | 78 | P-MLRGF1278  | 1,244      | +200    | +200 | +200   |
| 12                          | 84 | P-MLRGF1284  | 1,342      | +216    | +216 | +216   |
| 12                          | 90 | P-MLRGF1290  | 1,448      | +233    | +233 | +233   |
| 12                          | 96 | P-MLRGF1296  | 1,565      | +252    | +252 | +252   |

| RECESSED FRAMELESS GLASS V2 |    |              |            |         |      |        |
|-----------------------------|----|--------------|------------|---------|------|--------|
| H                           | W  | Model Number | List Clear | Frosted | Gray | Bronze |
| 16                          | 24 | P-MLRGF1624  | 533        | +49     | +49  | +49    |
| 16                          | 30 | P-MLRGF1630  | 614        | +72     | +72  | +72    |
| 16                          | 36 | P-MLRGF1636  | 721        | +89     | +89  | +89    |
| 16                          | 42 | P-MLRGF1642  | 859        | +110    | +110 | +110   |
| 16                          | 48 | P-MLRGF1648  | 947        | +129    | +129 | +129   |
| 16                          | 54 | P-MLRGF1654  | 1,055      | +153    | +153 | +153   |
| 16                          | 60 | P-MLRGF1660  | 1,188      | +172    | +172 | +172   |
| 16                          | 66 | P-MLRGF1666  | 1,296      | +194    | +194 | +194   |
| 16                          | 72 | P-MLRGF1672  | 1,414      | +206    | +206 | +206   |
| 16                          | 78 | P-MLRGF1678  | 1,525      | +222    | +222 | +222   |
| 16                          | 84 | P-MLRGF1684  | 1,650      | +240    | +240 | +240   |
| 16                          | 90 | P-MLRGF1690  | 1,781      | +260    | +260 | +260   |
| 16                          | 96 | P-MLRGF1696  | 1,923      | +280    | +280 | +280   |
| 20                          | 24 | P-MLRGF2024  | 632        | +54     | +54  | +54    |
| 20                          | 30 | P-MLRGF2030  | 705        | +80     | +80  | +80    |
| 20                          | 36 | P-MLRGF2036  | 834        | +95     | +95  | +95    |
| 20                          | 42 | P-MLRGF2042  | 1,021      | +121    | +121 | +121   |
| 20                          | 48 | P-MLRGF2048  | 1,101      | +142    | +142 | +142   |
| 20                          | 54 | P-MLRGF2054  | 1,231      | +170    | +170 | +170   |
| 20                          | 60 | P-MLRGF2060  | 1,411      | +191    | +191 | +191   |
| 20                          | 66 | P-MLRGF2066  | 1,533      | +219    | +219 | +219   |
| 20                          | 72 | P-MLRGF2072  | 1,677      | +227    | +227 | +227   |
| 20                          | 78 | P-MLRGF2078  | 1,811      | +244    | +244 | +244   |
| 20                          | 84 | P-MLRGF2084  | 1,956      | +264    | +264 | +264   |
| 20                          | 90 | P-MLRGF2090  | 2,114      | +287    | +287 | +287   |
| 20                          | 96 | P-MLRGF2096  | 2,281      | +308    | +308 | +308   |



3/8" Glass

**Specify**



• Finish Selection for Glass

**Notes**

- Recessed Frameless Glass are sheets of glass screens to be used with up-mounted kits.
- Tempered glass is available in clear, frosted, aqua and blue.
- Glass is 3/8" thick.
- Frames receiving recessed glass should be specified with top cap option.
- Glass height is nominal, not including the glass inside of the frame.
- Glass must match frame width (no off-modular screens).

**RECESSED FRAMELESS GLASS V2**

| H  | W  | Model Number | List Clear | Frosted | Gray | Bronze |
|----|----|--------------|------------|---------|------|--------|
| 24 | 24 | P-MLRGF2424  | 734        | +59     | +59  | +59    |
| 24 | 30 | P-MLRGF2430  | 796        | +88     | +88  | +88    |
| 24 | 36 | P-MLRGF2436  | 947        | +101    | +101 | +101   |
| 24 | 42 | P-MLRGF2442  | 1,183      | +132    | +132 | +132   |
| 24 | 48 | P-MLRGF2448  | 1,255      | +155    | +155 | +155   |
| 24 | 54 | P-MLRGF2454  | 1,404      | +187    | +187 | +187   |
| 24 | 60 | P-MLRGF2460  | 1,631      | +210    | +210 | +210   |
| 24 | 66 | P-MLRGF2466  | 1,768      | +244    | +244 | +244   |
| 24 | 72 | P-MLRGF2472  | 1,940      | +248    | +248 | +248   |
| 24 | 78 | P-MLRGF2478  | 2,095      | +266    | +266 | +266   |
| 24 | 84 | P-MLRGF2484  | 2,264      | +288    | +288 | +288   |
| 24 | 90 | P-MLRGF2490  | 2,447      | +314    | +314 | +314   |
| 24 | 96 | P-MLRGF2496  | 2,640      | +336    | +336 | +336   |



3/8" Glass

**Specify**

- Finish Selection for Glass


**Notes**

- Recessed Frameless Glass are sheets of glass screens to be used with up-mounted kits.
- Tempered glass is available in clear, frosted, aqua and blue.
- Glass is 3/8" thick.
- Frames receiving recessed glass should be specified with top cap option.
- Glass height is nominal, not including the glass inside of the frame.
- Glass must match frame width (no off-modular screens).


**Single HiLo Situation Up-Mounted Glass**

| SINGLE HILO SITUATION UP-MOUNTED GLASS |    |              |              |               |                |              |                |
|----------------------------------------|----|--------------|--------------|---------------|----------------|--------------|----------------|
| H                                      | W  | Model Number | 1/4th" Clear | 1/4th" Tinted | 1/4th" Frosted | 3/8th" Clear | 3/8th" Frosted |
| 8                                      | 24 | A-FGMXH10824 | 193          | +33           | +68            | +92          | +136           |
| 8                                      | 30 | A-FGMXH10830 | 197          | +41           | +85            | +112         | +170           |
| 8                                      | 36 | A-FGMXH10836 | 213          | +49           | +102           | +132         | +204           |
| 8                                      | 42 | A-FGMXH10842 | 219          | +57           | +119           | +152         | +232           |
| 8                                      | 48 | A-FGMXH10848 | 247          | +65           | +135           | +172         | +270           |
| 8                                      | 54 | A-FGMXH10854 | 278          | +73           | +152           | +192         | +304           |
| 8                                      | 60 | A-FGMXH10860 | 318          | +81           | +169           | +212         | +338           |
| 8                                      | 66 | A-FGMXH10866 | 333          | +89           | +186           | +232         | +372           |
| 8                                      | 72 | A-FGMXH10872 | 361          | +97           | +203           | +252         | +406           |
| 12                                     | 24 | A-FGMXH11224 | 188          | +38           | +79            | +120         | +158           |
| 12                                     | 30 | A-FGMXH11230 | 225          | +47           | +99            | +146         | +198           |
| 12                                     | 36 | A-FGMXH11236 | 265          | +57           | +119           | +171         | +238           |
| 12                                     | 42 | A-FGMXH11242 | 301          | +66           | +138           | +196         | +276           |
| 12                                     | 48 | A-FGMXH11248 | 341          | +76           | +158           | +222         | +316           |
| 12                                     | 54 | A-FGMXH11254 | 380          | +85           | +178           | +247         | +356           |
| 12                                     | 60 | A-FGMXH11260 | 420          | +94           | +197           | +273         | +394           |
| 12                                     | 66 | A-FGMXH11266 | 454          | +104          | +217           | +298         | +434           |
| 12                                     | 72 | A-FGMXH11272 | 491          | +113          | +237           | +323         | +474           |


| SINGLE HILO SITUATION UP-MOUNTED GLASS |    |              |              |               |                |              |                |
|----------------------------------------|----|--------------|--------------|---------------|----------------|--------------|----------------|
| H                                      | W  | Model Number | 1/4th" Clear | 1/4th" Tinted | 1/4th" Frosted | 3/8th" Clear | 3/8th" Frosted |
| 16                                     | 24 | A-FGMXH11624 | 229          | +43           | +90            | +148         | +180           |
| 16                                     | 30 | A-FGMXH11630 | 260          | +54           | +113           | +179         | +226           |
| 16                                     | 36 | A-FGMXH11636 | 301          | +65           | +135           | +210         | +270           |
| 16                                     | 42 | A-FGMXH11642 | 371          | +76           | +158           | +241         | +316           |
| 16                                     | 48 | A-FGMXH11648 | 400          | +86           | +180           | +272         | +360           |
| 16                                     | 54 | A-FGMXH11654 | 447          | +97           | +203           | +302         | +406           |
| 16                                     | 60 | A-FGMXH11660 | 513          | +108          | +225           | +333         | +450           |
| 16                                     | 66 | A-FGMXH11666 | 560          | +119          | +248           | +364         | +494           |
| 16                                     | 72 | A-FGMXH11672 | 606          | +129          | +270           | +395         | +540           |



Single HiLo Situation



1/4" Glass



3/8" Glass

**Specify**

- Finish Selection for Glass

**Notes**

- Single HiLo Situation Up-Mounted Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only




**Single HiLo Situation Recessed Frameless Glass**

**SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2**


| H  | W  | Model Number   | List Clear | Frosted | Gray | Bronze |
|----|----|----------------|------------|---------|------|--------|
| 8  | 24 | P-MLRGFSH-0824 | 391        | +42     | +42  | +42    |
| 8  | 30 | P-MLRGFSH-0830 | 430        | +61     | +61  | +61    |
| 8  | 36 | P-MLRGFSH-0836 | 480        | +77     | +77  | +77    |
| 8  | 42 | P-MLRGFSH-0842 | 525        | +86     | +86  | +86    |
| 8  | 48 | P-MLRGFSH-0848 | 593        | +106    | +106 | +106   |
| 8  | 54 | P-MLRGFSH-0854 | 663        | +124    | +124 | +124   |
| 8  | 60 | P-MLRGFSH-0860 | 747        | +138    | +138 | +138   |
| 8  | 66 | P-MLRGFSH-0866 | 798        | +155    | +155 | +155   |
| 8  | 72 | P-MLRGFSH-0872 | 863        | +171    | +171 | +171   |
| 8  | 78 | P-MLRGFSH-0878 | 934        | +185    | +185 | +185   |
| 8  | 84 | P-MLRGFSH-0884 | 1,008      | +199    | +199 | +199   |
| 8  | 90 | P-MLRGFSH-0890 | 1,088      | +215    | +215 | +215   |
| 8  | 96 | P-MLRGFSH-0896 | 1,174      | +233    | +233 | +233   |
| 12 | 24 | P-MLRGFSH-1224 | 432        | +44     | +44  | +44    |
| 12 | 30 | P-MLRGFSH-1230 | 522        | +64     | +64  | +64    |
| 12 | 36 | P-MLRGFSH-1236 | 609        | +83     | +83  | +83    |
| 12 | 42 | P-MLRGFSH-1242 | 698        | +99     | +99  | +99    |
| 12 | 48 | P-MLRGFSH-1248 | 792        | +116    | +116 | +116   |
| 12 | 54 | P-MLRGFSH-1254 | 879        | +136    | +136 | +136   |
| 12 | 60 | P-MLRGFSH-1260 | 967        | +153    | +153 | +153   |
| 12 | 66 | P-MLRGFSH-1266 | 1,060      | +169    | +169 | +169   |
| 12 | 72 | P-MLRGFSH-1272 | 1,152      | +185    | +185 | +185   |
| 12 | 78 | P-MLRGFSH-1278 | 1,244      | +200    | +200 | +200   |
| 12 | 84 | P-MLRGFSH-1284 | 1,342      | +216    | +216 | +216   |
| 12 | 90 | P-MLRGFSH-1290 | 1,448      | +233    | +233 | +233   |
| 12 | 96 | P-MLRGFSH-1296 | 1,565      | +252    | +252 | +252   |

**SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2**

| H  | W  | Model Number   | List Clear | Frosted | Gray | Bronze |
|----|----|----------------|------------|---------|------|--------|
| 16 | 24 | P-MLRGFSH-1624 | 533        | +49     | +49  | +49    |
| 16 | 30 | P-MLRGFSH-1630 | 614        | +72     | +72  | +72    |
| 16 | 36 | P-MLRGFSH-1636 | 721        | +89     | +89  | +89    |
| 16 | 42 | P-MLRGFSH-1642 | 859        | +110    | +110 | +110   |
| 16 | 48 | P-MLRGFSH-1648 | 947        | +129    | +129 | +129   |
| 16 | 54 | P-MLRGFSH-1654 | 1,055      | +153    | +153 | +153   |
| 16 | 60 | P-MLRGFSH-1660 | 1,188      | +172    | +172 | +172   |
| 16 | 66 | P-MLRGFSH-1666 | 1,296      | +194    | +194 | +194   |
| 16 | 72 | P-MLRGFSH-1672 | 1,414      | +206    | +206 | +206   |
| 16 | 78 | P-MLRGFSH-1678 | 1,525      | +222    | +222 | +222   |
| 16 | 84 | P-MLRGFSH-1684 | 1,650      | +240    | +240 | +240   |
| 16 | 90 | P-MLRGFSH-1690 | 1,781      | +260    | +260 | +260   |
| 16 | 96 | P-MLRGFSH-1696 | 1,923      | +280    | +280 | +280   |
| 20 | 24 | P-MLRGFSH-2024 | 632        | +54     | +54  | +54    |
| 20 | 30 | P-MLRGFSH-2030 | 705        | +80     | +80  | +80    |
| 20 | 36 | P-MLRGFSH-2036 | 834        | +95     | +95  | +95    |
| 20 | 42 | P-MLRGFSH-2042 | 1,021      | +121    | +121 | +121   |
| 20 | 48 | P-MLRGFSH-2048 | 1,101      | +142    | +142 | +142   |
| 20 | 54 | P-MLRGFSH-2054 | 1,231      | +170    | +170 | +170   |
| 20 | 60 | P-MLRGFSH-2060 | 1,411      | +191    | +191 | +191   |
| 20 | 66 | P-MLRGFSH-2066 | 1,533      | +219    | +219 | +219   |
| 20 | 72 | P-MLRGFSH-2072 | 1,677      | +227    | +227 | +227   |
| 20 | 78 | P-MLRGFSH-2078 | 1,811      | +244    | +244 | +244   |
| 20 | 84 | P-MLRGFSH-2084 | 1,956      | +264    | +264 | +264   |
| 20 | 90 | P-MLRGFSH-2090 | 2,114      | +287    | +287 | +287   |
| 20 | 96 | P-MLRGFSH-2096 | 2,281      | +308    | +308 | +308   |



Recessed Single HiLo Situation



3/8" Glass

**Specify**

• Finish Selection for Glass


**Notes**

- Single HiLo Situation Recessed Frameless Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


**Single HiLo Situation Recessed Frameless Glass**

**SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2**

| H  | W  | Model Number   | List Clear | Frosted | Gray | Bronze |
|----|----|----------------|------------|---------|------|--------|
| 24 | 24 | P-MLRGFSH-2424 | 734        | +59     | +59  | +59    |
| 24 | 30 | P-MLRGFSH-2430 | 796        | +88     | +88  | +88    |
| 24 | 36 | P-MLRGFSH-2436 | 947        | +101    | +101 | +101   |
| 24 | 42 | P-MLRGFSH-2442 | 1,183      | +132    | +132 | +132   |
| 24 | 48 | P-MLRGFSH-2448 | 1,255      | +155    | +155 | +155   |
| 24 | 54 | P-MLRGFSH-2454 | 1,404      | +187    | +187 | +187   |
| 24 | 60 | P-MLRGFSH-2460 | 1,631      | +210    | +210 | +210   |
| 24 | 66 | P-MLRGFSH-2466 | 1,768      | +244    | +244 | +244   |
| 24 | 72 | P-MLRGFSH-2472 | 1,940      | +248    | +248 | +248   |
| 24 | 78 | P-MLRGFSH-2478 | 2,095      | +266    | +266 | +266   |
| 24 | 84 | P-MLRGFSH-2484 | 2,264      | +288    | +288 | +288   |
| 24 | 90 | P-MLRGFSH-2490 | 2,447      | +314    | +314 | +314   |
| 24 | 96 | P-MLRGFSH-2496 | 2,640      | +336    | +336 | +336   |



Recessed Single HiLo Situation



3/8" Glass

**Specify**

- Finish Selection for Glass


**Notes**

- Single HiLo Situation Recessed Frameless Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


**Double HiLo Situation Up-Mounted Glass**

| DOUBLE HILO SITUATION UP-MOUNTED GLASS |    |              |              |               |                |              |                |
|----------------------------------------|----|--------------|--------------|---------------|----------------|--------------|----------------|
| H                                      | W  | Model Number | 1/4th" Clear | 1/4th" Tinted | 1/4th" Frosted | 3/8th" Clear | 3/8th" Frosted |
| 8                                      | 24 | A-FGMXH20824 | 193          | +33           | +68            | +92          | +136           |
| 8                                      | 30 | A-FGMXH20830 | 197          | +41           | +85            | +112         | +170           |
| 8                                      | 36 | A-FGMXH20836 | 213          | +49           | +102           | +132         | +204           |
| 8                                      | 42 | A-FGMXH20842 | 219          | +57           | +119           | +152         | +232           |
| 8                                      | 48 | A-FGMXH20848 | 247          | +65           | +135           | +172         | +270           |
| 8                                      | 54 | A-FGMXH20854 | 278          | +73           | +152           | +192         | +304           |
| 8                                      | 60 | A-FGMXH20860 | 318          | +81           | +169           | +212         | +338           |
| 8                                      | 66 | A-FGMXH20866 | 333          | +89           | +186           | +232         | +372           |
| 8                                      | 72 | A-FGMXH20872 | 361          | +97           | +203           | +252         | +406           |
| 12                                     | 24 | A-FGMXH21224 | 188          | +38           | +79            | +120         | +158           |
| 12                                     | 30 | A-FGMXH21230 | 225          | +47           | +99            | +146         | +198           |
| 12                                     | 36 | A-FGMXH21236 | 265          | +57           | +119           | +171         | +238           |
| 12                                     | 42 | A-FGMXH21242 | 301          | +66           | +138           | +196         | +276           |
| 12                                     | 48 | A-FGMXH21248 | 341          | +76           | +158           | +222         | +316           |
| 12                                     | 54 | A-FGMXH21254 | 380          | +85           | +178           | +247         | +356           |
| 12                                     | 60 | A-FGMXH21260 | 420          | +94           | +197           | +273         | +394           |
| 12                                     | 66 | A-FGMXH21266 | 454          | +104          | +217           | +298         | +434           |
| 12                                     | 72 | A-FGMXH21272 | 491          | +113          | +237           | +323         | +474           |


| DOUBLE HILO SITUATION UP-MOUNTED GLASS |    |              |              |               |                |              |                |
|----------------------------------------|----|--------------|--------------|---------------|----------------|--------------|----------------|
| H                                      | W  | Model Number | 1/4th" Clear | 1/4th" Tinted | 1/4th" Frosted | 3/8th" Clear | 3/8th" Frosted |
| 16                                     | 24 | A-FGMXH21624 | 229          | +43           | +90            | +148         | +180           |
| 16                                     | 30 | A-FGMXH21630 | 260          | +54           | +113           | +179         | +226           |
| 16                                     | 36 | A-FGMXH21636 | 301          | +65           | +135           | +210         | +270           |
| 16                                     | 42 | A-FGMXH21642 | 371          | +76           | +158           | +241         | +316           |
| 16                                     | 48 | A-FGMXH21648 | 400          | +86           | +180           | +272         | +360           |
| 16                                     | 54 | A-FGMXH21654 | 447          | +97           | +203           | +302         | +406           |
| 16                                     | 60 | A-FGMXH21660 | 513          | +108          | +225           | +333         | +450           |
| 16                                     | 66 | A-FGMXH21666 | 560          | +119          | +248           | +364         | +494           |
| 16                                     | 72 | A-FGMXH21672 | 606          | +129          | +270           | +395         | +540           |



Double HiLo Situation



1/4" Glass



3/8" Glass

**Specify**

- Finish Selection for Glass

**Notes**

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


**Double HiLo Situation Recessed Frameless Glass**

**DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2**


| H  | W  | Model Number   | List Clear | Frosted | Gray | Bronze |
|----|----|----------------|------------|---------|------|--------|
| 8  | 24 | P-MLRGFDH-0824 | 391        | +42     | +42  | +42    |
| 8  | 30 | P-MLRGFDH-0830 | 430        | +61     | +61  | +61    |
| 8  | 36 | P-MLRGFDH-0836 | 480        | +77     | +77  | +77    |
| 8  | 42 | P-MLRGFDH-0842 | 525        | +86     | +86  | +86    |
| 8  | 48 | P-MLRGFDH-0848 | 593        | +106    | +106 | +106   |
| 8  | 54 | P-MLRGFDH-0854 | 663        | +124    | +124 | +124   |
| 8  | 60 | P-MLRGFDH-0860 | 747        | +138    | +138 | +138   |
| 8  | 66 | P-MLRGFDH-0866 | 798        | +155    | +155 | +155   |
| 8  | 72 | P-MLRGFDH-0872 | 863        | +171    | +171 | +171   |
| 8  | 78 | P-MLRGFDH-0878 | 934        | +185    | +185 | +185   |
| 8  | 84 | P-MLRGFDH-0884 | 1,008      | +199    | +199 | +199   |
| 8  | 90 | P-MLRGFDH-0890 | 1,088      | +215    | +215 | +215   |
| 8  | 96 | P-MLRGFDH-0896 | 1,174      | +233    | +233 | +233   |
| 12 | 24 | P-MLRGFDH-1224 | 432        | +44     | +44  | +44    |
| 12 | 30 | P-MLRGFDH-1230 | 522        | +64     | +64  | +64    |
| 12 | 36 | P-MLRGFDH-1236 | 609        | +83     | +83  | +83    |
| 12 | 42 | P-MLRGFDH-1242 | 698        | +99     | +99  | +99    |
| 12 | 48 | P-MLRGFDH-1248 | 792        | +116    | +116 | +116   |
| 12 | 54 | P-MLRGFDH-1254 | 879        | +136    | +136 | +136   |
| 12 | 60 | P-MLRGFDH-1260 | 967        | +153    | +153 | +153   |
| 12 | 66 | P-MLRGFDH-1266 | 1,060      | +169    | +169 | +169   |
| 12 | 72 | P-MLRGFDH-1272 | 1,152      | +185    | +185 | +185   |
| 12 | 78 | P-MLRGFDH-1278 | 1,244      | +200    | +200 | +200   |
| 12 | 84 | P-MLRGFDH-1284 | 1,342      | +216    | +216 | +216   |
| 12 | 90 | P-MLRGFDH-1290 | 1,448      | +233    | +233 | +233   |
| 12 | 96 | P-MLRGFDH-1296 | 1,565      | +252    | +252 | +252   |

**DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2**

| H  | W  | Model Number   | List Clear | Frosted | Gray | Bronze |
|----|----|----------------|------------|---------|------|--------|
| 16 | 24 | P-MLRGFDH-1624 | 533        | +49     | +49  | +49    |
| 16 | 30 | P-MLRGFDH-1630 | 614        | +72     | +72  | +72    |
| 16 | 36 | P-MLRGFDH-1636 | 721        | +89     | +89  | +89    |
| 16 | 42 | P-MLRGFDH-1642 | 859        | +110    | +110 | +110   |
| 16 | 48 | P-MLRGFDH-1648 | 947        | +129    | +129 | +129   |
| 16 | 54 | P-MLRGFDH-1654 | 1,055      | +153    | +153 | +153   |
| 16 | 60 | P-MLRGFDH-1660 | 1,188      | +172    | +172 | +172   |
| 16 | 66 | P-MLRGFDH-1666 | 1,296      | +194    | +194 | +194   |
| 16 | 72 | P-MLRGFDH-1672 | 1,414      | +206    | +206 | +206   |
| 16 | 78 | P-MLRGFDH-1678 | 1,525      | +222    | +222 | +222   |
| 16 | 84 | P-MLRGFDH-1684 | 1,650      | +240    | +240 | +240   |
| 16 | 90 | P-MLRGFDH-1690 | 1,781      | +260    | +260 | +260   |
| 16 | 96 | P-MLRGFDH-1696 | 1,923      | +280    | +280 | +280   |
| 20 | 24 | P-MLRGFDH-2024 | 632        | +54     | +54  | +54    |
| 20 | 30 | P-MLRGFDH-2030 | 705        | +80     | +80  | +80    |
| 20 | 36 | P-MLRGFDH-2036 | 834        | +95     | +95  | +95    |
| 20 | 42 | P-MLRGFDH-2042 | 1,021      | +121    | +121 | +121   |
| 20 | 48 | P-MLRGFDH-2048 | 1,101      | +142    | +142 | +142   |
| 20 | 54 | P-MLRGFDH-2054 | 1,231      | +170    | +170 | +170   |
| 20 | 60 | P-MLRGFDH-2060 | 1,411      | +191    | +191 | +191   |
| 20 | 66 | P-MLRGFDH-2066 | 1,533      | +219    | +219 | +219   |
| 20 | 72 | P-MLRGFDH-2072 | 1,677      | +227    | +227 | +227   |
| 20 | 78 | P-MLRGFDH-2078 | 1,811      | +244    | +244 | +244   |
| 20 | 84 | P-MLRGFDH-2084 | 1,956      | +264    | +264 | +264   |
| 20 | 90 | P-MLRGFDH-2090 | 2,114      | +287    | +287 | +287   |
| 20 | 96 | P-MLRGFDH-2096 | 2,281      | +308    | +308 | +308   |



Double HiLo Situation



3/8" Glass

**Specify**

• Finish Selection for Glass


**Notes**

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


**Double HiLo Situation Recessed Frameless Glass**

**DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2**

| H  | W  | Model Number   | List Clear | Frosted | Gray | Bronze |
|----|----|----------------|------------|---------|------|--------|
| 24 | 24 | P-MLRGFDH-2424 | 734        | +42     | +42  | +42    |
| 24 | 30 | P-MLRGFDH-2430 | 796        | +61     | +61  | +61    |
| 24 | 36 | P-MLRGFDH-2436 | 947        | +77     | +77  | +77    |
| 24 | 42 | P-MLRGFDH-2442 | 1,183      | +86     | +86  | +86    |
| 24 | 48 | P-MLRGFDH-2448 | 1,255      | +106    | +106 | +106   |
| 24 | 54 | P-MLRGFDH-2454 | 1,404      | +124    | +124 | +124   |
| 24 | 60 | P-MLRGFDH-2460 | 1,631      | +138    | +138 | +138   |
| 24 | 66 | P-MLRGFDH-2466 | 1,768      | +155    | +155 | +155   |
| 24 | 72 | P-MLRGFDH-2472 | 1,940      | +171    | +171 | +171   |
| 24 | 78 | P-MLRGFDH-2478 | 2,095      | +185    | +185 | +185   |
| 24 | 84 | P-MLRGFDH-2484 | 2,264      | +199    | +199 | +199   |
| 24 | 90 | P-MLRGFDH-2490 | 2,447      | +215    | +215 | +215   |
| 24 | 96 | P-MLRGFDH-2496 | 2,640      | +233    | +233 | +233   |



Double HiLo Situation



3/8" Glass

**Specify**

- Finish Selection for Glass



**Notes**

- Double HiLo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8" thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

**Recessed Frameless Lexan**

| RECESSED FRAMELESS LEXAN |    |              |       |
|--------------------------|----|--------------|-------|
| H                        | W  | Model Number | List  |
| 8                        | 24 | P-YMLRGF0824 | 198   |
| 8                        | 30 | P-YMLRGF0830 | 246   |
| 8                        | 36 | P-YMLRGF0836 | 295   |
| 8                        | 42 | P-YMLRGF0842 | 346   |
| 8                        | 48 | P-YMLRGF0848 | 394   |
| 8                        | 54 | P-YMLRGF0854 | 444   |
| 8                        | 60 | P-YMLRGF0860 | 492   |
| 8                        | 66 | P-YMLRGF0866 | 543   |
| 8                        | 72 | P-YMLRGF0872 | 592   |
| 8                        | 78 | P-YMLRGF0878 | 639   |
| 8                        | 84 | P-YMLRGF0884 | 690   |
| 8                        | 90 | P-YMLRGF0890 | 737   |
| 8                        | 96 | P-YMLRGF0896 | 788   |
| 12                       | 24 | P-YMLRGF1224 | 285   |
| 12                       | 30 | P-YMLRGF1230 | 356   |
| 12                       | 36 | P-YMLRGF1236 | 427   |
| 12                       | 42 | P-YMLRGF1242 | 497   |
| 12                       | 48 | P-YMLRGF1248 | 567   |
| 12                       | 54 | P-YMLRGF1254 | 639   |
| 12                       | 60 | P-YMLRGF1260 | 710   |
| 12                       | 66 | P-YMLRGF1266 | 782   |
| 12                       | 72 | P-YMLRGF1272 | 854   |
| 12                       | 78 | P-YMLRGF1278 | 925   |
| 12                       | 84 | P-YMLRGF1284 | 995   |
| 12                       | 90 | P-YMLRGF1290 | 1,066 |
| 12                       | 96 | P-YMLRGF1296 | 1,137 |

| RECESSED FRAMELESS LEXAN |    |              |       |
|--------------------------|----|--------------|-------|
| H                        | W  | Model Number | List  |
| 16                       | 24 | P-YMLRGF1624 | 371   |
| 16                       | 30 | P-YMLRGF1630 | 464   |
| 16                       | 36 | P-YMLRGF1636 | 556   |
| 16                       | 42 | P-YMLRGF1642 | 648   |
| 16                       | 48 | P-YMLRGF1648 | 742   |
| 16                       | 54 | P-YMLRGF1654 | 836   |
| 16                       | 60 | P-YMLRGF1660 | 928   |
| 16                       | 66 | P-YMLRGF1666 | 1,021 |
| 16                       | 72 | P-YMLRGF1672 | 1,113 |
| 16                       | 78 | P-YMLRGF1678 | 1,207 |
| 16                       | 84 | P-YMLRGF1684 | 1,299 |
| 16                       | 90 | P-YMLRGF1690 | 1,392 |
| 16                       | 96 | P-YMLRGF1696 | 1,484 |
| 20                       | 24 | P-YMLRGF2024 | 457   |
| 20                       | 30 | P-YMLRGF2030 | 572   |
| 20                       | 36 | P-YMLRGF2036 | 687   |
| 20                       | 42 | P-YMLRGF2042 | 801   |
| 20                       | 48 | P-YMLRGF2048 | 917   |
| 20                       | 54 | P-YMLRGF2054 | 1,031 |
| 20                       | 60 | P-YMLRGF2060 | 1,145 |
| 20                       | 66 | P-YMLRGF2066 | 1,261 |
| 20                       | 72 | P-YMLRGF2072 | 1,374 |
| 20                       | 78 | P-YMLRGF2078 | 1,490 |
| 20                       | 84 | P-YMLRGF2084 | 1,604 |
| 20                       | 90 | P-YMLRGF2090 | 1,718 |
| 20                       | 96 | P-YMLRGF2096 | 1,834 |



3/8" Clear Lexan

**Specify**



**Notes**

- Recessed Frameless Lexan are sheets of clear lexan screens to be used with up-mounted kits.
- Available in clear only.
- Screens are 3/8" thick.
- Screen mounting kit ordered separately.
- Lexan height is nominal, not including the lexan inside of the frame.
- Screen must match frame width (no off-modular screens).

**Recessed Frameless Lexan**

| RECESSED FRAMELESS LEXAN |    |              |       |
|--------------------------|----|--------------|-------|
| H                        | W  | Model Number | List  |
| 24                       | 24 | P-YMLRGF2424 | 545   |
| 24                       | 30 | P-YMLRGF2430 | 682   |
| 24                       | 36 | P-YMLRGF2436 | 817   |
| 24                       | 42 | P-YMLRGF2442 | 954   |
| 24                       | 48 | P-YMLRGF2448 | 1,091 |
| 24                       | 54 | P-YMLRGF2454 | 1,226 |
| 24                       | 60 | P-YMLRGF2460 | 1,363 |
| 24                       | 66 | P-YMLRGF2466 | 1,501 |
| 24                       | 72 | P-YMLRGF2472 | 1,636 |
| 24                       | 78 | P-YMLRGF2478 | 1,773 |
| 24                       | 84 | P-YMLRGF2484 | 1,909 |
| 24                       | 90 | P-YMLRGF2490 | 2,045 |
| 24                       | 96 | P-YMLRGF2496 | 2,181 |
| 28                       | 24 | P-YMLRGF2824 | 631   |
| 28                       | 30 | P-YMLRGF2830 | 789   |
| 28                       | 36 | P-YMLRGF2836 | 948   |
| 28                       | 42 | P-YMLRGF2842 | 1,106 |
| 28                       | 48 | P-YMLRGF2848 | 1,264 |
| 28                       | 54 | P-YMLRGF2854 | 1,423 |
| 28                       | 60 | P-YMLRGF2860 | 1,582 |
| 28                       | 66 | P-YMLRGF2866 | 1,738 |
| 28                       | 72 | P-YMLRGF2872 | 1,897 |
| 28                       | 78 | P-YMLRGF2878 | 2,056 |
| 28                       | 84 | P-YMLRGF2884 | 2,214 |
| 28                       | 90 | P-YMLRGF2890 | 2,371 |
| 28                       | 96 | P-YMLRGF2896 | 2,530 |

| RECESSED FRAMELESS LEXAN |    |              |       |
|--------------------------|----|--------------|-------|
| H                        | W  | Model Number | List  |
| 32                       | 24 | P-YMLRGF3224 | 718   |
| 32                       | 30 | P-YMLRGF3230 | 897   |
| 32                       | 36 | P-YMLRGF3236 | 1,078 |
| 32                       | 42 | P-YMLRGF3242 | 1,259 |
| 32                       | 48 | P-YMLRGF3248 | 1,439 |
| 32                       | 54 | P-YMLRGF3254 | 1,617 |
| 32                       | 60 | P-YMLRGF3260 | 1,798 |
| 32                       | 66 | P-YMLRGF3266 | 1,978 |
| 32                       | 72 | P-YMLRGF3272 | 2,158 |
| 32                       | 78 | P-YMLRGF3278 | 2,339 |
| 32                       | 84 | P-YMLRGF3284 | 2,519 |
| 32                       | 90 | P-YMLRGF3290 | 2,698 |
| 32                       | 96 | P-YMLRGF3296 | 2,880 |



3/8" Clear Lexan

**Specify**

**Notes**

- Recessed Frameless Lexan are sheets of clear lexan screens to be used with up-mounted kits.
- Available in clear only.
- Screens are 3/8" thick.
- Screen mounting kit ordered separately.
- Lexan height is nominal, not including the lexan inside of the frame.
- Screen must match frame width (no off-modular screens).


**Single HiLo Situation Recessed Frameless Lexan**

**SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN**


| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 8  | 24 | P-YMLRGFSH-0824 | 194   |
| 8  | 30 | P-YMLRGFSH-0830 | 241   |
| 8  | 36 | P-YMLRGFSH-0836 | 292   |
| 8  | 42 | P-YMLRGFSH-0842 | 342   |
| 8  | 48 | P-YMLRGFSH-0848 | 390   |
| 8  | 54 | P-YMLRGFSH-0854 | 440   |
| 8  | 60 | P-YMLRGFSH-0860 | 488   |
| 8  | 66 | P-YMLRGFSH-0866 | 537   |
| 8  | 72 | P-YMLRGFSH-0872 | 588   |
| 8  | 78 | P-YMLRGFSH-0878 | 636   |
| 8  | 84 | P-YMLRGFSH-0884 | 686   |
| 8  | 90 | P-YMLRGFSH-0890 | 734   |
| 8  | 96 | P-YMLRGFSH-0896 | 785   |
| 12 | 24 | P-YMLRGFSH-1224 | 279   |
| 12 | 30 | P-YMLRGFSH-1230 | 350   |
| 12 | 36 | P-YMLRGFSH-1236 | 422   |
| 12 | 42 | P-YMLRGFSH-1242 | 491   |
| 12 | 48 | P-YMLRGFSH-1248 | 562   |
| 12 | 54 | P-YMLRGFSH-1254 | 633   |
| 12 | 60 | P-YMLRGFSH-1260 | 705   |
| 12 | 66 | P-YMLRGFSH-1266 | 776   |
| 12 | 72 | P-YMLRGFSH-1272 | 847   |
| 12 | 78 | P-YMLRGFSH-1278 | 918   |
| 12 | 84 | P-YMLRGFSH-1284 | 989   |
| 12 | 90 | P-YMLRGFSH-1290 | 1,059 |
| 12 | 96 | P-YMLRGFSH-1296 | 1,130 |

**SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN**

| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 16 | 24 | P-YMLRGFSH-1624 | 363   |
| 16 | 30 | P-YMLRGFSH-1630 | 456   |
| 16 | 36 | P-YMLRGFSH-1636 | 548   |
| 16 | 42 | P-YMLRGFSH-1642 | 642   |
| 16 | 48 | P-YMLRGFSH-1648 | 734   |
| 16 | 54 | P-YMLRGFSH-1654 | 828   |
| 16 | 60 | P-YMLRGFSH-1660 | 921   |
| 16 | 66 | P-YMLRGFSH-1666 | 1,015 |
| 16 | 72 | P-YMLRGFSH-1672 | 1,106 |
| 16 | 78 | P-YMLRGFSH-1678 | 1,199 |
| 16 | 84 | P-YMLRGFSH-1684 | 1,291 |
| 16 | 90 | P-YMLRGFSH-1690 | 1,384 |
| 16 | 96 | P-YMLRGFSH-1696 | 1,478 |
| 20 | 24 | P-YMLRGFSH-2024 | 448   |
| 20 | 30 | P-YMLRGFSH-2030 | 562   |
| 20 | 36 | P-YMLRGFSH-2036 | 678   |
| 20 | 42 | P-YMLRGFSH-2042 | 791   |
| 20 | 48 | P-YMLRGFSH-2048 | 907   |
| 20 | 54 | P-YMLRGFSH-2054 | 1,021 |
| 20 | 60 | P-YMLRGFSH-2060 | 1,136 |
| 20 | 66 | P-YMLRGFSH-2066 | 1,251 |
| 20 | 72 | P-YMLRGFSH-2072 | 1,365 |
| 20 | 78 | P-YMLRGFSH-2078 | 1,480 |
| 20 | 84 | P-YMLRGFSH-2084 | 1,595 |
| 20 | 90 | P-YMLRGFSH-2090 | 1,708 |
| 20 | 96 | P-YMLRGFSH-2096 | 1,824 |



Single HiLo Situation



3/8" Clear Lexan

**Specify**

**Notes**

- Single HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1/2" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.




**Single HiLo Situation Recessed Frameless Lexan**

**SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN**


| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 24 | 24 | P-YMLRGFSH-2424 | 534   |
| 24 | 30 | P-YMLRGFSH-2430 | 670   |
| 24 | 36 | P-YMLRGFSH-2436 | 806   |
| 24 | 42 | P-YMLRGFSH-2442 | 942   |
| 24 | 48 | P-YMLRGFSH-2448 | 1,078 |
| 24 | 54 | P-YMLRGFSH-2454 | 1,214 |
| 24 | 60 | P-YMLRGFSH-2460 | 1,352 |
| 24 | 66 | P-YMLRGFSH-2466 | 1,489 |
| 24 | 72 | P-YMLRGFSH-2472 | 1,624 |
| 24 | 78 | P-YMLRGFSH-2478 | 1,762 |
| 24 | 84 | P-YMLRGFSH-2484 | 1,897 |
| 24 | 90 | P-YMLRGFSH-2490 | 2,034 |
| 24 | 96 | P-YMLRGFSH-2496 | 2,170 |
| 28 | 24 | P-YMLRGFSH-2824 | 618   |
| 28 | 30 | P-YMLRGFSH-2830 | 777   |
| 28 | 36 | P-YMLRGFSH-2836 | 936   |
| 28 | 42 | P-YMLRGFSH-2842 | 1,093 |
| 28 | 48 | P-YMLRGFSH-2848 | 1,252 |
| 28 | 54 | P-YMLRGFSH-2854 | 1,410 |
| 28 | 60 | P-YMLRGFSH-2860 | 1,569 |
| 28 | 66 | P-YMLRGFSH-2866 | 1,726 |
| 28 | 72 | P-YMLRGFSH-2872 | 1,885 |
| 28 | 78 | P-YMLRGFSH-2878 | 2,043 |
| 28 | 84 | P-YMLRGFSH-2884 | 2,200 |
| 28 | 90 | P-YMLRGFSH-2890 | 2,359 |
| 28 | 96 | P-YMLRGFSH-2896 | 2,518 |

**SINGLE HILO SITUATION RECESSED FRAMELESS LEXAN**

| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 32 | 24 | P-YMLRGFSH-3224 | 704   |
| 32 | 30 | P-YMLRGFSH-3230 | 882   |
| 32 | 36 | P-YMLRGFSH-3236 | 1,062 |
| 32 | 42 | P-YMLRGFSH-3242 | 1,242 |
| 32 | 48 | P-YMLRGFSH-3248 | 1,424 |
| 32 | 54 | P-YMLRGFSH-3254 | 1,603 |
| 32 | 60 | P-YMLRGFSH-3260 | 1,784 |
| 32 | 66 | P-YMLRGFSH-3266 | 1,963 |
| 32 | 72 | P-YMLRGFSH-3272 | 2,144 |
| 32 | 78 | P-YMLRGFSH-3278 | 2,322 |
| 32 | 84 | P-YMLRGFSH-3284 | 2,504 |
| 32 | 90 | P-YMLRGFSH-3290 | 2,683 |
| 32 | 96 | P-YMLRGFSH-3296 | 2,864 |



Single HiLo Situation



3/8" Clear Lexan

**Specify**

**Notes**

- Single HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1/2" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.


**Double HiLo Situation Recessed Frameless Lexan**

**DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN**


| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 8  | 24 | P-YMLRGFDH-0824 | 191   |
| 8  | 30 | P-YMLRGFDH-0830 | 238   |
| 8  | 36 | P-YMLRGFDH-0836 | 289   |
| 8  | 42 | P-YMLRGFDH-0842 | 337   |
| 8  | 48 | P-YMLRGFDH-0848 | 385   |
| 8  | 54 | P-YMLRGFDH-0854 | 436   |
| 8  | 60 | P-YMLRGFDH-0860 | 483   |
| 8  | 66 | P-YMLRGFDH-0866 | 534   |
| 8  | 72 | P-YMLRGFDH-0872 | 583   |
| 8  | 78 | P-YMLRGFDH-0878 | 632   |
| 8  | 84 | P-YMLRGFDH-0884 | 682   |
| 8  | 90 | P-YMLRGFDH-0890 | 729   |
| 8  | 96 | P-YMLRGFDH-0896 | 779   |
| 12 | 24 | P-YMLRGFDH-1224 | 273   |
| 12 | 30 | P-YMLRGFDH-1230 | 344   |
| 12 | 36 | P-YMLRGFDH-1236 | 414   |
| 12 | 42 | P-YMLRGFDH-1242 | 484   |
| 12 | 48 | P-YMLRGFDH-1248 | 556   |
| 12 | 54 | P-YMLRGFDH-1254 | 627   |
| 12 | 60 | P-YMLRGFDH-1260 | 698   |
| 12 | 66 | P-YMLRGFDH-1266 | 769   |
| 12 | 72 | P-YMLRGFDH-1272 | 841   |
| 12 | 78 | P-YMLRGFDH-1278 | 911   |
| 12 | 84 | P-YMLRGFDH-1284 | 981   |
| 12 | 90 | P-YMLRGFDH-1290 | 1,052 |
| 12 | 96 | P-YMLRGFDH-1296 | 1,124 |

**DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN**

| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 16 | 24 | P-YMLRGFDH-1624 | 356   |
| 16 | 30 | P-YMLRGFDH-1630 | 448   |
| 16 | 36 | P-YMLRGFDH-1636 | 542   |
| 16 | 42 | P-YMLRGFDH-1642 | 633   |
| 16 | 48 | P-YMLRGFDH-1648 | 726   |
| 16 | 54 | P-YMLRGFDH-1654 | 818   |
| 16 | 60 | P-YMLRGFDH-1660 | 912   |
| 16 | 66 | P-YMLRGFDH-1666 | 1,006 |
| 16 | 72 | P-YMLRGFDH-1672 | 1,099 |
| 16 | 78 | P-YMLRGFDH-1678 | 1,191 |
| 16 | 84 | P-YMLRGFDH-1684 | 1,284 |
| 16 | 90 | P-YMLRGFDH-1690 | 1,375 |
| 16 | 96 | P-YMLRGFDH-1696 | 1,469 |
| 20 | 24 | P-YMLRGFDH-2024 | 440   |
| 20 | 30 | P-YMLRGFDH-2030 | 553   |
| 20 | 36 | P-YMLRGFDH-2036 | 669   |
| 20 | 42 | P-YMLRGFDH-2042 | 783   |
| 20 | 48 | P-YMLRGFDH-2048 | 897   |
| 20 | 54 | P-YMLRGFDH-2054 | 1,012 |
| 20 | 60 | P-YMLRGFDH-2060 | 1,127 |
| 20 | 66 | P-YMLRGFDH-2066 | 1,241 |
| 20 | 72 | P-YMLRGFDH-2072 | 1,357 |
| 20 | 78 | P-YMLRGFDH-2078 | 1,470 |
| 20 | 84 | P-YMLRGFDH-2084 | 1,586 |
| 20 | 90 | P-YMLRGFDH-2090 | 1,700 |
| 20 | 96 | P-YMLRGFDH-2096 | 1,815 |



Double HiLo Situation



3/8" Clear Lexan

**Specify**

**Notes**

- Double HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.


**Double HiLo Situation Recessed Frameless Lexan**

**DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN**


| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 24 | 24 | P-YMLRGFDH-2424 | 522   |
| 24 | 30 | P-YMLRGFDH-2430 | 658   |
| 24 | 36 | P-YMLRGFDH-2436 | 794   |
| 24 | 42 | P-YMLRGFDH-2442 | 931   |
| 24 | 48 | P-YMLRGFDH-2448 | 1,068 |
| 24 | 54 | P-YMLRGFDH-2454 | 1,204 |
| 24 | 60 | P-YMLRGFDH-2460 | 1,341 |
| 24 | 66 | P-YMLRGFDH-2466 | 1,478 |
| 24 | 72 | P-YMLRGFDH-2472 | 1,613 |
| 24 | 78 | P-YMLRGFDH-2478 | 1,751 |
| 24 | 84 | P-YMLRGFDH-2484 | 1,886 |
| 24 | 90 | P-YMLRGFDH-2490 | 2,023 |
| 24 | 96 | P-YMLRGFDH-2496 | 2,158 |
| 28 | 24 | P-YMLRGFDH-2824 | 605   |
| 28 | 30 | P-YMLRGFDH-2830 | 764   |
| 28 | 36 | P-YMLRGFDH-2836 | 922   |
| 28 | 42 | P-YMLRGFDH-2842 | 1,079 |
| 28 | 48 | P-YMLRGFDH-2848 | 1,238 |
| 28 | 54 | P-YMLRGFDH-2854 | 1,424 |
| 28 | 60 | P-YMLRGFDH-2860 | 1,554 |
| 28 | 66 | P-YMLRGFDH-2866 | 1,712 |
| 28 | 72 | P-YMLRGFDH-2872 | 1,871 |
| 28 | 78 | P-YMLRGFDH-2878 | 2,029 |
| 28 | 84 | P-YMLRGFDH-2884 | 2,187 |
| 28 | 90 | P-YMLRGFDH-2890 | 2,346 |
| 28 | 96 | P-YMLRGFDH-2896 | 2,504 |

**DOUBLE HILO SITUATION RECESSED FRAMELESS LEXAN**

| H  | W  | Model Number    | List  |
|----|----|-----------------|-------|
| 32 | 24 | P-YMLRGFDH-3224 | 688   |
| 32 | 30 | P-YMLRGFDH-3230 | 868   |
| 32 | 36 | P-YMLRGFDH-3236 | 1,048 |
| 32 | 42 | P-YMLRGFDH-3242 | 1,227 |
| 32 | 48 | P-YMLRGFDH-3248 | 1,409 |
| 32 | 54 | P-YMLRGFDH-3254 | 1,589 |
| 32 | 60 | P-YMLRGFDH-3260 | 1,768 |
| 32 | 66 | P-YMLRGFDH-3266 | 1,948 |
| 32 | 72 | P-YMLRGFDH-3272 | 2,128 |
| 32 | 78 | P-YMLRGFDH-3278 | 2,308 |
| 32 | 84 | P-YMLRGFDH-3284 | 2,489 |
| 32 | 90 | P-YMLRGFDH-3290 | 2,669 |
| 32 | 96 | P-YMLRGFDH-3296 | 2,850 |



Double HiLo Situation



3/8" Clear Lexan

**Specify**

**Notes**

- Double HiLo Situation Recessed Frameless Lexan are sheets of lexan to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the lexan must be 1" smaller horizontally.
- Available in clear only.
- Lexan is 3/8" thick.
- Mounting Kit Ordered Separately.
- Lexan should match frame width (no off-modular screens).
- For use with Linear Frames only.



**National Showrooms:**

**Leominster**

AIS Headquarters  
25 Tucker Drive  
Leominster, MA 01453

---

**Chicago**

The Merchandise Mart  
Suite 1086  
Chicago, Illinois 60654

**New York**

AIS New York  
257 Park Avenue South  
New York, New York 10010

**Washington, D.C.**

AIS Washington, D.C.  
1501 M St, NW, STE 230  
Washington, D.C. 20005

**GSA Sales**

GSA Contract 47QSM20D08Q4  
Multiple Award Schedule (MAS)  
Large Category: Furniture & Furnishings  
Subcategories: Office Furniture, Packaged  
Office Furniture and Furniture Services

**For additional information on AIS:**

Dealer Showrooms, Representative  
Directory, Project Case Studies, Online  
Catalog & Product Showcase  
Visit: [www.ais-inc.com](http://www.ais-inc.com)