

OXYGEN™ BENCHING SYSTEM

March 2023 Price List

AIS

PRODUCT INFORMATION

Oxygen Statement of Line 4
 Oxygen Finish Options 8
 Oxygen Product Details 12
 Oxygen Electrical Components 15
 Oxygen Typical 16

BENCH KITS

Powered Bench Kits with Access Boxes 19
 Chicago Junction Box Bench Kits with Access Boxes 20
 Powered Bench Kits with Grommets 21
 Chicago Junction Box Bench Kits with Grommets 22
 Non-Powered Bench Kits with Grommets 23

120 BENCH KITS

120 Powered Bench Kits with Access Boxes 24
 120 Chicago Powered Bench Kits with Access Boxes 25
 120 Non-Powered Bench Kits with Access Boxes 26
 120 Powered Bench Kits with Grommets 27
 120 Chicago Powered Bench Kits with Grommets 28
 120 Non-Powered Bench Kits with Grommets 29

RETURNS

Rectangular Returns 30
 Slant Returns 31
 Return Support Rails 32
 Return Strips 33

LEG KITS

Straight Leg Kits 34
 Slim Leg Kits 35
 Slant Leg Kits 36
 Stand-Alone Single Legs 37

END PANELS

Laminate End Panels 38

MODESTY PANELS

Full Modesty Panels for Rectangular Benches 40
 120 Modesty Panels and 120 Modesty Covers 41

COVERS

End-of-Run Covers 42

GALLERY PANELS

Gallery Panels 43

ELECTRICAL AND DATA

Duplex Outlets 46
 Data Plate Kits and Data Housing Units 48
 Jumpers and In-Feeds 49
 In-Feeds, Power Poles and Extenders 50

SPINE SCREENS

Glass 1/4" Universal Spine Insert Screens 52
 Glass 3/8" Universal Spine Insert Screens 53
 Lexan 1/4" Universal Spine Insert Screens 54
 PET Universal Spine Insert Screens 55

STORAGE

Floor Bookcases 56

Cabinet Door and Sliding Door Credenzas 57

Shared Sliding Door Floor Bookcases and Single Door Cabinets 58

Mini Hutches and Mini Hutch Tackboards 59

Mini Shared Shelves and Mini Shared Shelf Tackboards 60

Single-Sided Desktop Bookcases 61

Double-Sided Desktop Bookcases 62

Spine Shared Desktop Bookcases 63

Single-Sided and Spine Shared Desktop Bookcase Tackboards 64

Endcap Hutches Endcap Hutch Tackboards 65

Shared Overheads and Bench End Worksurfaces 65

PEDESTALS AND LATERAL FILES

Metal Freestanding Pedestals 67

Freestanding Laminate Pedestals and Lateral Files 68

SLIM LEG TABLES

Pebble Tables with Slim Post Legs 69

Corner Left Tables with Slim Post Legs 70

Corner Right Tables with Slim Post Legs 71

120° Corner and 60° Trapezoid with Slim Post Legs 72

Round and Triangle Tables with Slim Post Legs 73

ACCESSORIES

Tool Rails and Bench End Worksurfaces 74

Tool Bar Accessories and Spin-Out Pencil Drawers 75

Credenza Cushions 76

Lock Cores and Replacement Pulls 77

Keyboard Arms and Accessories 78

V-Series Keyboard Arms 79

CPU Holders 80

Monitor Arms 81

Task Lights 82

Power Data Solutions 83


Power Data Solutions and Ganging Bolts 84

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:
<https://aiscmsprod.blob.core.windows.net/infocenter/AISTermsWarranty.pdf>

Note: Please see Screens Price Lists for Oxygen specific screens.


BENCH TOP KITS AND RETURNS




Single-Sided Bench Top Kits
Powered or Non-Powered




Double-Sided Bench Top Kits
Powered or Non-Powered




120 Single-Sided Bench Kit
Powered or Non-Powered
With Access Box or Grommet




120 Double-Sided Bench Kit
Powered or Non-Powered
With Access Box or Grommet




120 Triple-Sided Bench Kit
Powered or Non-Powered
With Access Box or Grommet




Rectangular Return Surfaces
With or Without Power Cut-Out



Slant Return Surfaces
With or Without Power Cut-Out




Return Support Rails




Return Strips


LEGS




Straight Legs
Post Legs, End-of-Run, Shared and Mobile




Slim Legs
Post Legs, End-of-Run, Shared and Mobile




Slanted Legs
Post Legs, End-of-Run and Shared




END PANELS




Single-Sided End Panel
Left or Right
Left Shown




Double Sided End Panel




Mid-Run End Panel
Left or Right
Left Shown




Modesty End Panel for
Rectangular Benches




120 Modesty Panels
Single or Double, Full or Half



End-of-Run Covers
Flat or Tapered




120 Single Bench Modesty Cover
Full or Half




Gallery Panels

Note: Please see individual price list pages for specific sizes. Woodgrain on bench top runs parallel to spine beam. Woodgrain on end panels, modesty panels and gallery panels 18" wide to 60" wide runs vertically while panels 66" wide to 96" wide run horizontally. Bench top kits 36 and 42 accommodate (2) duplex outlets per seat, widths 48 - 96 accommodate (4) duplex outlets. Leg heights are 27.5 minimum with 1.5" glide range.


ELECTRICAL AND DATA




Duplex Outlet




USB Outlet




Data Plate Kit



Surface Mount Data Housing Unit



Duplex Outlet Cover




Single Gang Plate Adapter



Electrical Jumper




Ceiling In Feed




Side Mounted Base In-Feed




Power/Data Pole Kit



Side Mounted Based In-Feed with Pole




Power/Data Pole Extender




Expandable Cable Management Strip

STORAGE


26" High Storage




26" High Floor Bookcase




26" High Shared Floor Bookcase
Left or Right
Right Shown




26" High Cabinet Door Credenza



26" High Sliding Door Credenza




26" High Shared Sliding Door Floor Bookcase
Left or Right
Right Shown




26" High Single Door Cabinet


Mini Hutches




Single-Sided Mini Hutch



Double-Sided Mini Hutch




Horizontal Mini Shared Shelf




Vertical Mini Shared Shelf

Mini Shared Shelves


Desktop Bookcases




Single-Sided Bookcases




Single-Sided Bookcases on 8" Feet




Double-Sided Bookcases



Double-Sided Bookcases on 8" Feet




Spine Shared Bookcase



Spine Shared Bookcase on 8" Feet


STORAGE

Endcap Hutch




Endcap Hutch

Shared Overheads




Shared Overheads with Sliding Doors

Bench End Worksurfaces




Bench End Worksurface


PEDESTALS AND LATERAL FILES



26" High Freestanding Pedestal
Box/Box/File or File/File



26" High Freestanding Pedestal
Box/Box/File or File/File




26" High Freestanding Lateral
File/File


SLIM LEG TABLES




Pebble Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



Corner Left Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



Corner Right Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



120° Corner Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



60° Trapezoid Tables with Slim Post Legs
2mm Edge, On Glides or Casters
2mm Edge on Glides Shown




Round Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown




Triangle Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown


ACCESSORIES




Universal Spine Insert Screens
Glass, Lexan or PET




Rear-Mounted Tool Rail




Front-To-Back Tool Bars
Left, Right or Shared




Standard Tool Bar Accessories




Metal Tool Bar Accessories




Spin-Out Pencil Drawers




Lock Cores and Keys




Replacement Pulls




Credenza and Pedestal
Cushions




Keyboard Arms
Standard or Extended



Oxygen Spacer




Standard Mouse Tray



V-Series Keyboard Arms
Standard, Extended or Sit-Stand




CPU Holders
Easy Access, Lockable or Elevator




Monitor Arms
Single or Double



LED Task Lights
Clamp, Desk Base or Short Clamp



Power Data Solutions



Ganging Bolt

Upholstery Fabric Options

UPHOLSTERY OPTIONS

Name	Grade
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Zagger	A
Beehive	B
Gem	B
Stamper	B
Blazer	D

Performance Alta™

Frock	B
Mirage	B
Prospect	B
Sway	B

CF Stinson Alliance Upholstery

Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E

Mayer Alliance Upholstery

Rumba	B
Fedora	C
Havana	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D

Momentum Alliance Program

Bobby	B
Grid	B
Origin	B
Odyssey	C
Tradition	C
Canter	D
Cover Cloth	D
Point	D
Beta	E
Boom II	E
Faux Felt	E

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

C.O.M. Fabric Policy

- Please view all pre-approved COMs here: <https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms>
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Tackboard Fabric Options

VERTICAL SURFACE FABRICS

Name	Grade
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66" & 72" wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54" wide, any screen over 48" wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. [The COM Fabric Dealer Form may be downloaded or printed here.](#)
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Paint, Edgeband and Tempered Glass Options

OXYGEN PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Custom Paints

- Minimum order size for any custom color is \$75,000 list. Extended lead-time will apply.
- Any color not shown on Quick Ship, Standard Grade A, B or C will be considered custom.
- A \$450 net paint match fee will be assessed following receipt of (2) 5"x5" samples of paint being matched.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.
- Additionally, Grade C paint up-charges will be applied to all applicable products on the order.
- **Important Custom Paint Note:** Most paint match pricing can be covered by the Grade C up-charge in the catalog, however the final pricing can only be determined after the paint is matched and a product list is provided to AIS customer service. An additional fee may apply based on job size and paint color.

TEMPERED GLASS OPTIONS

Name	3/8" Thick Frameless Glass
Bronze Tint	Y
Clear	Y
Frosted	Y
Grey Tint	Y

All glass is tempered. The etched side of Frosted and Aqiu is only on one side of a screen, the opposite side is smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

EDGE BAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecrú	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is \$75,000.00 list. Extended lead-time will apply.

Laminate Options

WORKSURFACE LAMINATE OPTIONS

Name	Grade
Absolute Acajou*	A
Aimtoo Savatre*	A
Black*	A
Brazilwood*	A
Chalk*	A
Corporate Walnut*	A
Dark Rum Cherry*	A
Field Elm	A
Grand Cherry*	A
Grey Elm	A
Landmark	A
Leave Likatre*	A
Linen	A
Looks Likatre*	A
Maritime Dune*	A
Midwest Maple*	A
Neo Walnut	A
Phantom Ecrú	A
Phantom Pearl	A
Storm*	A
Summer Drops*	A
True White*	A
Trytoo Savatre*	A
White Chocolate*	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B

WORKSURFACE LAMINATE OPTIONS


Name	Grade
Fonthill Pear	B
Grey Mesh	B
Gridlock in L.A.	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potteryware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
White Spektrum	B
Windswept Poweter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

*Indicates a Grade A finish that can be used on Casegood body/case/door/drawer.


Oxygen Product Details

**Product Detail 1
Bench Top Kit Dimensions**

Actual width on bench top kits is the same as the nominal width.




Actual depth on double-sided bench top kits is the same as nominal. Actual depth on single-sided kits is nominal plus 1.25", to allow for the spine beam.



Spine beam allows for clamping accessories with a .25" space between the worksurface and spine beam.



Each of the 4 "basket" locations allow for .85" x .95" of cable space before overflowing.




**Product Detail 2
Power and Data Details**

Power / Data Poles come in Double-Sided, Single-Sided and Base In-Feed configurations. The single-sided poles are handed. Pole extenders are also available in 28" and 48" lengths.

Note: Widths 36 and 42 accommodate (2) duplex outlets per seat. Widths 48 - 96 accommodate (4) duplex outlets.



Monitor Arms and some accessories can clamp to rear of surface or inside the access box.




Product Detail 3
Access Box and Storage Placement

The access box location should be taken into consideration when placing 26" high storage elements. See below for examples and cautionary configurations. Note: where the access box can inhibit storage placement, the bench top kits with a grommet will not.


24"D x 48"W Single Bench

Access box will not allow for storage to be fully located under the bench surface.




24"D x 60"W Single Bench

Access box will allow for storage to be located under the bench surface, however the wire trough will have the storage placed with a 1" overhang to the surface.




30"D x 48"W Single Bench

Access box will not allow for storage to be fully located under the bench surface.



30"D x 60"W Single Bench


Access box will allow for storage to be fully located under the bench surface.






Product Detail 4
Laminate End Panels and Creep

Laminate End Panels will add 1.1" of creep for each end panel used.

Metal Legs = No Creep



Laminate End Panels = 1.1" Creep each



Oxygen Product Details

Grommet holes are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve). Grommet covers are available in either grey or black and are included with the grommet options.



Important: Grommets are always 3.5" from the rear of the surface and 6" from the end of the surface.

Bench Top Kits with Access Box

Option A	No additional grommets	-
Option C	Location 1	+38
Option D	Location 2	+38
Option E	Location 1 + 2	+76

Notes: All bench top kits with access box automatically include the access box cut-out and box.

Note: Double-sided kits maintain left / right hand placement.





Bench Top Kits with Grommet

Option B	Center Only (Included)	-
Option C	Location 1 + Center	+38
Option D	Location 2 + Center	+38
Option E	Location 1 + 2 + Center	+76

Notes: All bench top kits with grommet automatically include the center grommet.

Note: Double-sided kits maintain left / right hand placement.





Oxygen Electrical Components

8 WIRE 4 CIRCUIT


AIS Oxygen 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).

Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).



DUPLEX OUTLETS


Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



Common Equipment Amperages	
Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Fan	1.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08


Typicals 1 - 4

Typical 1




- | | |
|---|---|
| 1. Double-Sided Powered Bench Kit w/ Access Box | 5. Glass Spine Screen |
| 2. Double-Sided Bench Slant Leg Kit | 6. Front-to-Back Tool Bar |
| 3. Double-Sided Bench Slant Leg Kit (Shared) | 7. Mobile Box / File Pedestal w/ Cushion (see Calibrate Price List for Details) |
| 4. Slant Leg End-of-Run Cover (Tapered) | |

Typical 2




- | | |
|---|--------------------------------------|
| 1. Double-Sided Bench Straight Leg Kit | 5. Shared Double-Sided Mini Hutch |
| 2. Double-Sided Bench Straight Leg Kit (Shared) | 6. Double-Sided Mini Hutch Tackboard |
| 3. Straight Leg End-of-Run Cover (Flat) | 7. Glass Writing Surface |
| 4. 42"H Shared Tower w/ Sliding Door (see Calibrate Price List for Details) | |

Typical 3




- | | |
|--|---|
| 1. Mid-Run End Panel (Left) | 5. 27"H Laminate Floor Bookcase (see Calibrate Price List for Details) |
| 2. Full Height Modesty Panel | 6. 18" x 30" Standard Worksurface (see Worksurfaces Price List for Details) |
| 3. Type B Gallery Panel (Female One End) | 7. 27"H Laminate Freestanding Lateral File (see Calibrate Price List for Details) |
| 4. Type C Gallery Panel (Male Both Ends) | |

Typical 4




- | | |
|--|---|
| 1. Single-Sided End Panel (Left) | 5. Clamp LED Task Light |
| 2. Single-Sided Powered Bench Kit w/ Access Box | 6. Tackable Fabric / White Board Territory Screen |
| 3. 50"H Single Door Cabinet (see Calibrate Price List for Details) | |
| 4. Shared Tackable Fabric / White Board Territory Screen | |

Typical 5




- 1. Rectangular Return Surface
- 2. Slant Stand-Alone Leg
- 3. Mobile Box / File Pedestal w/ Cushion
(see Calibrate Price List for Details)
- 4. Screen Clamp Return Strip (Center of Return)

Typical 6




- 1. Single-Sided Powered Bench Kit w/ Grommet
- 2. Pole for Single-Sided Bench
- 3. Full Height Laminate Modesty Panel
- 4. Single Monitor Arm

Typical 7



- 1. Type B Gallery Panel (Female One End)
- 2. Type C Gallery Panel (Male Both Ends)
- 3. Straight Stand-Alone Legs
- 4. 24" x 60" Worksurface
(see Worksurface Price List for Details)
- 5. 36" x 48" Rectangular Worksurface
(see Worksurface Price List for Details)
- 6. 26"H Laminate Box / Box / File Pedestal (Freestanding)
- 7. Worksurface Rear-Mounted Tool Rail
- 8. Pole for Double-Sided Bench
- 9. 24" x 48" Rectangular Return Surface


Typical 8



- 1. Tackable Fabric / White Board Side Mount Screen
- 2. Straight Stand-Alone Leg
- 3. Rectangular Return Surface w/ Power Cut-Out
- 4. Surface Access Desktop Power Module
- 5. 20"H Pencil Lateral File
- 6. Double-Sided Powered Bench Kit with Grommet


Typicals 9 - 11

Typical 9




- 1. Tackable Fabric / White Board Spine Screen
- 2. Glass Territory Spine Screen (Right)
- 3. Glass Territory Spine Screen (Left)
- 4. Double-Sided End Panel
- 5. 20"H Laminate Box / File Pedestal (see Storage Price List for Details)
- 6. Horizontal Desktop Mini Shared Shelf
- 7. Double Monitor Arm

Typical 10



- 1. Endcap Hutch
- 2. 26"H Laminate Box / Box / File Pedestal
- 3. Double-Sided Desktop Bookcase on 4" Feet

Typical 11



- 1. 18"D Bench End Worksurface
- 2. Spine Shared Desktop Bookcase Open on 4" Feet
- 3. Spine Shared Desktop Bookcase Open Tackboards
- 4. Shared Glass Territory Screen





Powered Bench Kits with Access Boxes

SINGLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
42	24	O-SBP2442	2,224	+10	+30
48	24	O-SBP2448	2,950	+10	+33
54	24	O-SBP2454	3,081	+10	+41
60	24	O-SBP2460	3,207	+10	+41
66	24	O-SBP2466	3,339	+10	+46
72	24	O-SBP2472	3,468	+10	+51
78	24	O-SBP2478	4,097	+10	+58
84	24	O-SBP2484	4,261	+10	+58
90	24	O-SBP2490	4,524	+10	+68
96	24	O-SBP2496	4,688	+10	+68
42	30	O-SBP3042	2,306	+10	+39
48	30	O-SBP3048	3,042	+10	+42
54	30	O-SBP3054	3,184	+10	+50
60	30	O-SBP3060	3,324	+10	+50
66	30	O-SBP3066	3,469	+10	+56
72	30	O-SBP3072	3,608	+10	+61
78	30	O-SBP3078	4,251	+10	+87
84	30	O-SBP3084	4,426	+10	+87
90	30	O-SBP3090	4,707	+10	+96
96	30	O-SBP3096	4,870	+10	+96

DOUBLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
42	48	O-DBP4842	2,882	+10	+30
48	48	O-DBP4848	3,671	+10	+33
54	48	O-DBP4854	3,869	+10	+41
60	48	O-DBP4860	4,060	+10	+41
66	48	O-DBP4866	4,257	+10	+46
72	48	O-DBP4872	4,449	+10	+51
78	48	O-DBP4878	5,555	+10	+58
84	48	O-DBP4884	5,798	+10	+58
90	48	O-DBP4890	6,026	+10	+68
96	48	O-DBP4896	6,253	+10	+68
42	60	O-DBP6042	3,045	+10	+39
48	60	O-DBP6048	3,860	+10	+42
54	60	O-DBP6054	4,082	+10	+50
60	60	O-DBP6060	4,295	+10	+50
66	60	O-DBP6066	4,517	+10	+56
72	60	O-DBP6072	4,729	+10	+61
78	60	O-DBP6078	5,858	+10	+87
84	60	O-DBP6084	6,126	+10	+87
90	60	O-DBP6090	6,378	+10	+96
96	60	O-DBP6096	6,630	+10	+96



Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits designed for use with any Oxygen leg type.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Width 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.


Chicago Junction Box Bench Kits with Access Boxes

SINGLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-HSBP2436	2,081	+10	+28
42	24	O-HSBP2442	2,224	+10	+30
48	24	O-HSBP2448	2,950	+10	+33
54	24	O-HSBP2454	3,081	+10	+41
60	24	O-HSBP2460	3,207	+10	+41
66	24	O-HSBP2466	3,339	+10	+46
72	24	O-HSBP2472	3,468	+10	+51
78	24	O-HSBP2478	4,097	+10	+58
84	24	O-HSBP2484	4,261	+10	+58
90	24	O-HSBP2490	4,524	+10	+68
96	24	O-HSBP2496	4,688	+10	+68
36	30	O-HSBP3036	2,150	+10	+33
42	30	O-HSBP3042	2,306	+10	+39
48	30	O-HSBP3048	3,042	+10	+42
54	30	O-HSBP3054	3,184	+10	+50
60	30	O-HSBP3060	3,324	+10	+50
66	30	O-HSBP3066	3,469	+10	+56
72	30	O-HSBP3072	3,608	+10	+61
78	30	O-HSBP3078	4,251	+10	+87
84	30	O-HSBP3084	4,426	+10	+87
90	30	O-HSBP3090	4,707	+10	+96
96	30	O-HSBP3096	4,870	+10	+96

DOUBLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-HDBP4836	2,692	+10	+28
42	48	O-HDBP4842	2,882	+10	+30
48	48	O-HDBP4848	3,671	+10	+33
54	48	O-HDBP4854	3,869	+10	+41
60	48	O-HDBP4860	4,060	+10	+41
66	48	O-HDBP4866	4,257	+10	+46
72	48	O-HDBP4872	4,449	+10	+51
78	48	O-HDBP4878	5,555	+10	+58
84	48	O-HDBP4884	5,798	+10	+58
90	48	O-HDBP4890	6,026	+10	+68
96	48	O-HDBP4896	6,253	+10	+68
36	60	O-HDBP6036	2,833	+10	+33
42	60	O-HDBP6042	3,045	+10	+39
48	60	O-HDBP6048	3,860	+10	+42
54	60	O-HDBP6054	4,082	+10	+50
60	60	O-HDBP6060	4,295	+10	+50
66	60	O-HDBP6066	4,517	+10	+56
72	60	O-HDBP6072	4,729	+10	+61
78	60	O-HDBP6078	5,858	+10	+87
84	60	O-HDBP6084	6,126	+10	+87
90	60	O-HDBP6090	6,378	+10	+96
96	60	O-HDBP6096	6,630	+10	+96



Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Chicago Junction Box with Access Box are designed for use with any Oxygen leg type.
- Surface kits for 78" - 96" wide benches include a second crossbar for added structural support.
- Junction box allows for two single gang outlets per side.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Boxes have standard 0.875" knockouts for electrical connectors.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Junction box is compatible with decorative outlets.





Powered Bench Kits with Grommets

SINGLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-SBG2436	1,758	+10	+28
42	24	O-SBG2442	1,901	+10	+30
48	24	O-SBG2448	2,624	+10	+33
54	24	O-SBG2454	2,756	+10	+41
60	24	O-SBG2460	2,883	+10	+41
66	24	O-SBG2466	3,016	+10	+46
72	24	O-SBG2472	3,143	+10	+51
78	24	O-SBG2478	3,773	+10	+58
84	24	O-SBG2484	3,936	+10	+58
90	24	O-SBG2490	4,192	+10	+68
96	24	O-SBG2496	4,357	+10	+68
36	30	O-SBG3036	1,829	+10	+33
42	30	O-SBG3042	1,983	+10	+39
48	30	O-SBG3048	2,718	+10	+42
54	30	O-SBG3054	2,860	+10	+50
60	30	O-SBG3060	2,997	+10	+50
66	30	O-SBG3066	3,145	+10	+56
72	30	O-SBG3072	3,285	+10	+61
78	30	O-SBG3078	3,925	+10	+87
84	30	O-SBG3084	4,101	+10	+87
90	30	O-SBG3090	4,381	+10	+96
96	30	O-SBG3096	4,545	+10	+96

DOUBLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-DBPG4836	2,130	+10	+28
42	48	O-DBPG4842	2,320	+10	+30
48	48	O-DBPG4848	3,111	+10	+33
54	48	O-DBPG4854	3,306	+10	+41
60	48	O-DBPG4860	3,498	+10	+41
66	48	O-DBPG4866	3,698	+10	+46
72	48	O-DBPG4872	3,890	+10	+51
78	48	O-DBPG4878	4,990	+10	+58
84	48	O-DBPG4884	5,236	+10	+58
90	48	O-DBPG4890	5,464	+10	+68
96	48	O-DBPG4896	5,692	+10	+68
36	60	O-DBPG6036	2,270	+10	+33
42	60	O-DBPG6042	2,482	+10	+39
48	60	O-DBPG6048	3,299	+10	+42
54	60	O-DBPG6054	3,518	+10	+50
60	60	O-DBPG6060	3,733	+10	+50
66	60	O-DBPG6066	3,954	+10	+56
72	60	O-DBPG6072	4,169	+10	+61
78	60	O-DBPG6078	5,296	+10	+87
84	60	O-DBPG6084	5,565	+10	+87
90	60	O-DBPG6090	5,816	+10	+96
96	60	O-DBPG6096	6,066	+10	+96



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Power is accessed through a grommet centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.


Chicago Junction Box Bench Kits with Grommets

SINGLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-HSBG2436	1,758	+10	+28
42	24	O-HSBG2442	1,901	+10	+30
48	24	O-HSBG2448	2,624	+10	+33
54	24	O-HSBG2454	2,756	+10	+41
60	24	O-HSBG2460	2,883	+10	+41
66	24	O-HSBG2466	3,016	+10	+46
72	24	O-HSBG2472	3,143	+10	+51
78	24	O-HSBG2478	3,773	+10	+58
84	24	O-HSBG2484	3,936	+10	+58
90	24	O-HSBG2490	4,192	+10	+68
96	24	O-HSBG2496	4,357	+10	+68
36	30	O-HSBG3036	1,829	+10	+33
42	30	O-HSBG3042	1,983	+10	+39
48	30	O-HSBG3048	2,718	+10	+42
54	30	O-HSBG3054	2,860	+10	+50
60	30	O-HSBG3060	2,997	+10	+50
66	30	O-HSBG3066	3,145	+10	+56
72	30	O-HSBG3072	3,285	+10	+61
78	30	O-HSBG3078	3,925	+10	+87
84	30	O-HSBG3084	4,101	+10	+87
90	30	O-HSBG3090	4,381	+10	+96
96	30	O-HSBG3096	4,545	+10	+96

DOUBLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-HDBPG4836	2,130	+10	+28
42	48	O-HDBPG4842	2,320	+10	+30
48	48	O-HDBPG4848	3,111	+10	+33
54	48	O-HDBPG4854	3,306	+10	+41
60	48	O-HDBPG4860	3,498	+10	+41
66	48	O-HDBPG4866	3,698	+10	+46
72	48	O-HDBPG4872	3,890	+10	+51
78	48	O-HDBPG4878	4,990	+10	+58
84	48	O-HDBPG4884	5,236	+10	+58
90	48	O-HDBPG4890	5,464	+10	+68
96	48	O-HDBPG4896	5,692	+10	+68
36	60	O-HDBPG6036	2,270	+10	+33
42	60	O-HDBPG6042	2,482	+10	+39
48	60	O-HDBPG6048	3,299	+10	+42
54	60	O-HDBPG6054	3,518	+10	+50
60	60	O-HDBPG6060	3,733	+10	+50
66	60	O-HDBPG6066	3,954	+10	+56
72	60	O-HDBPG6072	4,169	+10	+61
78	60	O-HDBPG6078	5,296	+10	+87
84	60	O-HDBPG6084	5,565	+10	+87
90	60	O-HDBPG6090	5,816	+10	+96
96	60	O-HDBPG6096	6,066	+10	+96



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Chicago Junction Box with Access Box are designed for use with any Oxygen leg type.
- Surface kits for 78" - 96" wide benches include a second crossbar for added structural support.
- Junction box allows for two single gang outlets per side.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Boxes have standard 0.875" knockouts for electrical connectors.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Junction box is compatible with decorative outlets.





Non-Powered Bench Kits with Grommets

SINGLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-SBN2436	1,290	+10	+28
42	24	O-SBN2442	1,433	+10	+30
48	24	O-SBN2448	2,158	+10	+33
54	24	O-SBN2454	2,290	+10	+41
60	24	O-SBN2460	2,415	+10	+41
66	24	O-SBN2466	2,551	+10	+46
72	24	O-SBN2472	2,673	+10	+51
78	24	O-SBN2478	3,305	+10	+58
84	24	O-SBN2484	3,472	+10	+58
90	24	O-SBN2490	3,738	+10	+68
96	24	O-SBN2496	3,893	+10	+68
36	30	O-SBN3036	1,361	+10	+33
42	30	O-SBN3042	1,515	+10	+39
48	30	O-SBN3048	2,249	+10	+42
54	30	O-SBN3054	2,394	+10	+50
60	30	O-SBN3060	2,531	+10	+50
66	30	O-SBN3066	2,679	+10	+56
72	30	O-SBN3072	2,817	+10	+61
78	30	O-SBN3078	3,459	+10	+87
84	30	O-SBN3084	3,634	+10	+87
90	30	O-SBN3090	3,914	+10	+96
96	30	O-SBN3096	4,082	+10	+96

DOUBLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-DBNG4836	1,708	+10	+28
42	48	O-DBNG4842	1,899	+10	+30
48	48	O-DBNG4848	2,692	+10	+33
54	48	O-DBNG4854	2,889	+10	+41
60	48	O-DBNG4860	3,081	+10	+41
66	48	O-DBNG4866	3,276	+10	+46
72	48	O-DBNG4872	3,469	+10	+51
78	48	O-DBNG4878	4,573	+10	+58
84	48	O-DBNG4884	4,818	+10	+58
90	48	O-DBNG4890	5,168	+10	+68
96	48	O-DBNG4896	5,400	+10	+68
36	60	O-DBNG6036	1,849	+10	+33
42	60	O-DBNG6042	2,063	+10	+39
48	60	O-DBNG6048	2,881	+10	+42
54	60	O-DBNG6054	3,098	+10	+50
60	60	O-DBNG6060	3,314	+10	+50
66	60	O-DBNG6066	3,534	+10	+56
72	60	O-DBNG6072	3,749	+10	+61
78	60	O-DBNG6078	4,876	+10	+87
84	60	O-DBNG6084	5,145	+10	+87
90	60	O-DBNG6090	5,396	+10	+96
96	60	O-DBNG6096	5,645	+10	+96



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Non-Powered with Grommet are designed for use with any Oxygen leg type.
- Includes wire trough and spine beam only for mounting screens (no powerway).
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 96" accommodate (4) duplex outlets.





120 Powered Bench Kits with Access Boxes

120 SINGLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120SBPL2436	O-120SBPR2436	4,160	+20	+47
42	24	O-120SBPL2442	O-120SBPR2442	4,432	+20	+58
48	24	O-120SBPL2448	O-120SBPR2448	5,150	+20	+64
54	24	O-120SBPL2454	O-120SBPR2454	5,422	+20	+76
60	24	O-120SBPL2460	O-120SBPR2460	5,695	+20	+82
36	30	O-120SBPL3036	O-120SBPR3036	4,298	+20	+64
42	30	O-120SBPL3042	O-120SBPR3042	4,570	+20	+76
48	30	O-120SBPL3048	O-120SBPR3048	5,291	+20	+82
54	30	O-120SBPL3054	O-120SBPR3054	5,562	+20	+95
60	30	O-120SBPL3060	O-120SBPR3060	5,835	+20	+103



120 DOUBLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120DBPL2436	O-120DBPR2436	6,620	+20	+94
42	24	O-120DBPL2442	O-120DBPR2442	7,080	+20	+116
48	24	O-120DBPL2448	O-120DBPR2448	8,210	+20	+128
54	24	O-120DBPL2454	O-120DBPR2454	8,671	+20	+152
60	24	O-120DBPL2460	O-120DBPR2460	9,132	+20	+164
36	30	O-120DBPL3036	O-120DBPR3036	6,898	+20	+128
42	30	O-120DBPL3042	O-120DBPR3042	7,360	+20	+152
48	30	O-120DBPL3048	O-120DBPR3048	8,489	+20	+164
54	30	O-120DBPL3054	O-120DBPR3054	8,950	+20	+190
60	30	O-120DBPL3060	O-120DBPR3060	9,412	+20	+206



120 TRIPLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120TBPL2436	O-120TBPR2436	7,906	+20	+141
42	24	O-120TBPL2442	O-120TBPR2442	8,472	+20	+174
48	24	O-120TBPL2448	O-120TBPR2448	9,708	+20	+192
54	24	O-120TBPL2454	O-120TBPR2454	10,272	+20	+228
60	24	O-120TBPL2460	O-120TBPR2460	10,838	+20	+246
36	30	O-120TBPL3036	O-120TBPR3036	8,326	+20	+192
42	30	O-120TBPL3042	O-120TBPR3042	8,891	+20	+228
48	30	O-120TBPL3048	O-120TBPR3048	10,127	+20	+246
54	30	O-120TBPL3054	O-120TBPR3054	10,692	+20	+285
60	30	O-120TBPL3060	O-120TBPR3060	11,256	+20	+309



Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes

- 120 Bench Top Kits - Powered with Access Box are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately. Wood grain on bench tops runs parallel to spine beam.
- Width 36" and 42" accommodate (4) duplex outlets per seat. Widths 48" - 60" accommodate (8) duplex outlets.
- Access Boxes provide access to only 4 outlets.


120 Chicago Powered Bench Kits with Access Boxes

120 SINGLE-SIDED CHICAGO POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120HSBPL2436	O-120HSBPR2436	4,160	+20	+47
42	24	O-120HSBPL2442	O-120HSBPR2442	4,432	+20	+58
48	24	O-120HSBPL2448	O-120HSBPR2448	5,150	+20	+64
54	24	O-120HSBPL2454	O-120HSBPR2454	5,422	+20	+76
60	24	O-120HSBPL2460	O-120HSBPR2460	5,695	+20	+82
36	30	O-120HSBPL3036	O-120HSBPR3036	4,298	+20	+64
42	30	O-120HSBPL3042	O-120HSBPR3042	4,570	+20	+76
48	30	O-120HSBPL3048	O-120HSBPR3048	5,291	+20	+82
54	30	O-120HSBPL3054	O-120HSBPR3054	5,562	+20	+95
60	30	O-120HSBPL3060	O-120HSBPR3060	5,835	+20	+103

120 DOUBLE-SIDED CHICAGO POWERED BENCH KIT WITH ACCESS BOX


W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120HDBPL2436	O-120HDBPR2436	6,620	+20	+94
42	24	O-120HDBPL2442	O-120HDBPR2442	7,080	+20	+116
48	24	O-120HDBPL2448	O-120HDBPR2448	8,210	+20	+128
54	24	O-120HDBPL2454	O-120HDBPR2454	8,671	+20	+152
60	24	O-120HDBPL2460	O-120HDBPR2460	9,132	+20	+164
36	30	O-120HDBPL3036	O-120HDBPR3036	6,898	+20	+128
42	30	O-120HDBPL3042	O-120HDBPR3042	7,360	+20	+152
48	30	O-120HDBPL3048	O-120HDBPR3048	8,489	+20	+164
54	30	O-120HDBPL3054	O-120HDBPR3054	8,950	+20	+190
60	30	O-120HDBPL3060	O-120HDBPR3060	9,412	+20	+206




Left




Right




Hardwire Junction Box



Left




Right




Hardwire Junction Box

120 TRIPLE-SIDED CHICAGO POWERED BENCH KIT WITH ACCESS BOX


W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120HTBPL2436	O-120HTBPR2436	7,906	+20	+141
42	24	O-120HTBPL2442	O-120HTBPR2442	8,472	+20	+174
48	24	O-120HTBPL2448	O-120HTBPR2448	9,708	+20	+192
54	24	O-120HTBPL2454	O-120HTBPR2454	10,272	+20	+228
60	24	O-120HTBPL2460	O-120HTBPR2460	10,838	+20	+246
36	30	O-120HTBPL3036	O-120HTBPR3036	8,326	+20	+192
42	30	O-120HTBPL3042	O-120HTBPR3042	8,891	+20	+228
48	30	O-120HTBPL3048	O-120HTBPR3048	10,127	+20	+246
54	30	O-120HTBPL3054	O-120HTBPR3054	10,692	+20	+285
60	30	O-120HTBPL3060	O-120HTBPR3060	11,256	+20	+309



Left



Right



Hardwire Junction Box

Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes

- 120 Bench Top Kits - Powered with Access Box are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens. Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Width 36" and 42" accommodate (4) duplex outlets per seat. Widths 48" - 60" accommodate (8) duplex outlets.
- Access Boxes provide access to only 4 outlets.





120 Non-Powered Bench Kits with Access Boxes

120 SINGLE-SIDED NON-POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120SBNL2436	O-120SBNR2436	2,902	+20	+47
42	24	O-120SBNL2442	O-120SBNR2442	3,176	+20	+58
48	24	O-120SBNL2448	O-120SBNR2448	3,447	+20	+64
54	24	O-120SBNL2454	O-120SBNR2454	3,719	+20	+76
60	24	O-120SBNL2460	O-120SBNR2460	3,992	+20	+82
36	30	O-120SBNL3036	O-120SBNR3036	3,043	+20	+64
42	30	O-120SBNL3042	O-120SBNR3042	3,315	+20	+76
48	30	O-120SBNL3048	O-120SBNR3048	3,587	+20	+82
54	30	O-120SBNL3054	O-120SBNR3054	3,859	+20	+95
60	30	O-120SBNL3060	O-120SBNR3060	4,131	+20	+103



120 DOUBLE-SIDED NON-POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120DBNL2436	O-120DBNR2436	4,748	+20	+94
42	24	O-120DBNL2442	O-120DBNR2442	5,209	+20	+116
48	24	O-120DBNL2448	O-120DBNR2448	6,118	+20	+128
54	24	O-120DBNL2454	O-120DBNR2454	6,579	+20	+152
60	24	O-120DBNL2460	O-120DBNR2460	7,037	+20	+164
36	30	O-120DBNL3036	O-120DBNR3036	5,028	+20	+128
42	30	O-120DBNL3042	O-120DBNR3042	5,488	+20	+152
48	30	O-120DBNL3048	O-120DBNR3048	6,397	+20	+164
54	30	O-120DBNL3054	O-120DBNR3054	6,857	+20	+190
60	30	O-120DBNL3060	O-120DBNR3060	7,317	+20	+206



120 TRIPLE-SIDED NON-POWERED BENCH KIT WITH ACCESS BOX

W	D	Left	Right	List	Grade C Paint	Grade C Laminate
		Model Number	Model Number			
36	24	O-120TBNL2436	O-120TBNR2436	6,036	+20	+141
42	24	O-120TBNL2442	O-120TBNR2442	6,601	+20	+174
48	24	O-120TBNL2448	O-120TBNR2448	7,612	+20	+192
54	24	O-120TBNL2454	O-120TBNR2454	8,178	+20	+228
60	24	O-120TBNL2460	O-120TBNR2460	8,743	+20	+246
36	30	O-120TBNL3036	O-120TBNR3036	6,453	+20	+192
42	30	O-120TBNL3042	O-120TBNR3042	7,019	+20	+228
48	30	O-120TBNL3048	O-120TBNR3048	8,032	+20	+246
54	30	O-120TBNL3054	O-120TBNR3054	8,597	+20	+285
60	30	O-120TBNL3060	O-120TBNR3060	9,163	+20	+309



Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection


Notes

- 120 Bench Top Kits - Powered with Access Box are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Width 36" and 42" accommodate (4) duplex outlets per seat. Widths 48" - 60" accommodate (8) duplex outlets.
- Access Boxes provide access to only 4 outlets.

120 Powered Bench Kits with Grommets


120 SINGLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120SBPG2436	3,824	+20	+47
42	24	O-120SBPG2442	4,096	+20	+58
48	24	O-120SBPG2448	4,816	+20	+64
54	24	O-120SBPG2454	5,087	+20	+76
60	24	O-120SBPG2460	5,361	+20	+82
36	30	O-120SBPG3036	3,964	+20	+64
42	30	O-120SBPG3042	4,235	+20	+76
48	30	O-120SBPG3048	4,956	+20	+82
54	30	O-120SBPG3054	5,228	+20	+95
60	30	O-120SBPG3060	5,498	+20	+103




120 DOUBLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120DBPG2436	5,949	+20	+94
42	24	O-120DBPG2442	6,410	+20	+116
48	24	O-120DBPG2448	7,541	+20	+128
54	24	O-120DBPG2454	8,002	+20	+152
60	24	O-120DBPG2460	8,463	+20	+164
36	30	O-120DBPG3036	6,228	+20	+128
42	30	O-120DBPG3042	6,688	+20	+152
48	30	O-120DBPG3048	7,820	+20	+164
54	30	O-120DBPG3054	8,280	+20	+190
60	30	O-120DBPG3060	8,741	+20	+206



120 TRIPLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120TBPG2436	6,902	+20	+141
42	24	O-120TBPG2442	7,467	+20	+174
48	24	O-120TBPG2448	8,702	+20	+192
54	24	O-120TBPG2454	9,266	+20	+228
60	24	O-120TBPG2460	9,833	+20	+246
36	30	O-120TBPG3036	7,321	+20	+192
42	30	O-120TBPG3042	7,886	+20	+228
48	30	O-120TBPG3048	9,121	+20	+246
54	30	O-120TBPG3054	9,686	+20	+285
60	30	O-120TBPG3060	10,252	+20	+309



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection



Notes

- 120 Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through a grommet centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 60" accommodate (4) duplex outlets.

120 Chicago Powered Bench Kits with Grommets

120 SINGLE-SIDED CHICAGO POWERED BENCH KIT WITH GROMMET



W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HSBPG2436	3,824	+20	+47
42	24	O-120HSBPG2442	4,096	+20	+58
48	24	O-120HSBPG2448	4,816	+20	+64
54	24	O-120HSBPG2454	5,087	+20	+76
60	24	O-120HSBPG2460	5,361	+20	+82
36	30	O-120HSBPG3036	3,964	+20	+64
42	30	O-120HSBPG3042	4,235	+20	+76
48	30	O-120HSBPG3048	4,956	+20	+82
54	30	O-120HSBPG3054	5,228	+20	+95
60	30	O-120HSBPG3060	5,498	+20	+103



Hardwire Junction Box

120 DOUBLE-SIDED CHICAGO POWERED BENCH KIT WITH GROMMET



W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HDBPG2436	5,949	+20	+94
42	24	O-120HDBPG2442	6,410	+20	+116
48	24	O-120HDBPG2448	7,541	+20	+128
54	24	O-120HDBPG2454	8,002	+20	+152
60	24	O-120HDBPG2460	8,463	+20	+164
36	30	O-120HDBPG3036	6,228	+20	+128
42	30	O-120HDBPG3042	6,688	+20	+152
48	30	O-120HDBPG3048	7,820	+20	+164
54	30	O-120HDBPG3054	8,280	+20	+190
60	30	O-120HDBPG3060	8,741	+20	+206



Hardwire Junction Box

120 TRIPLE-SIDED CHICAGO POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HTBPG2436	6,902	+20	+141
42	24	O-120HTBPG2442	7,467	+20	+174
48	24	O-120HTBPG2448	8,702	+20	+192
54	24	O-120HTBPG2454	9,266	+20	+228
60	24	O-120HTBPG2460	9,833	+20	+246
36	30	O-120HTBPG3036	7,321	+20	+192
42	30	O-120HTBPG3042	7,886	+20	+228
48	30	O-120HTBPG3048	9,121	+20	+246
54	30	O-120HTBPG3054	9,686	+20	+285
60	30	O-120HTBPG3060	10,252	+20	+309



Hardwire Junction Box

Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection


Notes

- 120 Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through a grommet centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 60" accommodate (4) duplex outlets.

120 Non-Powered Bench Kits with Grommets


120 SINGLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120SBNG2436	2,568	+20	+47
42	24	O-120SBNG2442	2,841	+20	+58
48	24	O-120SBNG2448	3,112	+20	+64
54	24	O-120SBNG2454	3,384	+20	+76
60	24	O-120SBNG2460	3,658	+20	+82
36	30	O-120SBNG3036	2,706	+20	+64
42	30	O-120SBNG3042	2,980	+20	+76
48	30	O-120SBNG3048	3,252	+20	+82
54	30	O-120SBNG3054	3,522	+20	+95
60	30	O-120SBNG3060	3,797	+20	+103




120 DOUBLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120DBNG2436	4,079	+20	+94
42	24	O-120DBNG2442	4,539	+20	+116
48	24	O-120DBNG2448	5,446	+20	+128
54	24	O-120DBNG2454	5,906	+20	+152
60	24	O-120DBNG2460	6,368	+20	+164
36	30	O-120DBNG3036	4,357	+20	+128
42	30	O-120DBNG3042	4,818	+20	+152
48	30	O-120DBNG3048	5,726	+20	+164
54	30	O-120DBNG3054	6,187	+20	+190
60	30	O-120DBNG3060	6,646	+20	+206



120 TRIPLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120TBNG2436	5,031	+20	+141
42	24	O-120TBNG2442	5,596	+20	+174
48	24	O-120TBNG2448	6,607	+20	+192
54	24	O-120TBNG2454	7,174	+20	+228
60	24	O-120TBNG2460	7,740	+20	+246
36	30	O-120TBNG3036	5,448	+20	+192
42	30	O-120TBNG3042	6,015	+20	+228
48	30	O-120TBNG3048	7,027	+20	+246
54	30	O-120TBNG3054	7,592	+20	+285
60	30	O-120TBNG3060	8,159	+20	+309



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection





Notes

- 120 Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through a grommet centered on the surface. Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36" and 42" accommodate (2) duplex outlets per seat. Widths 48" - 60" accommodate (4) duplex outlets.

Rectangular Returns

RECTANGULAR RETURN SURFACES						
Actual W	D	Rectangular		Rectangular (Power Cut-Out)		Grade C Laminate
		Model Number	List	Model Number	List	
23.75	18	W-OSR1824	342	W-OSR1824P	342	+21
29.75	18	W-OSR1830	407	W-OSR1830P	407	+25
35.75	18	W-OSR1836	442	W-OSR1836P	442	+28
41.75	18	W-OSR1842	480	W-OSR1842P	480	+30
47.75	18	W-OSR1848	519	W-OSR1848P	519	+33
53.75	18	W-OSR1854	643	W-OSR1854P	643	+41
59.75	18	W-OSR1860	643	W-OSR1860P	643	+41
65.75	18	W-OSR1866	728	W-OSR1866P	728	+46
71.75	18	W-OSR1872	796	W-OSR1872P	796	+51
23.75	22	W-OSR2224	342	W-OSR2224P	342	+21
29.75	22	W-OSR2230	407	W-OSR2230P	407	+25
35.75	22	W-OSR2236	442	W-OSR2236P	442	+28
41.75	22	W-OSR2242	480	W-OSR2242P	480	+30
47.75	22	W-OSR2248	519	W-OSR2248P	519	+33
53.75	22	W-OSR2254	643	W-OSR2254P	643	+41
59.75	22	W-OSR2260	643	W-OSR2260P	643	+41
65.75	22	W-OSR2266	728	W-OSR2266P	728	+46
71.75	22	W-OSR2272	796	W-OSR2272P	796	+51

RECTANGULAR RETURN SURFACES						
Actual W	D	Rectangular		Rectangular (Power Cut-Out)		Grade C Laminate
		Model Number	List	Model Number	List	
23.75	24	W-OSR2424	342	W-OSR2424P	342	+21
29.75	24	W-OSR2430	407	W-OSR2430P	407	+25
35.75	24	W-OSR2436	442	W-OSR2436P	442	+28
41.75	24	W-OSR2442	480	W-OSR2442P	480	+30
47.75	24	W-OSR2448	519	W-OSR2448P	519	+33
53.75	24	W-OSR2454	643	W-OSR2454P	643	+41
59.75	24	W-OSR2460	643	W-OSR2460P	643	+41
65.75	24	W-OSR2466	728	W-OSR2466P	728	+46
71.75	24	W-OSR2472	796	W-OSR2472P	796	+51
23.75	30	W-OSR3024	407	W-OSR3024P	407	+25
29.75	30	W-OSR3030	478	W-OSR3030P	478	+30
35.75	30	W-OSR3036	537	W-OSR3036P	537	+34
41.75	30	W-OSR3042	616	W-OSR3042P	616	+39
47.75	30	W-OSR3048	668	W-OSR3048P	668	+42
53.75	30	W-OSR3054	778	W-OSR3054P	778	+50
59.75	30	W-OSR3060	778	W-OSR3060P	778	+50
65.75	30	W-OSR3066	879	W-OSR3066P	879	+56
71.75	30	W-OSR3072	955	W-OSR3072P	955	+61



Specify

- Laminate Selection
- Edge Selection
- Type of Power Unit Cut-Out





Notes

- Return Surfaces - Rectangular are standard return surfaces designed to work with Oxygen.
- Returns with power cut-out accommodate Flush Mount units.
- See accessories for optional power units.
- Wood grain on return runs the width of the surface.

Slant Returns

SLANTED RETURN SURFACES (LEFT)							
Actual W	D (Left)	D (Right)	Slanted Left		Slanted Left (Power Cut-Out)		Grade C Laminate
			Model Number	List	Model Number	List	
23.75	24	18	W-OSRL1824	342	W-OSRL1824P	342	+21
29.75	24	18	W-OSRL1830	407	W-OSRL1830P	407	+25
35.75	24	18	W-OSRL1836	442	W-OSRL1836P	442	+28
41.75	24	18	W-OSRL1842	480	W-OSRL1842P	480	+30
47.75	24	18	W-OSRL1848	519	W-OSRL1848P	519	+33
53.75	24	18	W-OSRL1854	643	W-OSRL1854P	643	+41
59.75	24	18	W-OSRL1860	643	W-OSRL1860P	643	+41
65.75	24	18	W-OSRL1866	728	W-OSRL1866P	728	+46
71.75	24	18	W-OSRL1872	796	W-OSRL1872P	796	+51
23.75	30	24	W-OSRL2424	342	W-OSRL2424P	342	+21
29.75	30	24	W-OSRL2430	407	W-OSRL2430P	407	+25
35.75	30	24	W-OSRL2436	442	W-OSRL2436P	442	+28
41.75	30	24	W-OSRL2442	480	W-OSRL2442P	480	+30
47.75	30	24	W-OSRL2448	519	W-OSRL2448P	519	+33
53.75	30	24	W-OSRL2454	643	W-OSRL2454P	643	+41
59.75	30	24	W-OSRL2460	643	W-OSRL2460P	643	+41
65.75	30	24	W-OSRL2466	728	W-OSRL2466P	728	+46
71.75	30	24	W-OSRL2472	796	W-OSRL2472P	796	+51
23.75	36	30	W-OSRL3024	407	W-OSRL3024P	407	+25
29.75	36	30	W-OSRL3030	478	W-OSRL3030P	478	+30
35.75	36	30	W-OSRL3036	537	W-OSRL3036P	537	+34
41.75	36	30	W-OSRL3042	616	W-OSRL3042P	616	+39
47.75	36	30	W-OSRL3048	668	W-OSRL3048P	668	+42
53.75	36	30	W-OSRL3054	778	W-OSRL3054P	778	+50
59.75	36	30	W-OSRL3060	778	W-OSRL3060P	778	+50
65.75	36	30	W-OSRL3066	879	W-OSRL3066P	879	+56
71.75	36	30	W-OSRL3072	955	W-OSRL3072P	955	+61

SLANTED RETURN SURFACES (RIGHT)							
Actual W	D (Left)	D (Right)	Slanted Right		Slanted Right (Power Cut-Out)		Laminate Grade C
			Model Number	List	Model Number	List	
23.75	18	24	W-OSRR1824	342	W-OSRR1824P	342	+21
29.75	18	24	W-OSRR1830	407	W-OSRR1830P	407	+25
35.75	18	24	W-OSRR1836	442	W-OSRR1836P	442	+28
41.75	18	24	W-OSRR1842	480	W-OSRR1842P	480	+30
47.75	18	24	W-OSRR1848	519	W-OSRR1848P	519	+33
53.75	18	24	W-OSRR1854	643	W-OSRR1854P	643	+41
59.75	18	24	W-OSRR1860	643	W-OSRR1860P	643	+41
65.75	18	24	W-OSRR1866	728	W-OSRR1866P	728	+46
71.75	18	24	W-OSRR1872	796	W-OSRR1872P	796	+51
23.75	24	30	W-OSRR2424	342	W-OSRR2424P	342	+21
29.75	24	30	W-OSRR2430	407	W-OSRR2430P	407	+25
35.75	24	30	W-OSRR2436	442	W-OSRR2436P	442	+28
41.75	24	30	W-OSRR2442	480	W-OSRR2442P	480	+30
47.75	24	30	W-OSRR2448	519	W-OSRR2448P	519	+33
53.75	24	30	W-OSRR2454	643	W-OSRR2454P	643	+41
59.75	24	30	W-OSRR2460	643	W-OSRR2460P	643	+41
65.75	24	30	W-OSRR2466	728	W-OSRR2466P	728	+46
71.75	24	30	W-OSRR2472	796	W-OSRR2472P	796	+51
23.75	30	36	W-OSRR3024	407	W-OSRR3024P	407	+25
29.75	30	36	W-OSRR3030	478	W-OSRR3030P	478	+30
35.75	30	36	W-OSRR3036	537	W-OSRR3036P	537	+34
41.75	30	36	W-OSRR3042	616	W-OSRR3042P	616	+39
47.75	30	36	W-OSRR3048	668	W-OSRR3048P	668	+42
53.75	30	36	W-OSRR3054	778	W-OSRR3054P	778	+50
59.75	30	36	W-OSRR3060	778	W-OSRR3060P	778	+50
65.75	30	36	W-OSRR3066	879	W-OSRR3066P	879	+56
71.75	30	36	W-OSRR3072	955	W-OSRR3072P	955	+61



Specify

- Paint Selection for Leg and Foot
- Laminate Selection
- Edge Selection

Notes

- Motorized and fixed slant return includes surface for mounting for 24" deep or 30" deep benches.
- Motorized base with 1" glide adjustment and 20" height adjustment from 27.5" to 48.5" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.4" per second.
- **Important:** Fixed rectangular returns cannot be used with motorized benches.




Return Support Rails

RETURNS WITHOUT STRUCTURAL PEDESTAL SUPPORT RAIL

RETURNS WITH STRUCTURAL PEDESTAL SUPPORT RAIL

L	Model Number	List	Return Length
36	O-RSR36	476	36"W Return
42	O-RSR42	495	42"W Return
48	O-RSR48	511	48"W Return
54	O-RSR54	529	54"W Return
60	O-RSR60	546	60"W Return
66	O-RSR66	564	66"W Return
72	O-RSR72	582	72"W Return

L	Model Number	List	Return Length
36	O-RSR36	476	54"W Return
42	O-RSR42	495	60"W Return
48	O-RSR48	511	66"W Return
54	O-RSR54	529	72"W Return




Notes

- Return Support Rail is used as a structural support when attaching a return surface to an Oxygen bench.
- Specify the rail to match the surface width, unless a structural pedestal is used on the return.
- Return length with structural pedestal detail is below.

Return Strips


NO SCREEN CLAMP RETURN STRIP

Length	Actual Length	Model Number	List
18	18	O-RSF18	38
20	20	O-RSF20	45
22	22	O-RSF22	49
24	24	O-RSF24	53
30	30	O-RSF30	63
36	36	O-RSF36	74
42	42	O-RSF42	88
48	48	O-RSF48	98





SCREEN CLAMP RETURN STRIP (END OF RETURN)

Length	Actual Length	Model Number	List
18	15.25	O-RSF15	38
20	17.25	O-RSF17	45
22	19.25	O-RSF19	49
24	21.25	O-RSF21	53
30	27.25	O-RSF27	63
36	33.25	O-RSF33	74
42	39.25	O-RSF39	88
48	45.25	O-RSF45	98



SCREEN CLAMP RETURN STRIP (CENTER OF RETURN)

Length	Actual Length	Model Number	List
18	15.25	O-RSF15S	38
20	17.25	O-RSF17S	45
22	19.25	O-RSF19S	49
24	21.25	O-RSF21S	53
30	27.25	O-RSF27S	63
36	33.25	O-RSF33S	74
42	39.25	O-RSF39S	88
48	45.25	O-RSF45S	98




Notes

- Return Strip is needed when mounting return surfaces adjacent to territory screen/toolbar to fill gap created by screen mounting brackets.

Straight Leg Kits


SINGLE-SIDED BENCH STRAIGHT LEG KITS (LEFT)

H	D	Model Number	List	Grade C Paint
27	24	O-STLBSB24L	763	+25
27	30	O-STLBSB30L	788	+25




SINGLE-SIDED BENCH STRAIGHT LEG KITS (RIGHT)

H	D	Model Number	List	Grade C Paint
27	24	O-STLBSB24R	763	+25
27	30	O-STLBSB30R	788	+25



DOUBLE-SIDED BENCH STRAIGHT LEG KITS

H	D	Model Number	List	Grade C Paint
27	48	O-STLBDB48	1,070	+25
27	60	O-STLBDB60	1,128	+25



Specify


Notes

• Paint Selection

• Straight Leg Kits - End-of-Run are designed for use at the end-of-run of a bench layout.
 • For use with all top widths.


SINGLE-SIDED BENCH STRAIGHT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	24	O-STBSBSK24	979	+25
27	30	O-STBSBSK30	998	+25



DOUBLE-SIDED BENCH STRAIGHT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	36	O-STBDBSK36	1,455	+25
27	48	O-STBDBSK48	1,505	+25
27	60	O-STBDBSK60	1,557	+25



Specify

Notes


• Paint Selection

• Straight Leg Kits - Shared are designed for use in shared applications in a bench layout.
 • For use with all top widths.

Slim Leg Kits


SINGLE-SIDED BENCH SLIM LEG KITS (LEFT)

H	D	Model Number	List	Grade C Paint
27	24	O-SMLBSB24L	886	+25
27	30	O-SMLBSB30L	949	+25




SINGLE-SIDED BENCH SLIM LEG KITS (RIGHT)

H	D	Model Number	List	Grade C Paint
27	24	O-SMLBSB24R	886	+25
27	30	O-SMLBSB30R	949	+25



DOUBLE-SIDED BENCH SLIM LEG KITS

H	D	Model Number	List	Grade C Paint
27	36	O-SMLBDB36	1,234	+25
27	48	O-SMLBDB48	1,234	+25
27	60	O-SMLBDB60	1,289	+25



Specify


- Paint Selection for Top
- Paint Selection for Leg

Notes

- Slim Leg Kits - End-of-Run are designed for use at the end-of-run of a bench layout.
- For use with all top widths.


SINGLE-SIDED BENCH SLIM LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	24	O-SMBSBSK24	1,140	+25
27	30	O-SMBSBSK30	1,164	+25



DOUBLE-SIDED BENCH SLIM LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	36	O-SMBDBSK36	1,616	+25
27	48	O-SMBDBSK48	1,666	+25
27	60	O-SMBDBSK60	1,721	+25



Specify

- Paint Selection for Top
- Paint Selection for Leg


Notes

- Slim Leg Kits - Shared are designed for use in shared applications in a bench layout.
- For use with all top widths.

Slant Leg Kits


SINGLE-SIDED BENCH SLANT LEG KITS (LEFT)

H	D	Model Number	List	Grade C Paint
27	24	O-SLLBSBK24L	1,759	+25
27	30	O-SLLBSBK30L	1,814	+25




SINGLE-SIDED BENCH SLANT LEG KITS (RIGHT)

H	D	Model Number	List	Grade C Paint
27	24	O-SLLBSBK24R	1,759	+25
27	30	O-SLLBSBK30R	1,814	+25



DOUBLE-SIDED BENCH SLANT LEG KITS

H	D	Model Number	List	Grade C Paint
27	36	O-SLLBDBK36	1,975	+25
27	48	O-SLLBDBK48	1,975	+25
27	60	O-SLLBDBK60	2,030	+25



Specify


- Paint Selection

Notes

- Slant Leg Kits - End-of-Run are designed for use at the end-of-run of a bench layout.
- For use with all top widths.


SINGLE-SIDED BENCH SLANT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	24	O-SLLDBSK24	1,975	+25
27	30	O-SLLDBSK30	2,030	+25



DOUBLE-SIDED BENCH SLANT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	36	O-SLLDBSK36	2,359	+25
27	48	O-SLLDBSK48	2,406	+25
27	60	O-SLLDBSK60	2,461	+25



Specify

- Paint Selection


Notes

- Slant Leg Kits - Shared are designed for use in shared applications in a bench layout.
- For use with all top widths.

Stand-Alone Single Legs

STRAIGHT STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-PL2525	314	+25



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

STRAIGHT MOBILE STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-PL2525M	305	+25



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

SLIM STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-SMSG	350	+25



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

SLIM MOBILE STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-SMSCASTER	301	+25



Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

SLANT STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-SL	579	+25




Specify	Notes
<ul style="list-style-type: none"> • Paint Selection 	<ul style="list-style-type: none"> • Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

Laminate End Panels


SINGLE-SIDED END PANEL (LEFT)

H	W	Model Number	List	Grade C Laminate
28	24	O-2LBSB2824L	766	+60
28	30	O-2LBSB2830L	826	+64
42	24	O-2LBSB4224L	850	+56
42	30	O-2LBSB4230L	926	+68
46	24	O-2LBSB4624L	877	+74
46	30	O-2LBSB4630L	958	+86
50	24	O-2LBSB5024L	908	+76
50	30	O-2LBSB5030L	994	+84




SINGLE-SIDED END PANEL (RIGHT)

H	W	Model Number	List	Laminate Grade C
28	24	O-2LBSB2824R	766	+60
28	30	O-2LBSB2830R	826	+64
42	24	O-2LBSB4224R	850	+56
42	30	O-2LBSB4230R	926	+68
46	24	O-2LBSB4624R	877	+74
46	30	O-2LBSB4630R	958	+86
50	24	O-2LBSB5024R	908	+76
50	30	O-2LBSB5030R	994	+84



DOUBLE-SIDED END PANEL

H	W	Model Number	List	Laminate Grade C
28	48	O-2LBDB2848	1,251	+84
28	60	O-2LBDB2860	1,361	+100
42	48	O-2LBDB4248	1,417	+106
42	60	O-2LBDB4260	1,570	+136
46	48	O-2LBDB4648	1,471	+114
46	60	O-2LBDB4660	1,638	+134
50	48	O-2LBDB5048	1,525	+120
50	60	O-2LBDB5060	1,706	+134



Specify

- Laminate Selection
- Edge Selection

Notes

- End-of-Run Kits are designed for use at the end-of-run of a bench layout.
- Laminate end-of-run kits sit beside the bench layout with the edgeband at worksurface height.
- Laminate end panels add 1" to the bench length.
- Wood grain on end panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.
- Laminate end panels have a top width of 36" - 72".



Laminate End Panels

MID-RUN END PANEL (LEFT)

H	W	Model Number	List	Laminate Grade C
28	24	O-2LMREP2824L	1,055	+50
28	30	O-2LMREP2830L	1,107	+30
42	24	O-2LMREP4224L	1,137	+60
42	30	O-2LMREP4230L	1,212	+78
46	24	O-2LMREP4624L	1,166	+66
46	30	O-2LMREP4630L	1,245	+84
50	24	O-2LMREP5024L	1,188	+82
50	30	O-2LMREP5030L	1,281	+100

MID-RUN END PANEL (RIGHT)

H	W	Model Number	List	Laminate Grade C
28	24	O-2LMREP2824R	1,055	+50
28	30	O-2LMREP2830R	1,107	+30
42	24	O-2LMREP4224R	1,137	+60
42	30	O-2LMREP4230R	1,212	+78
46	24	O-2LMREP4624R	1,166	+66
46	30	O-2LMREP4630R	1,245	+84
50	24	O-2LMREP5024R	1,188	+82
50	30	O-2LMREP5030R	1,281	+100



Specify

- Laminate Selection
- Edge Selection


Notes

- Mid-Run Kits are designed for use at a mid-run bench location.
- Laminate mid-run kits sit beside the bench layout with the edgeband at worksurface height.
- Wood grain on end panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.
- Laminate mid-run kits have a top width of 36" - 72".

Full Modesty Panels for Rectangular Benches

FULL-HEIGHT MODESTY PANELS

H	D	Model Number	List	Laminate Grade C	H	D	Model Number	List	Laminate Grade C
28	36	O-MLSTSB2836	642	+66	46	36	O-MLSTSB4636	1,127	+66
28	42	O-MLSTSB2842	727	+78	46	42	O-MLSTSB4642	1,284	+78
28	48	O-MLSTSB2848	854	+84	46	48	O-MLSTSB4648	1,500	+84
28	54	O-MLSTSB2854	941	+100	46	54	O-MLSTSB4654	1,657	+100
28	60	O-MLSTSB2860	1,035	+100	46	60	O-MLSTSB4660	1,831	+100
28	66	O-MLSTSB2866	1,069	+112	46	66	O-MLSTSB4666	1,908	+112
28	72	O-MLSTSB2872	1,145	+123	46	72	O-MLSTSB4672	2,046	+123
28	78	O-MLSTSB2878	1,219	+146	46	78	O-MLSTSB4678	2,182	+146
28	84	O-MLSTSB2884	1,291	+152	46	84	O-MLSTSB4684	2,322	+152
28	90	O-MLSTSB2890	1,400	+161	46	90	O-MLSTSB4690	2,513	+161
28	96	O-MLSTSB2896	1,485	+169	46	96	O-MLSTSB4696	2,669	+169
42	36	O-MLSTSB4236	1,087	+66	50	36	O-MLSTSB5036	1,168	+66
42	42	O-MLSTSB4242	1,280	+78	50	42	O-MLSTSB5042	1,330	+78
42	48	O-MLSTSB4248	1,444	+84	50	48	O-MLSTSB5048	1,555	+84
42	54	O-MLSTSB4254	1,595	+100	50	54	O-MLSTSB5054	1,720	+100
42	60	O-MLSTSB4260	1,759	+100	50	60	O-MLSTSB5060	1,898	+100
42	66	O-MLSTSB4266	1,833	+112	50	66	O-MLSTSB5066	1,983	+112
42	72	O-MLSTSB4272	1,963	+123	50	72	O-MLSTSB5072	2,130	+123
42	78	O-MLSTSB4278	2,096	+146	50	78	O-MLSTSB5078	2,273	+146
42	84	O-MLSTSB4284	2,225	+152	50	84	O-MLSTSB5084	2,420	+152
42	90	O-MLSTSB4290	2,408	+161	50	90	O-MLSTSB5090	2,618	+161
42	96	O-MLSTSB4296	2,560	+169	50	96	O-MLSTSB5096	2,780	+169



Specify

- Laminate Selection
- Edge Selection

Notes

- Full-Height modesties provide visual privacy for bench layouts.
- Laminate modesty panels sit beside the bench layout with the edgeband at worksurface height, and add 1” to the bench depth.
- Modesty panels cover the back of the electrical and data troughs where exposed on an aisle.
- Modesty panels are needed for structural support.
- Wood grain on end panels modesty panels 18”W – 60”W runs vertically while panels 66”W – 96”W run horizontally.





120 Modesty Panels and 120 Modesty Covers

120 SINGLE BENCH FULL MODESTY PANELS

H	W	Model Number Condition G	List	Laminate Grade C
29	36	B-120SBFMG36	910	+66
29	42	B-120SBFMG42	1,032	+78
29	48	B-120SBFMG48	1,213	+84
29	54	B-120SBFMG54	1,335	+100
29	60	B-120SBFMG60	1,474	+100

120 DOUBLE BENCH FULL MODESTY

H	W	Model Number Condition K	List	Laminate Grade C
29	36	B-120DBFMK36	910	+66
29	42	B-120DBFMK42	1,032	+78
29	48	B-120DBFMK48	1,213	+84
29	54	B-120DBFMK54	1,335	+100
29	60	B-120DBFMK60	1,474	+100



Specify

Notes





- Laminate Selection
- Edge Selection
- Modesties are non-structural cosmetic applications.
- For use with Oxygen 120 Bench Kits only.

120 SINGLE BENCH HALF MODESTY

H	W	Model Number Condition G	List	Laminate Grade C
10	36	B-120SBHMG36	441	+66
10	42	B-120SBHMG42	454	+78
10	48	B-120SBHMG48	467	+84
10	54	B-120SBHMG54	543	+100
10	60	B-120SBHMG60	549	+100

120 DOUBLE BENCH HALF MODESTY

H	W	Model Number Condition K	List	Laminate Grade C
10	36	B-120DBHMK36	441	+66
10	42	B-120DBHMK42	454	+78
10	48	B-120DBHMK48	467	+84
10	54	B-120DBHMK54	543	+100
10	60	B-120DBHMK60	549	+100



Specify

Notes



- Laminate Selection
- Edge Selection
- Modesties are non-structural cosmetic applications.
- For use with Oxygen 120 Bench Kits only.

120 SINGLE BENCH FULL MODESTY COVER

Model Number	List
B-120DBFMC	196

120 SINGLE BENCH HALF MODESTY COVER

Model Number	List
B-120DBHMC	196



Specify

Notes

- Paint Selection
- Use to cover connecting gap between single bench modesty panels.

Specify


Notes

- Paint Selection
- Use to cover connecting gap between single bench modesty panels.

End-of-Run Covers


STRAIGHT LEG END-OF-RUN COVERS (FLAT)

H	D	Model Number	List	Grade C Paint
3.6	24	O-ECSFSB24	143	+10
3.6	30	O-ECSFSB30	159	+10
3.6	48	O-ECSFDB48	201	+10
3.6	60	O-ECSFDB60	216	+10




STRAIGHT LEG END-OF-RUN COVERS (TAPERED)

H	D	Model Number	List	Grade C Paint
3.6 - 5.1	24	O-ECSTSB24	143	+10
3.6 - 5.1	30	O-ECSTSB30	159	+10
3.6 - 5.1	48	O-ECSTDB48	201	+10
3.6 - 5.1	60	O-ECSTDB60	216	+10




SLANT LEG END-OF-RUN COVERS (FLAT)

H	D	Model Number	List	Grade C Paint
3.6	24	O-ECSLFDB24	140	+10
3.6	30	O-ECSLFDB30	154	+10
3.6	48	O-ECSLFDB48	195	+10
3.6	60	O-ECSLFDB60	212	+10




SLANT LEG END-OF-RUN COVERS (TAPERED)

H	D	Model Number	List	Grade C Paint
3.6 - 5.1	24	O-ECSLSB24	143	+10
3.6 - 5.1	30	O-ECSLSB30	159	+10
3.6 - 5.1	48	O-ECSLDB48	201	+10
3.6 - 5.1	60	O-ECSLDB60	216	+10



SLIM LEG END-OF-RUN COVERS (FLAT)

H	D	Model Number	List	Grade C Paint
3.6	24	O-ECSL24	143	+10
3.6	30	O-ECSL30	158	+10
3.6	48	O-ECSL48	200	+10
3.6	60	O-ECSL60	215	+10



Specify


• Paint Selection

Notes

- End-of-Run Covers are designed to give the leg kits a finished look at the end of a bench run.
- Straight end-of-run covers are 3.6" high.
- Tapered end-of-run covers are 3.6" high at the end and angle down to 5.1" in the center.

TYPE A GALLERY PANELS (FEMALE ONE END)

H	W	Handing	Horizon Planning	Model Number	List	Laminate Grade C
27	12	Universal	Under Desk	O-GPF1E2712	383	+20
27	18	Universal	Under Desk	O-GPF1E2718	511	+24



Specify	Notes
<ul style="list-style-type: none"> • Laminate Selection • Edge Selection 	<ul style="list-style-type: none"> • Gallery Panels (Type A) - Female One End are used with male gallery panels to support return surfaces and create privacy. • Female one end gallery panels are positioned under the worksurface for support. • Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

TYPE B GALLERY PANELS (FEMALE ONE END)

H	W	Horizon Planning	Left Handed		Right Handed		Laminate Grade C
			Model Number	List	Model Number	List	
28	18	Desktop	O-GPF1E2818L	383	O-GPF1E2818R	383	+36
28	20	Desktop	O-GPF1E2820L	511	O-GPF1E2820R	511	+41
28	24	Desktop	O-GPF1E2824L	640	O-GPF1E2824R	640	+46
42	18	42"H	O-GPF1E4218L	445	O-GPF1E4218R	445	+46
42	20	42"H	O-GPF1E4220L	582	O-GPF1E4220R	582	+51
42	24	42"H	O-GPF1E4224L	724	O-GPF1E4224R	724	+56
46	18	46"H	O-GPF1E4618L	467	O-GPF1E4618R	467	+61
46	20	46"H	O-GPF1E4620L	604	O-GPF1E4620R	604	+67
46	24	46"H	O-GPF1E4624L	750	O-GPF1E4624R	750	+73
50	18	50"H	O-GPF1E5018L	489	O-GPF1E5018R	489	+78
50	20	50"H	O-GPF1E5020L	628	O-GPF1E5020R	628	+84
50	24	50"H	O-GPF1E5024L	777	O-GPF1E5024R	777	+90



Left Hand




Right Hand

Specify	Notes
<ul style="list-style-type: none"> • Laminate Selection • Edge Selection 	<ul style="list-style-type: none"> • Gallery Panels (Type B) - Female One End (Handed) are used with male gallery panels to support return surfaces and create privacy. • Female one end gallery panels are positioned adjacent to the worksurface for support. • Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

Gallery Panels

TYPE C GALLERY PANELS (MALE BOTH ENDS)

H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
28	24	Desktop	O-GPM2E2824	640	+46	Universal
28	30	Desktop	O-GPM2E2830	833	+51	Universal
28	36	Desktop	O-GPM2E2836	958	+56	Universal
28	42	Desktop	O-GPM2E2842	1,090	+61	Universal
28	48	Desktop	O-GPM2E2848	1,280	+67	Universal
28	54	Desktop	O-GPM2E2854	1,410	+71	Universal
28	54	Desktop	O-GPM2E2860	1,552	+76	Universal
42	24	42"H	O-GPM2E4224	702	+58	Universal
42	30	42"H	O-GPM2E4230	896	+61	Universal
42	36	42"H	O-GPM2E4236	1,024	+65	Universal
42	42	42"H	O-GPM2E4242	1,151	+68	Universal
42	48	42"H	O-GPM2E4248	1,342	+71	Universal
42	54	42"H	O-GPM2E4254	1,473	+76	Universal
42	60	42"H	O-GPM2E4260	1,615	+80	Universal
46	24	46"H	O-GPM2E4624	724	+73	Universal
46	30	46"H	O-GPM2E4630	916	+76	Universal
46	36	46"H	O-GPM2E4636	1,043	+80	Universal
46	42	46"H	O-GPM2E4642	1,172	+83	Universal
46	48	46"H	O-GPM2E4648	1,342	+87	Universal
46	54	46"H	O-GPM2E4654	1,494	+90	Universal
46	60	46"H	O-GPM2E4660	1,636	+94	Universal
50	24	50"H	O-GPM2E5024	744	+90	Universal
50	30	50"H	O-GPM2E5030	937	+94	Universal
50	36	50"H	O-GPM2E5036	1,063	+97	Universal
50	42	50"H	O-GPM2E5042	1,192	+102	Universal
50	48	50"H	O-GPM2E5048	1,383	+105	Universal
50	54	50"H	O-GPM2E5054	1,514	+109	Universal
50	60	50"H	O-GPM2E5060	1,656	+115	Universal



Specify


- Laminate Selection
- Edge Selection

Notes

- Gallery Panels (Type C) - Male Both Ends are used with female gallery panels to support returns and create privacy.
- Male both end gallery panels are positioned adjacent to the worksurface for support.
- Actual width is nominal plus 1 1/8" to accommodate female gallery panel on one end.
- Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W – 96"W run horizontally.

TYPE D GALLERY PANELS (MALE CENTERED)

H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
28	24	Under Desk	O-GPMC2824	640	+46	Non-Handed
28	30	Under Desk	O-GPMC2830	833	+51	Non-Handed
28	36	Under Desk	O-GPMC2836	958	+56	Non-Handed
28	42	Under Desk	O-GPMC2842	1,090	+61	Non-Handed
28	48	Under Desk	O-GPMC2848	1,280	+67	Non-Handed
42	24	42"H	O-GPMC4224	702	+58	Non-Handed
42	30	42"H	O-GPMC4230	896	+61	Non-Handed
42	36	42"H	O-GPMC4236	1,024	+65	Non-Handed
42	42	42"H	O-GPMC4242	1,151	+68	Non-Handed
42	48	42"H	O-GPMC4248	1,342	+71	Non-Handed
46	24	46"H	O-GPMC4624	724	+73	Non-Handed
46	30	46"H	O-GPMC4630	916	+76	Non-Handed
46	36	46"H	O-GPMC4636	1,043	+80	Non-Handed
46	46	46"H	O-GPMC4642	1,172	+83	Non-Handed
46	48	46"H	O-GPMC4648	1,362	+87	Non-Handed
50	24	50"H	O-GPMC5024	744	+90	Non-Handed
50	30	50"H	O-GPMC5030	937	+94	Non-Handed
50	36	50"H	O-GPMC5036	1,063	+97	Non-Handed
50	42	50"H	O-GPMC5042	1,192	+102	Non-Handed
50	48	50"H	O-GPMC5048	1,382	+105	Non-Handed




Specify	Notes
<ul style="list-style-type: none"> • Laminate Selection • Edge Selection 	<ul style="list-style-type: none"> • Gallery Panels (Type B) - Female One End (Handed) are used with male gallery panels to support return surfaces and create privacy. • Female one end gallery panels are positioned adjacent to the worksurface for support. • Wood grain on gallery panels 18"W – 60"W runs vertically while panels 66"W - 96"W run horizontally.

Duplex Outlets

DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4DO1	78
2	Black	E-MW8W4DO2	78
3	Black	E-MW8W4DO3	78
4	Black	E-MW8W4DO4	78
1	White	E-MW8W4DO1-W	78
2	White	E-MW8W4DO2-W	78
3	White	E-MW8W4DO3-W	78
4	White	E-MW8W4DO4-W	78




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4T24DO1	90
2	Black	E-MW8W4T24DO2	90
3	Black	E-MW8W4T24DO3	90
4	Black	E-MW8W4T24DO4	90
1	White	E-MW8W4T24DO1-W	90
2	White	E-MW8W4T24DO2-W	90
3	White	E-MW8W4T24DO3-W	90
4	White	E-MW8W4T24DO4-W	90




Notes

- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.

Duplex Outlets

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-UN8W4USB01	317
2	Black	E-UN8W4USB02	317
3	Black	E-UN8W4USB03	317
4	Black	E-UN8W4USB04	317
1	White	E-UN8W4USB01-W	283
2	White	E-UN8W4USB02-W	283
3	White	E-UN8W4USB03-W	283
4	White	E-UN8W4USB04-W	283




Notes

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

DUPLEX OUTLET HOLE COVERS

Model Number	List
E-UNWC	30



Specify

- Paint Selection for Hole Cover


Notes

- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24"W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.
- Can be used with multi-circuit electrical units.

Data Plate Kits and Data Housing Units

DATA PLATE KIT

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	34
Cat 5e Jack	E-HRJ45-SM	123
Cat 6 Data Jack	E-HXJ6BK-SM	134
Hole Blank (10 Pack)	E-SFBB10-SM	83




Notes

- Data Plate Kit has six ports for modular jacks.
- Bezel screws directly to the access box in pre-drilled and tapped hole pattern.
- RJ-45 jacks can be used in place of RJ-11 jacks.

SINGLE GANG PLATE ADAPTER

Model Number	List
E-DJA	47




Notes

- Single Gang Plate Adapter (1) provided with each access box to adapt single gang plates to box.
- Single gang plates cannot be used with “grommet only” option.

SURFACE MOUNT DATA HOUSING UNITS

Port Quantity	Model Number	List
1	E-ISB1BK-SM	126
4	E-ISB4BK-SM	126
6	E-ISB6BK-SM	126



Notes

- Surface mount data housing units have a low-profile design, are ADA compliant and easily mount to multiple surfaces.
- Units include double-sided tape and mounting screws for easy installation.
- Base includes tie wrap anchors at rear cable entry point for 4” cable ties (included).
- Compatible with standard jacks.
- Port dimensions: 0.68”H x 0.58”W
- Single port housing dimensions: 1.08”H X 1.3”W X 2.38”D
- Four port housing dimensions: 1.25”H X 5”W X 3.25”D
- Six port housing dimensions: 1.25”H X 6.5”W X 4”D

Jumpers and In-Feeds

ELECTRICAL JUMPERS

Actual Length	Model Number	List
18	E-MX8W4PTPC18	212
21	E-MX8W4PTPC21	222
24	E-UN8W4VT16	260
30	E-UN8W4J30	276
33	E-HM8W4PJ24	277
37	E-MW8W4PJ18	272
39	E-HM8W4PJ30	277
43	E-MW8W4PJ24	303
45	E-MW8W4PJ24E	315
48	E-UN8W4J48	276
49	E-MW8W4PJ30	324
51	E-MW8W4PJ30E	331
55	E-MW8W4PJ36	334
57	E-MW8W4PJ36E	342
61	E-MW8W4PJ42	345
63	E-MW8W4PJ42E	351
67	E-MW8W4PJ48	372
69	E-MW8W4PJ48E	382
79	E-MW8W4PJ60	400
81	E-MW8W4PJ60E	421
86	E-MW8W4PJ86	458



Oxygen Jumper Specification Grid:

Jumper length when joining powered bench top kits together

Bench Width	To 36"	To 42"	To 48"	To 54"	To 60"	To 66"	To 72"	To 78"	To 84"	To 90"	To 96"
From 36"	30	30	30	30	33	37	39	43	45	48	51
From 42"	30	33	30	33	37	39	43	45	48	51	55
From 48"	30	30	30	30	33	37	39	43	45	48	51
From 54"	30	33	30	33	37	39	43	45	48	51	55
From 60"	33	37	33	37	39	43	45	48	51	55	57
From 66"	37	39	37	39	43	45	48	51	55	57	61
From 72"	39	43	39	43	45	48	51	55	57	63	67
From 78"	43	45	43	45	48	51	55	57	61	63	67
From 84"	45	48	45	48	51	55	57	61	63	67	69
from 90"	48	51	48	51	55	57	61	63	67	69	79
From 96"	51	55	51	55	57	61	63	67	69	79	79


Notes

- Electrical jumpers are used for connecting powered bench top kits to each other in a plan.
- Electrical jumpers are listed in actual lengths to assist with specification. Jumper use is explained in the specification grid.
- **Important:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.

In-Feeds, Power Poles and Extenders

CEILING IN-FEED

Actual Length	Model Number	List
144"	E-UN8W4CIF	577




Notes


- Ceiling in-feeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12' long.
- Power pole shells are ordered separately.

SIDE-MOUNTED BASE IN-FEED

Actual Length	Use	Model Number	List
72"	Standard	E-UN8W4BIFS	493
72"	New York City	E-HM8W4BIFSNY	980



Standard In-Feeds



New York City Base In-Feeds

Notes

- Side-mounted base in-feeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location.
- Each base in-feed is 6' in length, encased in "liquid tight".
- New York City code requires the use of a special base feed with an in-line junction box.

POLE FOR SINGLE-SIDED BENCH

Hand	Actual Height	Model Number	List	Grade C Paint
Left Hand	136"	O-PPMSL	813	+20
Right Hand	136"	O-PPMSR	813	+20



Specify

- Paint Selection

Notes

- Power/data pole kit includes two 68" pole sections, two 68" covers, one pole coupler, two 68" dividers, mounting brackets, one ceiling shroud, one 72" perforated strip for attaching pole to ceiling grid, and mounting hardware.
- Order ceiling feeds separately.
- Designed for an 11' ceiling.

POLE FOR DOUBLE-SIDED BENCH

Actual Height	Model Number	List	Grade C Paint
136"	O-PPMD	813	+20



Specify

- Paint Selection


Notes

- Power/data pole kit includes two 68" pole sections, two 68" covers, one pole coupler, two 68" dividers, mounting brackets, one ceiling shroud, one 72" perforated strip for attaching pole to ceiling grid, and mounting hardware.
- Order ceiling feeds separately.
- Designed for an 11' ceiling.

In-Feeds, Power Poles and Extenders

SIDE-MOUNTED BASE IN-FEED WITH POLE

Actual Height	Use	Model Number	List
72"	Standard	O-8W4BIFS	981
72"	New York City	O-8W4BIFSNY	1,452



- | | |
|---|---|
| <p>Specify</p> <ul style="list-style-type: none"> • Paint Selection | <p>Notes</p> <ul style="list-style-type: none"> • Side-mounted base in-feed with pole includes a wire management pole with the above mentioned in-feed. • Base feed is 72" long. |
|---|---|

POWER / DATA POLE EXTENDER


Actual Height	Model Number	List	Grade C Paint
28"	A-PPEX28	299	+10
48"	A-PPEX48	432	+10



- | | |
|---|---|
| <p>Specify</p> <ul style="list-style-type: none"> • Paint Selection | <p>Notes</p> <ul style="list-style-type: none"> • Power/data pole extender includes one pole section, one cover, one pole coupler and one divider. • Order ceiling feeds separately. |
|---|---|

EXPANDABLE CABLE MANAGEMENT STRIP


Actual Length	Model Number	List
72"	O-CMS72	340



- Notes**
- Expandable cable management strip may be used to dress cable and base in-feed bundle running from wall to trough.
 - Capable of accommodating 1" to 4" diameter bundles.


VERTICAL WIRE MANAGER

Actual Height	Model Number	List
23"	O-VWM	516



Glass 1/4" Universal Spine Insert Screens

GLASS 1/4" UNIVERSAL SPINE INSERT SCREENS							GLASS 1/4" UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass	H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
12	36	42"H	O-3-1236	364	+ 50	+ 182	20	36	50"H	O-3-2036	508	+ 80	+ 291
12	42	42"H	O-3-1242	394	+ 58	+ 212	20	42	50"H	O-3-2042	578	+ 93	+ 340
12	48	42"H	O-3-1248	422	+ 66	+ 242	20	48	50"H	O-3-2048	631	+ 106	+ 389
12	54	42"H	O-3-1254	542	+ 75	+ 273	20	54	50"H	O-3-2054	683	+ 120	+ 437
12	60	42"H	O-3-1260	480	+ 83	+ 303	20	60	50"H	O-3-2060	736	+ 133	+ 486
12	66	42"H	O-3-1266	508	+ 91	+ 333	20	66	50"H	O-3-2066	789	+ 146	+ 535
12	72	42"H	O-3-1272	537	+ 99	+ 363	20	72	50"H	O-3-2072	841	+ 159	+ 583
12	78	42"H	O-3-1278	566	+ 108	+ 394	20	78	50"H	O-3-2078	896	+ 173	+ 632
12	84	42"H	O-3-1284	594	+ 116	+ 424	20	84	50"H	O-3-2084	949	+ 186	+ 680
16	36	46"H	O-3-1636	542	+ 65	+ 236	24	36	54"H	O-3-2436	586	+ 95	+ 346
16	42	46"H	O-3-1642	571	+ 76	+ 276	24	42	54"H	O-3-2442	647	+ 111	+ 404
16	48	46"H	O-3-1648	603	+ 86	+ 316	24	48	54"H	O-3-2448	710	+ 126	+ 462
16	54	46"H	O-3-1654	655	+ 97	+ 355	24	54	54"H	O-3-2454	773	+ 142	+ 520
16	60	46"H	O-3-1660	700	+ 108	+ 394	24	60	54"H	O-3-2460	835	+ 158	+ 577
16	66	46"H	O-3-1666	713	+ 119	+ 434	24	66	54"H	O-3-2466	898	+ 174	+ 635
16	72	46"H	O-3-1672	734	+ 129	+ 473	24	72	54"H	O-3-2472	958	+ 189	+ 693
16	78	46"H	O-3-1678	750	+ 140	+ 513	24	78	54"H	O-3-2478	1,020	+ 205	+ 751
16	84	46"H	O-3-1684	767	+ 151	+ 552	24	84	54"H	O-3-2484	1,082	+ 221	+ 808




Specify	Notes
<ul style="list-style-type: none"> • Glass Type 	<ul style="list-style-type: none"> • Universal Spine Insert Screens are designed to up-mount in the spine beam. • Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72" in width. • Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles. • Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

Class 3/8" Universal Spine Insert Screens

GLASS 3/8" UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
12	36	42"H	O-SGH1236	599	+ 50	+ 99
12	42	42"H	O-SGH1242	664	+ 58	+ 116
12	48	42"H	O-SGH1248	728	+ 66	+ 132
12	54	42"H	O-SGH1254	794	+ 75	+ 149
12	60	42"H	O-SGH1260	859	+ 83	+ 165
12	66	42"H	O-SGH1266	924	+ 91	+ 182
12	72	42"H	O-SGH1272	989	+ 99	+ 198
12	78	42"H	O-SGH1278	1,055	+ 108	+ 215
12	84	42"H	O-SGH1284	1,119	+ 116	+ 231
16	36	46"H	O-SGH1636	615	+ 65	+ 129
16	42	46"H	O-SGH1642	706	+ 76	+ 151
16	48	46"H	O-SGH1648	801	+ 86	+ 172
16	54	46"H	O-SGH1654	869	+ 97	+ 194
16	60	46"H	O-SGH1660	900	+ 108	+ 215
16	66	46"H	O-SGH1666	998	+ 119	+ 237
16	72	46"H	O-SGH1672	1,071	+ 129	+ 258
16	78	46"H	O-SGH1678	1,093	+ 140	+ 280
16	84	46"H	O-SGH1684	1,158	+ 151	+ 301

GLASS 3/8" UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
20	36	50"H	O-SGH2036	798	+ 80	+ 159
20	42	50"H	O-SGH2042	899	+ 93	+ 186
20	48	50"H	O-SGH2048	998	+ 106	+ 212
20	54	50"H	O-SGH2054	1,100	+ 120	+ 239
20	60	50"H	O-SGH2060	1,200	+ 133	+ 265
20	66	50"H	O-SGH2066	1,301	+ 146	+ 292
20	72	50"H	O-SGH2072	1,401	+ 159	+ 318
20	78	50"H	O-SGH2078	1,503	+ 173	+ 345
20	84	50"H	O-SGH2084	1,603	+ 186	+ 371
24	36	54"H	O-SGH2436	908	+ 95	+ 189
24	42	54"H	O-SGH2442	1,026	+ 111	+ 221
24	48	54"H	O-SGH2448	1,146	+ 126	+ 252
24	54	54"H	O-SGH2454	1,263	+ 142	+ 284
24	60	54"H	O-SGH2460	1,384	+ 158	+ 315
24	66	54"H	O-SGH2466	1,504	+ 174	+ 347
24	72	54"H	O-SGH2472	1,622	+ 189	+ 378
24	78	54"H	O-SGH2478	1,740	+ 205	+ 410
24	84	54"H	O-SGH2484	1,857	+ 221	+ 441



Specify

Notes


- Glass Type

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72" in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

Lexan 1/4" Universal Spine Insert Screens

LEXAN 1/4" UNIVERSAL SPINE INSERT SCREENS				
H	W	Planning	Model Number	List
12	36	42"H	O-1-1236	494
12	42	42"H	O-1-1242	532
12	48	42"H	O-1-1248	569
12	54	42"H	O-1-1254	605
12	60	42"H	O-1-1260	643
12	66	42"H	O-1-1266	680
12	72	42"H	O-1-1272	717
12	78	42"H	O-1-1278	754
12	84	42"H	O-1-1284	790
16	36	46"H	O-1-1636	569
16	42	46"H	O-1-1642	617
16	48	46"H	O-1-1648	668
16	54	46"H	O-1-1654	717
16	60	46"H	O-1-1660	767
16	66	46"H	O-1-1666	816
16	72	46"H	O-1-1672	867
16	78	46"H	O-1-1678	917
16	84	46"H	O-1-1684	968

LEXAN 1/4" UNIVERSAL SPINE INSERT SCREENS				
H	W	Planning	Model Number	List
20	36	50"H	O-1-2036	643
20	42	50"H	O-1-2042	705
20	48	50"H	O-1-2048	767
20	54	50"H	O-1-2054	830
20	60	50"H	O-1-2060	895
20	66	50"H	O-1-2066	956
20	72	50"H	O-1-2072	1,019
20	78	50"H	O-1-2078	1,082
20	84	50"H	O-1-2084	1,142



Specify

Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Universal Spine Insert Screens cannot be used on straight runs with T-feet only.


PET Universal Spine Insert Screens

PET UNIVERSAL SPINE INSERT SCREENS

H	W	Planning	Model Number	List
12	36	42"H	O-5-1236	326
12	42	42"H	O-5-1242	335
12	48	42"H	O-5-1248	346
12	54	42"H	O-5-1254	355
12	60	42"H	O-5-1260	364
12	66	42"H	O-5-1266	375
12	72	42"H	O-5-1272	384
12	78	42"H	O-5-1278	394
12	84	42"H	O-5-1284	403
16	36	46"H	O-5-1636	346
16	42	46"H	O-5-1642	357
16	48	46"H	O-5-1648	371
16	54	46"H	O-5-1654	384
16	60	46"H	O-5-1660	397
16	66	46"H	O-5-1666	410
16	72	46"H	O-5-1672	422
16	78	46"H	O-5-1678	435
16	84	46"H	O-5-1684	448
20	36	50"H	O-5-2036	364
20	42	50"H	O-5-2042	382
20	48	50"H	O-5-2048	397
20	54	50"H	O-5-2054	413
20	60	50"H	O-5-2060	428
20	66	50"H	O-5-2066	444
20	72	50"H	O-5-2072	462
20	78	50"H	O-5-2078	476
20	84	50"H	O-5-2084	493

PET UNIVERSAL SPINE INSERT SCREENS

H	W	Planning	Model Number	List
24	36	54"H	O-5-2436	384
24	42	54"H	O-5-2442	403
24	48	54"H	O-5-2448	422
24	54	54"H	O-5-2454	441
24	60	54"H	O-5-2460	462
24	66	54"H	O-5-2466	480
24	72	54"H	O-5-2472	498
24	78	54"H	O-5-2478	517
24	84	54"H	O-5-2484	537
28	36	58"H	O-5-2836	403
28	42	58"H	O-5-2842	426
28	48	58"H	O-5-2848	448
28	54	58"H	O-5-2854	470
28	60	58"H	O-5-2860	493
28	66	58"H	O-5-2866	515
28	72	58"H	O-5-2872	537
28	78	58"H	O-5-2878	561
28	84	58"H	O-5-2884	582
32	36	62"H	O-5-3236	422
32	42	62"H	O-5-3242	448
32	48	62"H	O-5-3248	474
32	54	62"H	O-5-3254	498
32	60	62"H	O-5-3260	525
32	66	62"H	O-5-3266	549
32	72	62"H	O-5-3272	575
32	78	62"H	O-5-3278	602
32	84	62"H	O-5-3284	626



Specify

• Color Selection for PET - Lite Grey, Medium Grey, Tan or Vibrant Blue

Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Universal Spine Insert Screens cannot be used on straight runs with T-feet only.


Floor Bookcases

26" HIGH FLOOR BOOKCASES (14" DEEP)


H	W	D	Model Number	List
26	24	14	C-BC272414G	1,546
26	30	14	C-BC273014G	1,626
26	36	14	C-BC273614G	2,127
26	42	14	C-BC274214G	2,190
26	48	14	C-BC274814G	2,260
26	54	14	C-BC275414G	3,053
26	60	14	C-BC276014G	3,120
26	66	14	C-BC276614G	3,188
26	72	14	C-BC277214G	3,256

26" HIGH FLOOR BOOKCASES (18" DEEP)


H	W	D	Model Number	List
26	24	18	C-BC272418G	1,626
26	30	18	C-BC273018G	1,698
26	36	18	C-BC273618G	2,176
26	42	18	C-BC274218G	2,279
26	48	18	C-BC274818G	2,362
26	54	18	C-BC275418G	3,240
26	60	18	C-BC276018G	3,326
26	66	18	C-BC276618G	3,396
26	72	18	C-BC277218G	3,462




24" - 30" Wide




36" - 48" Wide




54" - 72" Wide



24" - 30" Wide



36" - 48" Wide



54" - 72" Wide

Specify

Notes


- Laminate Selection for Back and Case
- 20" H Floor Bookcases have a 3/4" laminate case construction with 1mm edgeband.
- Legs are 2 1/8" high and glides are adjustable by 1 1/2".
- 24"- 30" wide units have full open storage slots.
- 36"- 48" wide units have center upright divider creating four storage slots.
- 54"- 72" wide units have three evenly spaced upright dividers creating eight storage slots.

26" HIGH SHARED FLOOR BOOKCASES (LEFT)


H	W	D	Model Number	List
26	36	18	C-YFBCL2736G	2,151
26	42	18	C-YFBCL2742G	2,254
26	48	18	C-YFBCL2748G	2,337
26	60	18	C-YFBCL2760G	3,292
26	66	18	C-YFBCL2766G	3,364
26	72	18	C-YFBCL2772G	3,428

26" HIGH SHARED FLOOR BOOKCASES (RIGHT)


H	W	D	Model Number	List
26	36	18	C-YFBCR2736G	2,151
26	42	18	C-YFBCR2742G	2,254
26	48	18	C-YFBCR2748G	2,337
26	60	18	C-YFBCR2760G	3,292
26	66	18	C-YFBCR2766G	3,364
26	72	18	C-YFBCR2772G	3,428




36" - 48" Wide




60" - 72" Wide




Shared Overhead View
(Open Left)



36" - 48" Wide



60" - 72" Wide



Shared Overhead View
(Open Right)

Specify


Notes

- Laminate Selection Case and Back
- 26" high shared floor bookcase has a 3/4" laminate case construction with 1mm edgeband.
- Each unit is handed to allow for left or right hand access.
- Overall unit height is 26" nominal and is available in 36" - 72" wide.
- Designed to be used adjacent to a bench.
- 26" high storage is engineered to use glides for optimal fit.


Cabinet Door and Sliding Door Credenzas

26" HIGH LAMINATE FRONT CABINET DOOR CREDENZAS

H	W	D	Model Number	List
26	24	18	C-CC272418LG	2,493
26	30	18	C-CC273018LG	2,598
26	36	18	C-CC273618LG	2,972
26	42	18	C-CC274218LG	3,074
26	48	18	C-CC274818LG	3,228
26	54	18	C-CC275418LG	4,357
26	60	18	C-CC276018LG	4,477
26	66	18	C-CC276618LG	4,562
26	72	18	C-CC277218LG	5,125




30" - 48" Wide




54" - 72" Wide

26" HIGH LAMINATE FRONT SLIDING DOOR CREDENZAS

H	W	D	Left-Handed	Right Handed	List
			Model Number	Model Number	
26	30	18	C-CS273018LLG	C-CS273018RLG	3,618
26	36	18	C-CS273618LLG	C-CS273618RLG	3,722
26	42	18	C-CS274218LLG	C-CS274218RLG	3,830
26	48	18	C-CS274818LLG	C-CS274818RLG	3,922
26	54	18	C-CS275418LLG	C-CS275418RLG	4,951
26	60	18	C-CS276018LLG	C-CS276018RLG	5,060
26	66	18	C-CS276618LLG	C-CS276618RLG	5,150
26	72	18	C-CS277218LLG	C-CS277218RLG	5,258



30" - 48" Wide



54" - 72" Wide

Specify

Notes

- Laminate Selection for Back, Case and Door
- 26"H Cabinet Door Credenzas have a 3/4" laminate case construction with 1mm edgeband.
- Legs are 2 1/8"H and glides are adjustable by 1 1/2".
- Cabinet doors features straight bar pull, are lockable and available in laminate or frosted acrylic.
- Trim around acrylic is silver.
- Only the center doors are lockable on 54" - 72" wide credenzas.
- Units may be keyed alike with all AIS storage.
- 24"- 48" wide units have center upright divider creating two cabinet slots.
- 54"- 72" wide units have three center upright dividers creating four cabinet slots.
- 26" high storage ship with glides in place of feet.
- Designed to fit under bench.

Specify

Notes

- Laminate Selection for Back, Case and Door
- 26"H Sliding Door Credenzas have a 3/4" laminate case construction with 1mm edgeband.
- Legs are 2 1/8"H and glides are adjustable by 1 1/2".
- Sliding door features straight bar pull, is lockable and available in laminate or frosted acrylic.
- Trim around frosted acrylic is silver.
- Sliding door is also reversible from left to right.
- 30"- 48" wide units have center upright divider creating two storage slots.
- 54"- 72" wide units have three evenly spaced upright dividers creating four storage slots.
- Units may be keyed alike with all AIS storage.
- 26" high storage is engineered to use glides for optimal fit.
- Designed to sit under bench.


Shared Sliding Door Floor Bookcases and Single Door Cabinets

26" HIGH SHARED SLIDING DOOR FLOOR BOOKCASES (LEFT)


H	W	D	Model Number	List
26	36	18	C-YFBCSDL2736G	3,683
26	42	18	C-YFBCSDL2742G	3,792
26	48	18	C-YFBCSDL2748G	3,882
26	60	18	C-YFBCSDL2760G	5,008
26	66	18	C-YFBCSDL2766G	5,099
26	72	18	C-YFBCSDL2772G	5,204

26" HIGH SHARED SLIDING DOOR FLOOR BOOKCASES (RIGHT)


H	W	D	Model Number	List
26	36	18	C-YFBCSDR2736G	3,683
26	42	18	C-YFBCSDR2742G	3,792
26	48	18	C-YFBCSDR2748G	3,882
26	60	18	C-YFBCSDR2760G	5,008
26	66	18	C-YFBCSDR2766G	5,099
26	72	18	C-YFBCSDR2772G	5,204




36" - 48" Wide




60" - 72" Wide




Top View
(Open Left)



36" - 48" Wide



60" - 72" Wide



Top View
(Open Right)

Specify


Notes

• Laminate Selection for Case, Edge and Door


- 26" high shared floor bookcase with sliding door has a 3/4" laminate case construction with 1mm edgeband.
- Each unit is handed to allow for left or right hand access.
- Overall unit height is 26" nominal and is available in 36" - 72" wide.
- Designed to be used adjacent to a bench.
- Lockable.
- Comes standard with bar pulls.
- 26" high storage is engineered to use glides for optimal fit.

26" HIGH LAMINATE FRONT SINGLE DOOR CABINETS

H	W	D	Left-Hinge	Right-Hinge	List
			Model Number	Model Number	
26	15	18	C-SDC271518LLG	C-SDC271518RLG	1,899
26	15	24	C-SDC271524LLG	C-SDC271524RLG	1,967
26	15	30	C-SDC271530LLG	C-SDC271530RLG	2,052



Left-Hinge



Right-Hinge

Specify

Notes


• Laminate Selection for Back and Case

- 26"H Single Door Cabinets have a 3/4" laminate case construction with 1mm edgeband.
- Legs are 2 1/8"H and glides are adjustable by 1 1/2".
- Single Door Cabinets are 12" wide and are available 24", 30", or 36" deep.
- Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.
- Trim around frosted acrylic is silver.
- 26" high storage ship with glides in place of feet.
- Designed to sit under Bench.

Mini Hutches and Mini Hutch Tackboards

SINGLE-SIDED MINI HUTCHES

H	W	D	Horizon Planning	Model Number	List
12	17	22.5	42"H Horizon	C-MHS1224	1,327
16	17	22.5	46"H Horizon	C-MHS1624	1,415
20	17	22.5	50"H Horizon	C-MHS2024	1,505
12	17	28.5	42"H Horizon	C-MHS1230	1,505
16	17	28.5	46"H Horizon	C-MHS1630	1,591
20	17	28.5	50"H Horizon	C-MHS2030	1,681




Specify

Notes

- Laminate Selection for Case and Divider
- Mini Hutch - Single-Sided is designed to sit on top of the surface and allow for open plan storage.
- All Mini Hutch units are designed for bench depth.
- Mini Hutch is used front to back on the worksurface.
- Measures 17.125" wide.
- Units shorter than 16"H will not accept a standing binder.
- Desktop units will not mar the surface.

SHARED DOUBLE-SIDED MINI HUTCHES

H	W	D	Horizon Planning	Model Number	List
12	22.5	16	42"H Horizon	C-MHD1224	1,327
16	22.5	16	46"H Horizon	C-MHD1624	1,415
20	22.5	16	50"H Horizon	C-MHD2024	1,505
12	28.5	16	42"H Horizon	C-MHD1230	1,505
16	28.5	16	46"H Horizon	C-MHD1630	1,591
20	28.5	16	50"H Horizon	C-MHD2030	1,681



Specify

Notes

- Laminate Selection for Case
- Laminate Selection for Divider
- Mini Hutch - Double-Sided is designed to sit on top of the surface and allow for open plan storage.
- All Mini Hutch units are 16.314"D.
- Mini Hutch units are sized for worksurface depth.
- Units shorter than 16"H will not accept a standing binder.
- Desktop units will not mar the surface.

SINGLE-SIDED MINI HUTCH TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MHS1224	C-MHTK1224	287	+19	+38
16	22.5	C-MHS1624	C-MHTK1624	319	+19	+38
20	22.5	C-MHS2024	C-MHTK2024	389	+27	+54
12	28.5	C-MHS1230	C-MHTK1230	310	+19	+38
16	28.5	C-MHS1630	C-MHTK1630	356	+19	+38
20	28.5	C-MHS2030	C-MHTK2030	431	+27	+54



Specify

Notes

- Fabric Selection
- Mini Hutch Single-Sided Tackboards fill the outside of a Mini Hutch to provide the user with a tackable surface.
- Tackboards are sold separately.

DOUBLE-SIDED MINI HUTCH TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MHD1224	C-MHTK1224	287	+19	+38
16	22.5	C-MHD1624	C-MHTK1624	319	+19	+38
20	22.5	C-MHD2024	C-MHTK2024	389	+27	+54
12	28.5	C-MHD1230	C-MHTK1230	310	+19	+38
16	28.5	C-MHD1630	C-MHTK1630	356	+19	+38
20	28.5	C-MHD2030	C-MHTK2030	431	+27	+54



Specify

Notes

- Fabric Selection
- Mini Hutch - Double-Sided Tackboards fill the inside rear of a Mini Hutch - Double-Sided unit to provide the user with a tackable surface.
- Tackboards are sold individually.
- Units shorter than 16"H will not accept a standing binder.
- Desktop units will not mar the surface.


Mini Shared Shelves and Mini Shared Shelf Tackboards

HORIZONTAL DESKTOP MINI SHARED SHELF

H	W	D	Horizon Planning	Model Number	List
12	22.5	16	42"H Horizon	C-MSYYH122418	1,681
16	22.5	16	46"H Horizon	C-MSYYH162418	1,767
20	22.5	16	50"H Horizon	C-MSYYH202418	1,855
12	28.5	16	42"H Horizon	C-MSYYH123018	1,855
16	28.5	16	46"H Horizon	C-MSYYH163018	1,946
20	28.5	16	50"H Horizon	C-MSYYH203018	2,033

VERTICAL DESKTOP MINI SHARED SHELF

H	W	D	Horizon Planning	Model Number	List
12	22.5	16	42"H Horizon	C-MSYYV122418	1,681
16	22.5	16	46"H Horizon	C-MSYYV162418	1,767
20	22.5	16	50"H Horizon	C-MSYYV202418	1,855
12	28.5	16	42"H Horizon	C-MSYYV123018	1,855
16	28.5	16	46"H Horizon	C-MSYYV163018	1,946
20	28.5	16	50"H Horizon	C-MSYYV203018	2,033



Specify

Notes


- Laminate Selection for Case
- Laminate Selection for Divider
- Mini Shared Shelves are designed to sit on top of the surface and allow for open plan storage.
- All Shared units are 16.314" deep.
- Shared are sized for worksurface depth.
- Desktop units will not mar the surface.

HORIZONTAL MINI SHARED SHELF DESKTOP TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MSYYH122418	C-MSYYHTK122418	214	+19	+38
16	22.5	C-MSYYH162418	C-MSYYHTK162418	235	+19	+38
20	22.5	C-MSYYH202418	C-MSYYHTK202418	286	+27	+54
12	28.5	C-MSYYH123018	C-MSYYHTK123018	228	+19	+38
16	28.5	C-MSYYH163018	C-MSYYHTK163018	250	+19	+38
20	28.5	C-MSYYH203018	C-MSYYHTK203018	312	+27	+54

VERTICAL MINI SHARED SHELF DESKTOP TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MSYYV122418	C-MSYYVTK122418	202	+19	+38
16	22.5	C-MSYYV162418	C-MSYYVTK162418	221	+19	+38
20	22.5	C-MSYYV202418	C-MSYYVTK202418	270	+27	+54
12	28.5	C-MSYYV123018	C-MSYYVTK123018	214	+19	+38
16	28.5	C-MSYYV163018	C-MSYYVTK163018	235	+19	+38
20	28.5	C-MSYYV203018	C-MSYYVTK203018	293	+27	+54



Specify

Notes

- Fabric Selection
- Mini Shared Shelf - Desktop Tackboards fill the outside rear of a Mini Shared Shelf (Horizontal) Desk Top unit to provide the user with a tackable surface.
- Tackboards are sold individually.
- Desktop units will not mar the surface.



Single-Sided Desktop Bookcases

SINGLE-SIDED DESKTOP BOOKCASE ON 4" FEET

H	W	D	Horizon Planning	Model Number	List
8	34	16	42"H Horizon	C-SSODT083616	1,453
8	40	16	42"H Horizon	C-SSODT084216	1,544
8	46	16	42"H Horizon	C-SSODT084816	1,629
8	52	16	42"H Horizon	C-SSODT085416	1,718
8	58	16	42"H Horizon	C-SSODT086016	1,805
8	64	16	42"H Horizon	C-SSODT086616	1,895
8	70	16	42"H Horizon	C-SSODT087216	1,983
12	34	16	46"H Horizon	C-SSODT123616	1,544
12	40	16	46"H Horizon	C-SSODT124216	1,629
12	46	16	46"H Horizon	C-SSODT124816	1,718
12	52	16	46"H Horizon	C-SSODT125416	1,805
12	58	16	46"H Horizon	C-SSODT126016	1,895
12	64	16	46"H Horizon	C-SSODT126616	1,983
12	70	16	46"H Horizon	C-SSODT127216	2,070
16	34	16	50"H Horizon	C-SSODT163616	1,629
16	40	16	50"H Horizon	C-SSODT164216	1,718
16	46	16	50"H Horizon	C-SSODT164816	1,805
16	52	16	50"H Horizon	C-SSODT165416	1,895
16	58	16	50"H Horizon	C-SSODT166016	1,983
16	64	16	50"H Horizon	C-SSODT166616	2,070
16	70	16	50"H Horizon	C-SSODT167216	2,159

SINGLE-SIDED DESKTOP BOOKCASE ON 8" FEET

H	W	D	Horizon Planning	Model Number	List
8	34	16	46"H Horizon	C-SSODT080836	1,452
8	40	16	46"H Horizon	C-SSODT080842	1,543
8	46	16	46"H Horizon	C-SSODT080848	1,629
8	52	16	46"H Horizon	C-SSODT080854	1,718
8	58	16	46"H Horizon	C-SSODT080860	1,805
8	64	16	46"H Horizon	C-SSODT080866	1,893
8	70	16	46"H Horizon	C-SSODT080872	1,982



Specify

Notes

- Laminate Selection for Case and Back
- Paint Selection

- Single-Sided Desktop Bookcases are designed to sit on top of the surface and allow for open plan storage.
- Units are 2" shorter than nominal to allow for territory screens.
- Units shorter than 16"H will not accept a standing binder.
- Desktop units will not mar the surface.





Double-Sided Desktop Bookcases

DOUBLE-SIDED DESKTOP BOOKCASES ON 4" FEET

H	W	D	Horizon Planning	Model Number	List
8	34	24	42"H	C-DSODT083624	1,929
8	40	24	42"H	C-DSODT084224	2,019
8	46	24	42"H	C-DSODT084824	2,105
8	52	24	42"H	C-DSODT085424	2,599
8	58	24	42"H	C-DSODT086024	2,669
8	64	24	42"H	C-DSODT086624	2,740
8	70	24	42"H	C-DSODT087224	2,813
12	34	24	46"H	C-DSODT123624	1,983
12	40	24	46"H	C-DSODT124224	2,070
12	46	24	46"H	C-DSODT124824	2,159
12	52	24	46"H	C-DSODT125424	2,653
12	58	24	46"H	C-DSODT126024	2,723
12	64	24	46"H	C-DSODT126624	2,793
12	70	24	46"H	C-DSODT127224	2,864
16	34	24	50"H	C-DSODT163624	2,035
16	40	24	50"H	C-DSODT164224	2,125
16	46	24	50"H	C-DSODT164824	2,212
16	52	24	50"H	C-DSODT165424	2,703
16	58	24	50"H	C-DSODT166024	2,776
16	64	24	50"H	C-DSODT166624	2,846
16	70	24	50"H	C-DSODT167224	2,916

DOUBLE-SIDED DESKTOP BOOKCASES ON 8" FEET

H	W	D	Horizon Planning	Model Number	List
8	34	24	46"H	C-DSODT8083624	1,929
8	40	24	46"H	C-DSODT8084224	2,019
8	46	24	46"H	C-DSODT8084824	2,105
8	52	24	46"H	C-DSODT8085424	2,599
8	58	24	46"H	C-DSODT8086024	2,669
8	64	24	46"H	C-DSODT8086624	2,740
8	70	24	46"H	C-DSODT8087224	2,813



Specify

- Laminate Selection for Case
- Laminate Selection for Divider
- Paint Selection

Notes

- Double-Sided Desktop Bookcases sit on feet that are 4" above the surface to provide access to the power / data along the spine beam.
- Units are designed to straddle the spine beam / worksurface seams.
- Units are 2" shorter than nominal to allow for territory screens.
- Units shorter than 16"H will not accept a standing binder.
- Desktop Units will not mar the surface.




Spine Shared Desktop Bookcases

SPINE SHARED DESKTOP BOOKCASE OPEN ON 4" FEET

H	W	D	Horizon Planning	Model Number	List	Writable Surface
8	34	16	42"H Horizon	C-YYODT083616	1,453	+181
8	40	16	42"H Horizon	C-YYODT084216	1,544	+208
8	46	16	42"H Horizon	C-YYODT084816	1,629	+234
8	52	16	42"H Horizon	C-YYODT085416	1,718	+260
8	58	16	42"H Horizon	C-YYODT086016	1,805	+287
8	64	16	42"H Horizon	C-YYODT086616	1,895	313
8	70	16	42"H Horizon	C-YYODT087216	1,983	+340
12	34	16	46"H Horizon	C-YYODT123616	1,544	+241
12	40	16	46"H Horizon	C-YYODT124216	1,629	+275
12	46	16	46"H Horizon	C-YYODT124816	1,718	+308
12	52	16	46"H Horizon	C-YYODT125416	1,805	+342
12	58	16	46"H Horizon	C-YYODT126016	1,895	+376
12	64	16	46"H Horizon	C-YYODT126616	1,983	+410
12	70	16	46"H Horizon	C-YYODT127216	2,070	+444
16	34	16	50"H Horizon	C-YYODT163616	1,629	+301
16	40	16	50"H Horizon	C-YYODT164216	1,718	+342
16	46	16	50"H Horizon	C-YYODT164816	1,805	+383
16	52	16	50"H Horizon	C-YYODT165416	1,895	+424
16	58	16	50"H Horizon	C-YYODT166016	1,983	+465
16	64	16	50"H Horizon	C-YYODT166616	2,070	+507
16	70	16	50"H Horizon	C-YYODT167216	2,159	+548

SPINE SHARED DESKTOP BOOKCASE OPEN ON 8" FEET

H	W	D	Horizon Planning	Model Number	List	Writable Surface
8	34	16	42"H Horizon	C-YYODT8083616	1,452	+181
8	40	16	42"H Horizon	C-YYODT8084216	1,543	+208
8	46	16	42"H Horizon	C-YYODT8084816	1,629	+234
8	52	16	42"H Horizon	C-YYODT8085416	1,718	+260
8	58	16	42"H Horizon	C-YYODT8086016	1,805	+287
8	64	16	42"H Horizon	C-YYODT8086616	1,893	313
8	70	16	42"H Horizon	C-YYODT8087216	1,982	+340



Specify


- Laminate Selection for Case and Divider
- Paint Selection
- Dry-Erase Writable Surface Option

Notes


- Spine Shared Desktop Bookcase Open sits on feet that are 4" above the surface to provide access to the power / data along the spine beam.
- Units are designed to straddle the spine beam / worksurface seams.
- Units provide shared storage.
- Units are 2" shorter than nominal to allow for territory screens.
- Units shorter than 16"H will not accept a standing binder.
- Desktop units will not mar the surface.

Single-Sided and Spine Shared Desktop Bookcase Tackboards

SINGLE-SIDED DESKTOP TACKBOARDS						
H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
8	36	C-SSODT083616	C-SSODTTK083616	351	+11	+22
8	42	C-SSODT084216	C-SSODTTK084216	372	+11	+22
8	48	C-SSODT084816	C-SSODTTK084816	396	+11	+22
8	54	C-SSODT085416	C-SSODTTK085416	416	+19	+38
8	60	C-SSODT086016	C-SSODTTK086016	440	+19	+38
8	66	C-SSODT086616	C-SSODTTK086616	462	+19	+38
8	72	C-SSODT087216	C-SSODTTK087216	483	+27	+54
12	36	C-SSODT123616	C-SSODTTK123616	396	+19	+38
12	42	C-SSODT124216	C-SSODTTK124216	424	+19	+38
12	48	C-SSODT124816	C-SSODTTK124816	454	+19	+38
12	54	C-SSODT125416	C-SSODTTK125416	483	+27	+54
12	60	C-SSODT126016	C-SSODTTK126016	512	+27	+54
12	66	C-SSODT126616	C-SSODTTK126616	544	+27	+54
12	72	C-SSODT127216	C-SSODTTK127216	573	+34	+68
16	36	C-SSODT163616	C-SSODTTK163616	498	+19	+38
16	42	C-SSODT164216	C-SSODTTK164216	536	+19	+38
16	48	C-SSODT164816	C-SSODTTK164816	573	+19	+38
16	54	C-SSODT165416	C-SSODTTK165416	609	+27	+54
16	60	C-SSODT166016	C-SSODTTK166016	646	+27	+54
16	66	C-SSODT166616	C-SSODTTK166616	684	+27	+54
16	72	C-SSODT167216	C-SSODTTK167216	722	+34	+68



SPINE SHARED DESKTOP BOOKCASE OPEN TACKBOARDS						
H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
8	36	C-YYODT083616	C-YYODTTK083616	178	+11	+22
8	42	C-YYODT084216	C-YYODTTK084216	183	+11	+22
8	48	C-YYODT084816	C-YYODTTK084816	192	+11	+22
8	54	C-YYODT085416	C-YYODTTK085416	201	+19	+38
8	60	C-YYODT086016	C-YYODTTK086016	239	+19	+38
8	66	C-YYODT086616	C-YYODTTK086616	246	+19	+38
8	72	C-YYODT087216	C-YYODTTK087216	252	+27	+54
12	36	C-YYODT123616	C-YYODTTK123616	201	+19	+38
12	42	C-YYODT124216	C-YYODTTK124216	212	+19	+38
12	48	C-YYODT124816	C-YYODTTK124816	221	+19	+38
12	54	C-YYODT125416	C-YYODTTK125416	235	+27	+54
12	60	C-YYODT126016	C-YYODTTK126016	276	+27	+54
12	66	C-YYODT126616	C-YYODTTK126616	286	+27	+54
12	72	C-YYODT127216	C-YYODTTK127216	299	+34	+68
16	36	C-YYODT163616	C-YYODTTK163616	239	+19	+38
16	42	C-YYODT164216	C-YYODTTK164216	239	+19	+38
16	48	C-YYODT164816	C-YYODTTK164816	268	+19	+38
16	54	C-YYODT165416	C-YYODTTK165416	283	+27	+54
16	60	C-YYODT166016	C-YYODTTK166016	345	+27	+54
16	66	C-YYODT166616	C-YYODTTK166616	359	+27	+54
16	72	C-YYODT167216	C-YYODTTK167216	372	+34	+68



Specify

- Fabric Selection

Notes

- Single-Sided Desktop Tackboards fill the unused side of a Single-Sided Overhead - Desktop, providing the user with a tackable surface.
- Tackboards are sold individually.

Specify

- Fabric Selection


Notes

- Spine Shared Desktop Bookcase Open Tackboards fill the unused side of an Shared Overhead Desk Top to provide the user with a tackable surface.
- Tackboards are sold individually.

Endcap Hutches and Endcap Hutch Tackboards

ENDCAP HUTCH


H	W	D	Horizon Planning	Model Number	List
8	48	16	38"H Horizon	C-EHSM084816	2,438
8	60	16	38"H Horizon	C-EHSM086016	2,651
12	48	16	42"H Horizon	C-EHSM124816	2,509
12	60	16	42"H Horizon	C-EHSM126016	2,738
16	48	16	46"H Horizon	C-EHSM164816	2,581
16	60	16	46"H Horizon	C-EHSM166016	2,826
20	48	16	50"H Horizon	C-EHSM204816	2,651
20	60	16	50"H Horizon	C-EHSM206016	2,914



Specify	Notes
<ul style="list-style-type: none"> Laminate Selection for Case, Back and Bottom Paint Selection Edge Selection 	<ul style="list-style-type: none"> Endcap Hutches mount to the end of run legs with cantilevers. Endcap Hutches must be used on a bench that is at least 48" wide, or any combination of 2 benches or more. Weight capacity is 150lbs. Units shorter than 16"H will not accept a standing binder.

ENDCAP HUTCH OUTSIDE TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
8	48	C-EHSM084816	C-EHSMTK084816	345	+11	+22
8	60	C-EHSM086016	C-EHSMTK086016	372	+19	+38
12	48	C-EHSM124816	C-EHSMTK124816	403	+19	+38
12	60	C-EHSM126016	C-EHSMTK126016	451	+19	+38
16	48	C-EHSM164816	C-EHSMTK164816	465	+19	+38
16	60	C-EHSM166016	C-EHSMTK166016	524	+27	+54
20	48	C-EHSM204816	C-EHSMTK204816	586	+27	+54
20	60	C-EHSM206016	C-EHSMTK206016	661	+27	+54




Specify	Notes
<ul style="list-style-type: none"> Fabric Selection 	<ul style="list-style-type: none"> Endcap Hutch Tackboards fill the rear (aisle side) of an Endcap Hutch to provide the user with a tackable surface. Tackboards are sold separately.

Shared Overheads and Bench End Worksurfaces


SHARED OVERHEADS WITH SLIDING DOORS

H	W	D	Horizon Planning	Model Number	List	Writable Surface
16	34	16	50"H Horizon	C-SOSDDT163615	3,042	+301
16	46	16	50"H Horizon	C-SOSDDT164215	3,128	+342
16	46	16	50"H Horizon	C-SOSDDT164815	3,218	+383
16	52	16	50"H Horizon	C-SOSDDT165415	3,304	+424
16	58	16	50"H Horizon	C-SOSDDT166015	3,394	+465
16	64	16	50"H Horizon	C-SOSDDT166615	3,481	+507
16	70	16	50"H Horizon	C-SOSDDT167215	3,570	+548



BENCH END WORKSURFACES

W	D	Model Number	List
48	16	C-EBWS1648	444
60	16	C-EBWS1660	502
48	18	C-EBWS1848	474
60	18	C-EBWS1860	535
48	20	C-EBWS2048	502
60	20	C-EBWS2060	569




Specify	Notes
<ul style="list-style-type: none"> • Laminate Selection for Case, Divider and Door • Paint Selection • Dry-Erase Writable Surface Option 	<ul style="list-style-type: none"> • Shared Overheads with Sliding Doors sit on feet that are 4" above the surface to provide access to the power / data along the spine beam. • Units are designed to straddle the spine beam / worksurface seams. • Lockable. • Units are 2" shorter than nominal to allow for territory screens. • Units can be ordered with a glass writing surface over white or any standard laminate. • Comes standard with bar pulls. • Desktop units will not mar the surface.

Specify	Notes
<ul style="list-style-type: none"> • Laminate Selection • Paint Selection • Edge Selection 	<ul style="list-style-type: none"> • Bench End Worksurfaces mount to the end-of-run legs with cantilevers. • Bench End Worksurfaces must be used on a bench that is at least 48" wide, or any combination of two benches or more. • Weight capacity is 150lbs.

Metal Freestanding Pedestals


26" HIGH FREESTANDING BOX / BOX / FILE PEDESTAL

H	Model Number	List	Paint Grade C
26	S-PEDBBFJ24G	1,072	+118



26" HIGH FREESTANDING FILE / FILE PEDESTAL

H	Model Number	List	Paint Grade C
26	S-PEDFFJ24G	1,072	+118



Specify

Notes


- Paint Selection

- 26"H L Series Metal Pedestals have a square front with brushed nickel loop pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied LL keys.
- Pedestals come equipped for front-to-back letter-size filing.
- Box / box / file pedestals include one box drawer pencil tray.
- 20" - 26"H pedestals may be used under bench tops.

Freestanding Laminate Pedestals and Lateral Files


26" HIGH LAMINATE BOX / BOX / FILE PEDESTAL (FREESTANDING)

H	W	D	Model Number	List
26	16.5	24	C-BBFPFS24G	2,710



26" HIGH LAMINATE FILE / FILE PEDESTAL (FREESTANDING)

H	W	D	Model Number	List
26	16.5	24	C-FFPFS24G	2,666





Specify

Notes

- Laminate - Back, Case and Drawer
- 26"H Laminate Pedestals have a 3/4" laminate case construction with 1mm edgeband.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Comes standard with bar pulls.
- 26"H storage is engineered to use glides for optimal fit.
- Designed to sit under Bench.
- 26"H Laminate Pedestals cannot be used on benches with same depth as the pedestal. Pedestal must be 6" smaller.
Ex: 24" deep pedestal can be used with 30" bench. 18" deep pedestal can be used with 24" bench.

26" HIGH LAMINATE FILE / FILE LATERAL FILES (FREESTANDING)

H	W	D	Model Number	List
26	30	18	C-LAT2D1830G	3,309
26	36	18	C-LAT2D1836G	3,396
26	42	18	C-LAT2D1842G	3,566
26	30	24	C-LAT2D2430G	3,774
26	36	24	C-LAT2D2436G	3,906
26	42	24	C-LAT2D2442G	4,171



Specify

Notes

- Laminate Selection for Back, Case and Drawer
- 26"H Laminate Lateral Files have a 3/4" laminate case construction with 1mm edgeband.
- Overall unit height is 26" nominal and is available in 30" - 42" wide.
- 18" deep units provide letter filing both vertically and front to back, but legal filing front to back only.
- 24" deep units provide letter and legal filing both laterally and front to back.
- Comes standard with bar pulls.
- 26"H storage is engineered to use glides for optimal fit.
- Designed to sit under Bench.

Pebble Tables with Slim Post Legs

2MM EDGE PEBBLE TABLES WITH SLIM POST LEGS						
D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
30	36	29	T-PBR303629SMG	2,432	T-PBR303629SMC	2,427
30	42	29	T-PBR304229SMG	2,462	T-PBR304229SMC	2,456
30	48	29	T-PBR304829SMG	2,493	T-PBR304829SMC	2,487
30	54	29	T-PBR305429SMG	2,608	T-PBR305429SMC	2,601
30	60	29	T-PBR306029SMG	2,651	T-PBR306029SMC	2,645
30	66	29	T-PBR306629SMG	2,753	T-PBR306629SMC	2,746
30	72	29	T-PBR307229SMG	2,808	T-PBR307229SMC	2,801
36	42	29	T-PBR364229SMG	2,503	T-PBR364229SMC	2,499
36	48	29	T-PBR364829SMG	2,541	T-PBR364829SMC	2,534
36	54	29	T-PBR365429SMG	2,662	T-PBR365429SMC	2,657
36	60	29	T-PBR366029SMG	2,711	T-PBR366029SMC	2,704
36	66	29	T-PBR366629SMG	2,820	T-PBR366629SMC	2,815
36	72	29	T-PBR367229SMG	2,881	T-PBR367229SMC	2,875
42	48	29	T-PBR424829SMG	2,589	T-PBR424829SMC	2,583
42	54	29	T-PBR425429SMG	2,718	T-PBR425429SMC	2,711
42	60	29	T-PBR426029SMG	2,771	T-PBR426029SMC	2,766
42	66	29	T-PBR426629SMG	2,886	T-PBR426629SMC	2,881
42	72	29	T-PBR427229SMG	2,954	T-PBR427229SMC	2,948
48	54	29	T-PBR485429SMG	2,771	T-PBR485429SMC	2,766
48	60	29	T-PBR486029SMG	2,832	T-PBR486029SMC	2,826
48	66	29	T-PBR486629SMG	2,954	T-PBR486629SMC	2,948
48	72	29	T-PBR487229SMG	3,027	T-PBR487229SMC	3,020

KNIFE EDGE PEBBLE TABLES WITH SLIM POST LEGS						
D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
30	36	29	T-PBK303629SMG	3,660	T-PBK303629SMC	3,652
30	42	29	T-PBK304229SMG	3,709	T-PBK304229SMC	3,706
30	48	29	T-PBK304829SMG	3,762	T-PBK304829SMC	3,758
30	54	29	T-PBK305429SMG	3,890	T-PBK305429SMC	3,882
30	60	29	T-PBK306029SMG	3,952	T-PBK306029SMC	3,945
30	66	29	T-PBK306629SMG	4,066	T-PBK306629SMC	4,062
30	72	29	T-PBK307229SMG	4,140	T-PBK307229SMC	4,134
36	42	29	T-PBK364229SMG	3,783	T-PBK364229SMC	3,778
36	48	29	T-PBK364829SMG	3,845	T-PBK364829SMC	3,841
36	54	29	T-PBK365429SMG	3,982	T-PBK365429SMC	3,978
36	60	29	T-PBK366029SMG	4,056	T-PBK366029SMC	4,050
36	66	29	T-PBK366629SMG	4,182	T-PBK366629SMC	4,176
36	72	29	T-PBK367229SMG	4,264	T-PBK367229SMC	4,260
42	48	29	T-PBK424829SMG	3,931	T-PBK424829SMC	3,925
42	54	29	T-PBK425429SMG	4,075	T-PBK425429SMC	4,071
42	60	29	T-PBK426029SMG	4,161	T-PBK426029SMC	4,155
42	66	29	T-PBK426629SMG	4,296	T-PBK426629SMC	4,292
42	72	29	T-PBK427229SMG	4,392	T-PBK427229SMC	4,384
48	54	29	T-PBK485429SMG	4,170	T-PBK485429SMC	4,166
48	60	29	T-PBK486029SMG	4,264	T-PBK486029SMC	4,260
48	66	29	T-PBK486629SMG	4,412	T-PBK486629SMC	4,407
48	72	29	T-PBK487229SMG	4,517	T-PBK487229SMC	4,513



Specify





Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Corner Left Tables with Slim Post Legs

2MM EDGE CORNER LEFT TABLES WITH SLIM POST LEGS						
D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	42x60	29	T-CLR244260SMG	3,285	T-CLR244260SMC	3,277
24	42x66	29	T-CLR244266SMG	3,339	T-CLR244266SMC	3,333
24	42x72	29	T-CLR244272SMG	3,394	T-CLR244272SMC	3,386
24	48x60	29	T-CLR244860SMG	3,346	T-CLR244860SMC	3,338
24	48x66	29	T-CLR244866SMG	3,406	T-CLR244866SMC	3,399
24	48x72	29	T-CLR244872SMG	3,468	T-CLR244872SMC	3,461
30	42x60	29	T-CLR304260SMG	3,285	T-CLR304260SMC	3,277
30	42x66	29	T-CLR304266SMG	3,339	T-CLR304266SMC	3,333
30	42x72	29	T-CLR304272SMG	3,394	T-CLR304272SMC	3,386
30	48x60	29	T-CLR304860SMG	3,346	T-CLR304860SMC	3,338
30	48x66	29	T-CLR304866SMG	3,406	T-CLR304866SMC	3,399
30	48x72	29	T-CLR304872SMG	3,468	T-CLR304872SMC	3,461

KNIFE EDGE CORNER LEFT TABLES WITH SLIM POST LEGS						
D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	42x60	29	T-CLK244260SMG	4,603	T-CLK244260SMC	4,596
24	42x66	29	T-CLK244266SMG	4,687	T-CLK244266SMC	4,679
24	42x72	29	T-CLK244272SMG	4,772	T-CLK244272SMC	4,762
24	48x60	29	T-CLK244860SMG	4,708	T-CLK244860SMC	4,702
24	48x66	29	T-CLK244866SMG	4,801	T-CLK244866SMC	4,796
24	48x72	29	T-CLK244872SMG	4,897	T-CLK244872SMC	4,890
30	42x60	29	T-CLK304260SMG	4,603	T-CLK304260SMC	4,596
30	42x66	29	T-CLK304266SMG	4,687	T-CLK304266SMC	4,679
30	42x72	29	T-CLK304272SMG	4,772	T-CLK304272SMC	4,762
30	48x60	29	T-CLK304860SMG	4,708	T-CLK304860SMC	4,702
30	48x66	29	T-CLK304866SMG	4,801	T-CLK304866SMC	4,796
30	48x72	29	T-CLK304872SMG	4,897	T-CLK304872SMC	4,890



Specify





Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Corner Right Tables with Slim Post Legs

2MM EDGE CORNER RIGHT TABLES WITH SLIM POST LEGS						
D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	42x60	29	T-CRR244260SMG	3,285	T-CRR244260SMC	3,277
24	42x66	29	T-CRR244266SMG	3,339	T-CRR244266SMC	3,333
24	42x72	29	T-CRR244272SMG	3,394	T-CRR244272SMC	3,386
24	48x60	29	T-CRR244860SMG	3,346	T-CRR244860SMC	3,338
24	48x66	29	T-CRR244866SMG	3,406	T-CRR244866SMC	3,399
24	48x72	29	T-CRR244872SMG	3,468	T-CRR244872SMC	3,461
30	42x60	29	T-CRR304260SMG	3,285	T-CRR304260SMC	3,277
30	42x66	29	T-CRR304266SMG	3,339	T-CRR304266SMC	3,333
30	42x72	29	T-CRR304272SMG	3,394	T-CRR304272SMC	3,386
30	48x60	29	T-CRR304860SMG	3,346	T-CRR304860SMC	3,338
30	48x66	29	T-CRR304866SMG	3,406	T-CRR304866SMC	3,399
30	48x72	29	T-CRR304872SMG	3,468	T-CRR304872SMC	3,461

KNIFE EDGE CORNER RIGHT TABLES WITH SLIM POST LEGS						
D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	42x60	29	T-CRK244260SMG	4,603	T-CRK244260SMC	4,596
24	42x66	29	T-CRK244266SMG	4,687	T-CRK244266SMC	4,679
24	42x72	29	T-CRK244272SMG	4,772	T-CRK244272SMC	4,762
24	48x60	29	T-CRK244860SMG	4,708	T-CRK244860SMC	4,702
24	48x66	29	T-CRK244866SMG	4,801	T-CRK244866SMC	4,796
24	48x72	29	T-CRK244872SMG	4,897	T-CRK244872SMC	4,890
30	42x60	29	T-CRK304260SMG	4,603	T-CRK304260SMC	4,596
30	42x66	29	T-CRK304266SMG	4,687	T-CRK304266SMC	4,679
30	42x72	29	T-CRK304272SMG	4,772	T-CRK304272SMC	4,762
30	48x60	29	T-CRK304860SMG	4,708	T-CRK304860SMC	4,702
30	48x66	29	T-CRK304866SMG	4,801	T-CRK304866SMC	4,796
30	48x72	29	T-CRK304872SMG	4,897	T-CRK304872SMC	4,890



Specify

Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal



120° Corner and 60° Trapezoid with Slim Post Legs

2MM EDGE 120° CORNER TABLES WITH SLIM POST LEGS

D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	54x54	29	T-YR245454TPG	3,650	T-YR245454TPC	3,641
30	54x54	29	T-YR305454TPG	3,731	T-YR305454TPC	3,726

KNIFE EDGE 120° CORNER TABLES WITH SLIM POST LEGS

D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	54x54	29	T-YK245454TPG	5,201	T-YK245454TPC	5,195
30	54x54	29	T-YK305454TPG	5,342	T-YK305454TPC	5,336



Specify **Notes**

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

2MM EDGE 60° TRAPEZOID TABLES WITH SLIM POST LEGS

D	W	H	On Glides		On Casters	
			Model Number	List	Model Number	List
24	60	29	T-TZR246029SMG	2,567	T-TZR246029SMC	2,559
24	66	29	T-TZR246629SMG	2,589	T-TZR246629SMC	2,583
24	72	29	T-TZR247229SMG	2,638	T-TZR247229SMC	2,630
24	78	29	T-TZR247829SMG	2,662	T-TZR247829SMC	2,657
24	84	29	T-TZR248429SMG	2,711	T-TZR248429SMC	2,704
30	66	29	T-TZR306629SMG	2,657	T-TZR306629SMC	2,651
30	72	29	T-TZR307229SMG	2,711	T-TZR307229SMC	2,704
30	78	29	T-TZR307829SMG	2,743	T-TZR307829SMC	2,735
30	84	29	T-TZR308429SMG	2,794	T-TZR308429SMC	2,791



Specify **Notes**

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal


Round and Triangle Tables with Slim Post Legs

2MM EDGE ROUND TABLES ON SLIM POST LEGS

D	H	On Glides		On Casters	
		Model Number	List	Model Number	List
24	29	T-RDR2429SMG	2,347	T-RDR2429SMC	2,340
30	29	T-RDR3029SMG	2,401	T-RDR3029SMC	2,396
36	29	T-RDR3629SMG	2,469	T-RDR3629SMC	2,462
42	29	T-RDR4229SMG	2,548	T-RDR4229SMC	2,541
48	29	T-RDR4829SMG	2,638	T-RDR4829SMC	2,630
54	29	T-RDR5429SMG	2,886	T-RDR5429SMC	2,881
60	29	T-RDR6029SMG	3,027	T-RDR6029SMC	3,020

KNIFE EDGE ROUND TABLES ON SLIM POST LEGS

D	H	On Glides		On Casters	
		Model Number	List	Model Number	List
24	29	T-RDK2429SMG	3,512	T-RDK2429SMC	3,507
30	29	T-RDK3029SMG	3,603	T-RDK3029SMC	3,600
36	29	T-RDK3629SMG	3,720	T-RDK3629SMC	3,714
42	29	T-RDK4229SMG	3,857	T-RDK4229SMC	3,853
48	29	T-RDK4829SMG	4,015	T-RDK4829SMC	4,008
54	29	T-RDK5429SMG	4,317	T-RDK5429SMC	4,314
60	29	T-RDK6029SMG	4,538	T-RDK6029SMC	4,530




2MM EDGE TRIANGLE TABLES ON SLIM POST LEGS

D	H	On Glides		On Casters	
		Model Number	List	Model Number	List
36	29	T-TRR3629SMG	2,456	T-TRR3629SMC	2,450
48	29	T-TRR4829SMG	2,625	T-TRR4829SMC	2,621
54	29	T-TRR5429SMG	2,730	T-TRR5429SMC	2,722
60	29	T-TRR6029SMG	2,844	T-TRR6029SMC	2,839

KNIFE EDGE TRIANGLE TABLES ON SLIM POST LEGS

D	H	On Glides		On Casters	
		Model Number	List	Model Number	List
36	29	T-TRK3629SMG	3,709	T-TRK3629SMC	3,706
48	29	T-TRK4829SMG	4,003	T-TRK4829SMC	3,999
54	29	T-TRK5429SMG	4,182	T-TRK5429SMC	4,176
60	29	T-TRK6029SMG	4,379	T-TRK6029SMC	4,376



Specify


Notes

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Tool Rails and Bench End Worksurfaces


FRONT-TO-BACK TOOL BARS (LEFT)

W	Model Number	List	Paint Grade C
22.5	O-TBFTBL24	498	+25
28.5	O-TBFTBL30	546	+25




FRONT-TO-BACK TOOL BARS (RIGHT)

W	Model Number	List	Paint Grade C
22.5	O-TBFTBR24	498	+25
28.5	O-TBFTBR30	546	+25



FRONT-TO-BACK TOOL BARS (SHARED)

W	Model Number	List	Paint Grade C
22.5	O-TBFTBC24	513	+25
28.5	O-TBFTBC30	563	+25



Specify


Notes

- Paint Selection

- Front-to-back tool rails are mounted directly to a worksurface to allow for the use of tool bar accessories.
- Tool bars are double-sided to allow for accessories to be mounted to either side.

WORKSURFACE REAR-MOUNTED TOOL RAIL

W	Model Number	List	Paint Grade C
24	A-WSMTR24	401	+25
30	A-WSMTR30	431	+25
36	A-WSMTR36	461	+25
42	A-WSMTR42	489	+25
48	A-WSMTR48	516	+25
54	A-WSMTR54	546	+25
60	A-WSMTR60	575	+25
66	A-WSMTR66	724	+25
72	A-WSMTR72	755	+25




Specify

Notes

- Paint Selection

- Worksurface rear mounted tool rail mounts directly to a worksurface, and does not require panels for support.
- Rail is clamped onto the surface using supplied hardware.
- Worksurface mounted tool rails are double-sided, allowing for accessories to be mounted to either side.
- 66" and 72" wide rails come with three sets of mounting hardware.




Handing for Tool Bars

- L** - Left Hand
- R** - Right Hand
- S** - Shared


Tool Bar Accessories and Spin-Out Pencil Drawers

STANDARD TOOL BAR ACCESSORIES


Type	Model Number	List
Portrait Paper Tray	P-MXTBPPT	138
Landscape Paper Tray	P-MXTBLPT	138
Diagonal Folder Sorter	P-MXTBDFS	158
Pencil Holder	P-MXTBPENH	58
Accessories Tray	P-MXTBAT	104




Portrait Paper Tray




Landscape Paper Tray



Diagonal Folder Sorter



Pencil Holder



Accessories Tray

Specify

- Black or Clear Plastic Selection

Notes


- Standard tool bar accessories can be universally used on all AIS tool rails except Calibrate tackboards with tool rails.
- Available in black or clear.

SPIN-OUT PENCIL DRAWERS

W	D	Type	Model Number	List
7 1/2	7 1/2	Radius Jr.	A-ROKJ	171
13 5/8	8 1/4	Radius	A-ROK	194



Radius Jr.




Radius

Notes


- Spin out pencil drawers provide convenient, low profile storage of loose items.
- Plan organizer kit placement around worksurface support elements.
- Available in black only.

METAL TOOL BAR ACCESSORIES


Type	Model Number	List	Paint Grade C
Portrait Paper Tray	A-TBPPT	150	+10
Landscape Paper Tray	A-TBLPT	150	+10
Diagonal Folder Holder	A-TBDFS	155	+10
Binder Holder	A-TBBH	150	+10
Pencil Holder	A-TBPT	105	+10
Folder Box	A-TBFH	138	+10
18" Mini Shelf	P-MXTBMSHF18	246	+10
24" Mini Shelf	P-MXTBMSHF24	333	+10
30" Mini Shelf	P-MXTBMSHF30	346	+10
36" Mini Shelf	P-MXTBMSHF36	396	+10




Portrait Paper Tray



Landscape Paper Tray




Diagonal Folder Holder




Binder Holder



Pencil Tray



Folder Box



Mini Shelf

Specify

- Paint Selection



Notes

- Metal tool bar accessories can be universally used on all AIS tool rails except Calibrate tackboards with tool rails.
- Available painted in any AIS paint color.

Credenza Cushions

CREDENZA CUSHIONS							
D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
18	18	S-BCUSH1818	955	+51	+102	+152	+203
18	21	S-BCUSH1821	1,006	+51	+102	+152	+203
18	24	S-BCUSH1824	1,025	+51	+102	+152	+203
18	27	S-BCUSH1827	1,043	+51	+102	+152	+203
18	30	S-BCUSH1830	1,061	+62	+124	+186	+248
18	33	S-BCUSH1833	1,075	+62	+124	+186	+248
18	36	S-BCUSH1836	1,141	+62	+124	+186	+248
18	42	S-BCUSH1842	1,183	+73	+146	+208	+270
18	48	S-BCUSH1848	1,248	+73	+146	+208	+270
18	54	S-BCUSH1854	1,294	+73	+146	+208	+270
18	60	S-BCUSH1860	1,328	+95	+160	+228	+298
18	66	S-BCUSH1866	1,412	+95	+160	+228	+298
18	72	S-BCUSH1872	1,455	+95	+160	+228	+298

SHARED CREDENZA CUSHIONS						
D	W	Model Number	List	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
36	30	S-BCUSH3630	1,585	+95	+160	+228
36	36	S-BCUSH3636	1,625	+95	+160	+228
36	42	S-BCUSH3642	1,641	+95	+160	+228



Specify

- Upholstery Selection


Notes

- Credenza cushions are a fabric covered 1” thick foam cushion.
- Cushions include Velcro for mounting.

Lock Cores and Replacement Pulls

LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	20
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	32
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	49
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	63
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	79
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	92
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	107
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	124
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	138
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	153
Master Key	RS-W1MKEY	15
Core Removal Key	RS-W1CRKEY	15
Replacement Key	RS-WK ___ (Key Number)	22




REPLACEMENT PULLS


Type	Model Number	List
Silver Loop Pull	X-HAND-LOOPS	27
Silver Bar Pull	X-HAND-BARS	27
Silver L-Pull	X-HAND-LPMS	27
White L-Pull	X-HAND-LPW	27
Rectangular Pull	X-HAND-RPS	27




Loop Pull



Bar Pull



L-Pull



Rectangular Pull

Notes

- Replacements only.
- Pulls work for all metal and laminate storage units with the exception of roll out/pantry towers.
- For replacement handles for roll out/pantry towers use only bar pull.


Notes

- Lock cores & keys are included with all AIS storage files and overhead flipper units, but may be ordered separately for keying stations alike or for replacement purposes.
- When ordering keyed alike sets, be sure to also order a core removal key.
- The core removal key is needed to remove the existing core from the lock housing in order to replace with a new core.
- Order key sets based on quantity of storage items to be keyed alike.

Keyboard Arms and Accessories


KEYBOARD ARM

Model Number	List
A-KEYBZ	612



EXTENDED KEYBOARD ARM

Model Number	List
A-KEYBZE	1,032




Notes

- Keyboard Arm mounts to underside of worksurfaces to support standard computer keyboards.
- Keyboard platform area behind wrist rest measures 8 1/2" deep x 20" wide.
- Keyboard tray include a factory mounted, synthetic leather wristrest.
- Keyboard arms are colored black.
- Order extended arm for use on all curvilinear corner worksurfaces except cockpit corners.
- Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.
- Oxygen Spacer required when used under a bench surface.

STANDARD MOUSE TRAY

Model Number	List
A-MSETS	182





Notes

- Standard Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse area measures 7 1/4" x 7 1/4".
- Mouse tray swivels around vertical axis 270° and has 30° of tilt around the horizontal axis (15° above keyboard tray plane to 15° below plane, independent of keyboard tray tilt).
- The mouse tray is colored black.

OXYGEN SPACER

Quantity	Model Number	List
Single	O-OSPACER1	74
Double	O-OSPACER2	147
Triple	O-OSPACER3	219




Notes

- Oxygen Spacer provides added height to keyboard arm and CPU holder tracks to allow them to install under Oxygen bench kits.
- Long screws for installation are included.
- Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.
- Available in black only.

V-Series Keyboard Arms


V-SERIES KEYBOARD ARM

Mouse Tray	Model Number	List
Fixed	A-KTOVSF	1,350
Adjustable	A-KTOVSA	1,435




V-SERIES EXTENDED KEYBOARD ARM

Mouse Tray	Model Number	List
Fixed	A-KTOVXF	1,464
Adjustable	A-KTOVXA	1,552



V-SERIES SIT-STAND KEYBOARD ARM

Mouse Tray	Model Number	List
Fixed	A-KTOVSSF	1,435
Adjustable	A-KTOVSSA	1,622




Notes

- V Series Keyboard Arms mount to the underside of worksurfaces to support computer keyboards.
- Arms may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray.
- For detail of the adjustability range, see schematics.
- Keyboard Arms may be mounted 90° to the surface edge without the spacer but they will not be retractable.
- Standard Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse area measures 7 1/4" x 7 1/4".
- Mouse tray swivels around vertical axis 270° and has 30° of tilt around the horizontal axis (15° above keyboard tray plane to 15° below plane, independent of keyboard tray tilt).

CPU Holders

EASY ACCESS CPU HOLDER

Mounting Type	Model	List
17.75" Track	A-CPUEA	995




Notes

- Easy access CPU holder protects your CPU from damaging environmental factors by keeping it off the floor and out of the way.
- Glide tracks and 360° swivel mechanisms provide easy access to the back of the CPU.
- Vertically mounts to underside of worksurface.
- Swivels 360 degrees.
- No tools needed to adjust.
- The glide track is 17.75".
- Adjustable width 2.5" - 8.25".
- Adjustable height 13" - 21".
- Load capacity is 100 lbs.
- Oxygen spacer required when used under a bench surface.

LOCKABLE CPU HOLDER

Mounting Type	Model	List
17" Track	A-CPULK	1,761




Notes

- Lockable CPU holder offers secure CPU storage.
- Protects CPU from damaging environmental factors and theft.
- Glide tracks and 360° swivel mechanisms provide easy access to the back of the CPU.
- Vertically mounts to underside of worksurface.
- No tools needed to adjust.
- The glide track is 17".
- Heavy duty locking knob.
- Steel holder with fiberglass reinforced resin-composite arm.
- Adjustable width 3.5" - 9.3".
- Adjustable height 12.5" - 22.5".
- Load capacity is 85 lbs.
- Oxygen spacer required when used under a bench surface.

ELEVATOR CPU HOLDER

Mounting Type	Model	List
17" Track	A-CPUEL	1,097




Notes

- Elevator CPU holder secures and stores CPUs beneath your worksurface.
- Cable connections and power buttons are easily accessed once your CPU is in the Elevator CPU holder.
- Holds up to 50lbs.
- Oxygen spacer required when used under a bench surface.

Monitor Arms

SINGLE MONITOR ARM

Model Number	List
A-ERSMASB	805




Notes

- Suitable for 10" - 28" size range LCD screens.
- Load capacity of 19lbs per arm.
- Features 180 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Single monitor arm features a snap-in/removable cord clip for wire management.
- Please use the Knife Edge Wedge when attaching monitor arms to knife edge surfaces.

DUAL MONITOR ARM

Model Number	List
A-ERDMASB	1,479




Notes

- Suitable for 10" - 28" size range LCD screens.
- Load capacity of 19lbs per arm.
- Features 180 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Please use the Knife Edge Wedge when attaching monitor arms to knife edge surfaces.

DUAL MONITOR ARM FOR SHALLOW DEPTH WORKSURFACES

Model Number	List
A-ERDMAM9	1,479



Notes

- Suitable for LCD screens up to 27".
- Load capacity of 14.3 lbs. per monitor.
- Features 180 degree rotation at the mounting base and extension.
- Monitors mount with M4 screws to a VESA bracket.
- VESA monitor mount for 75mm and 100mm standard.
- Mounts with c-clamp on the table edge or through a grommet hole.
- Available in silver only.
- Please use the Knife Edge Wedge when attaching monitor arms to knife edge surfaces.

Task Lights


LED DESK LAMP (CLAMP BASE)

Mounting Type	Model Number	List
Clamp	A-DLWL01CC	2,371



LED DESK LAMP (DESK BASE)

Mounting Type	Model Number	List
Desk Base	A-DLWL01DB	2,437



LED DESK LAMP (SHORT ARM CLAMP BASE)

Mounting Type	Model Number	List
Short Arm Clamp	A-DLWL02CC	2,371




Notes

- LED desk lamp provides the user control over ambient lighting levels while at task.
- This double extension counter- balanced lamp offers various options while providing exceptional illumination.
- It has ergonomic styling and is energy star compliant.
- With patented refractive LED lens technology, the LED desk lamp eliminates light pooling and provides an excess of 50,000 hours of life at full power.
- Available in various mounting options, the LED desk lamp is an excellent task lighting option for any application.
- Clamp mount easily attaches to the worksurface edge, 41" total length.
- Desk Base sits on the worksurface, 41" total length.
- Short Arm clamp mount easily attaches to worksurface edge, 36" total length.

ASHLEY UNO


Mounting Type	Model Number	List
Clamp	E-AUTCW	779
Under	E-AUUMW	779
Bezel	E-AUBMW	779



Clamp Mount



Under Mount



Bezel


Specify

Notes


- Features one AC outlet for high-power devices and dual 2.1 amp USB charging ports.
- Each USB port utilizes a Smart Device recognition Chip to monitor and deliver the required amperage to your devices.
- Available in white.
- The unit comes with a 6' cord and is available with surface, under or bezel mounting options.
- Fits in standard size grommets.
- Bezel mount requires special surface (2.12" x 4.45" hole size, 3/4" - 1 1/2" surface thickness).

ASHLEY DUO


Mounting Type	Model Number	List
Clamp	E-ADTCW	1,211
Under	E-ADUMW	1,211
Bezel	E-ADBMW	1,211



Clamp Mount



Under Mount



Bezel


Specify

Notes


- Color (White/White or White/Silver)
- Features two AC outlets for high-power devices and dual 2.1 amp USB ports.
- Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices.
- The unit comes with a 72" cord option and is available with surface, under or bezel mounting options.
- Fits in standard size grommet.
- Bezel mount requires special surface (6" x 2.19" hole size, 1/2" - 1 1/2" surface thickness).

ASHLEY 202


Mounting Type	Model Number	List
Clamp	E-A202TCW	995
Under	E-A202UMW	995
Bezel	E-A202BMW	995



Clamp Mount



Under Mount



Bezel


Specify

Notes


- Color (White/White or White/Silver)
- Features two AC outlets for high-power devices and two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts.
- The unit comes with a 72" cord and is available with surface, under or bezel mounting options.
- Bezel mount requires special surface (2.19" x 7.35" hole size, 3/4" - 1 1/2" surface thickness).

ASHLEY DUO AIR

Model Number	List
E-ADAP	1,240



Closed



Open

Specify


Notes

- Color (White or Silver)
- Features a pop-up cover that reveals an integrated wedge with two AC outlets and two USB ports.
- Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage to your devices.
- The unit comes with a 72" cord.
- Ashley Duo Air requires special surface (4.63" x 6.75" hole size).


Power Data Solutions and Ganging Bolts

ASHLEY TRIO


Mounting Type	Model Number	List
Clamp	E-ATTCW	1,453
Under	E-ATUMW	1,068
Bezel	E-ATBMW	1,068



Clamp Mount



Under Mount



Bezel

Specify


- Color (White/White or White/Silver)

Notes


- Features three AC outlets for high-power devices, two USB ports and a data insert for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts.
- Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices.
- The unit comes with a 72" cord option and is available with surface, under or bezel mounting options.
- Bezel mount requires special surface (2.19" x 8.50" hole size, 3/4" - 1 1/2" surface thickness).

ASHLEY QUAD


Mounting Type	Model Number	List
Clamp	E-AQTCW	1,781
Under	E-AQUMW	1,781
Bezel	E-AQBMW	1,781



Clamp Mount



Under Mount



Bezel

Specify


- Color (Black or White)

Notes

- Features four AC outlets for high-power devices, dual 2.1 amp USB charging ports, and options for two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts.
- Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage to your devices.
- The unit comes with a 72" cord and is available with surface, under or bezel mounting options.
- Bezel mount requires special surface (2.19" x 11.40" hole size, 3/4" - 1 1/2" surface thickness).

GANGING BOLT

Color	Model Number	List
Zinc-Plated	RH-98002A208	13



Notes

- Laminate Casegood Ganging Bolt gangs two laminate construction casegood units with standard 3/4" thick wall construction together by way of a field drilled 1/4" diameter hole.
- Combination drive style on both ends, 10-24 thread, adjusts from 1 1/2" to 1 5/8".



National Showrooms:

Leominster

AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago

The Merchandise Mart
Suite 1086
Chicago, Illinois 60654

New York

AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.

AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales

GSA Contract 47QSM20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged
Office Furniture and Furniture Services

For additional information on AIS:

Dealer Showrooms, Representative
Directory, Project Case Studies, Online
Catalog & Product Showcase
Visit: www.ais-inc.com